

GROW WITH US



Cooperative from our core, **Superior Ag** is dedicated to superior member value. As trained agronomic experts, we know that every bushel and every decision counts. One of the most impactful decisions you can control each year is selecting the right seed products. At Superior Ag, we are proud to offer access to the **top national seed brands** so that you are not limited to only one specific brand's portfolio.

But in today's environment, top yields are not reached by seed genetics alone. It takes a comprehensive approach. Successful seed selection comes down to combining the right products with the right acres and management practices. That is why our goal is to help you **maximize every seed on every acre.**

By conducting local trials through our **Superior Ag Innovators Club**, we have compiled the most extensive set of local data points and research trials of any other dealer in our cooperative footprint to help identify the specific products that match your acre and practices. Superior Ag is also fortunate to have a WinField United Answer Plot located right in the heart of our territory, which provides us with local corn and soybean yield results, as well as insights into a wide variety of agronomic practices for farmers in southern Indiana. We don't play favorites—if it doesn't work for you, it doesn't work for us.

From selecting the right seed, to providing tools for accurate in-season adjustments, we're there every step of the way. It's all about helping you produce the best crop possible. We hope this new, comprehensive seed guide will help simplify the options when selecting your seed and management options for the 2026 crop year. Our local agronomy sales specialists are looking forward to answering any questions you may have and putting together a plan for the upcoming year.













TABLE OF CONTENTS

INTRODUCTION	2
SUPERIOR AG TOP CORN & SOYBEANS	4-5
CORN HYBRIDS	
CROPLAN	6-15
DEKALB	16-23
BREVANT	24-29
SOYBEAN VARIETIES SOYBEAN VARIETIES	
CROPLAN	
ASGROW	40-42
BREVANT	44-48
ALLOY	
XITAVO	
SEED TREATMENT	51-56
WHEAT VARIETIES	
CROPLAN	
SEED + GRAPHITE AND E-FLOW	60
PLANTER METER TESTING & CALIBRATION	61
PLANTING DATE STUDIES	62
MAXIMIZING LOCAL YIELDS WITHOCAL DATA	
CONNECT WITH US	
SUPERIOR AG CUSTOMER PORTAL	65



TOP CORN HYBRIDS

BRAND	HYBRID	TRAIT	RM	DESCRIPTION
Croplan	5050	VT4P	110	Highly versatile hybrid that checks a lot of boxes. Handles variable soils to highly productive acres. Big flex ear that throws large kernels. Very good late-season health and intactness. Performed well in 2024 AP testing across the East BU. Taller hybrid with higher ear placement. Very good emergence and drought tolerance with solid stalks late season.
Brevant	B11C37	AM	111	Exciting combination of yield performance and agronomics to perform across the corn belt. Early silking, agronomically sound hybrid with excellent drought tolerance. Great stalks, sound roots, and strong green snap tolerance. Strong disease package across the board. Very good staygreen and appearance at harvest.
Dekalb	111-35	VT2P	111	A versatile early option for S. IN. Excellent Southern Rust defense and uniform emergence make this an excellent product to start or finish with. Solid agronomics with good drought tolerance.
Brevant	B12J58	V	112	Industry leading top-end yield performance backed by balanced agronomics. Excellent emergence for early planting into cold and/or wet soils and stout, short, and broad stature. Nice disease package overall, including Goss`s Wilt; manage Southern Rust accordingly. Compact plant and ear height works well for highly productive soils. Keep on moderate to the highest yielding environments for the best results!
Croplan	5272	VT2P	112	Workhorse style hybrid with top-end yield ability. Tested for two years in AP's and repeated its performance two years in a row. Male brings excellent grain quality and test weight. Female adds girth and ear flex. Agronomically, 5272 has very good emergence, roots, stalks, drought tolerance with good staygreen and late-season intactness.
Croplan	CP 5370	VT2P	113	Versatile, dual-purpose product; adapted across multiple yield environments. Excellent stalks, roots and test weight; strong drydown. Optimize yield potential with enhanced nitrogen management; moderate-tohigh plant densities. Best positioned on rotated acres; ear tip back influenced by genetics.
Dekalb	K113	VT3P	113	DEKALB white corn volume leader product with broad placement and excellent heat and drought tolerance. Best to position away from wet natured soils for ASR management. First half of harvest corn.
Brevant	B14C59	PCE	114	New 114-day brings top-end yield in a balanced package. Covers a variety of soil types, but keep on good to better acres. Very fast out of the ground, for early planting and no-till. Good roots, solid stalks, and excellent drought tolerance handles stress well.
Croplan	5468	VT4P	114	Agronomically sound 114-day VT4P well suited for a wide range of conditions and soil types. Strong overall agronomics that handles drought stress well. Taller plant type with higher ear set that produces a very girthy ear and deep kernels. Very good emergence, roots, stalks, and intactness. Gutsy hybrid under tougher conditions.
Croplan	CP 5497	VT2P	114	Widely adapted east to west across multiple soil types and yield levels. Strong roots and drought tolerance with excellent test weight. Semi-flex ear and high response-to-population score allow positioning across yield environments. Manage fields with history of Anthracnose and Southern Rust.
Dekalb	114-99	VT4P	114	VT4 Pro above/below ground insect protection. Very good roots and greensnap tolerance with a semi-flex ear that will respond to populations. Excellent corn-on-corn option. Potential food grade option also.
Dekalb	64-22	VT2P	114	Stability Leader 114! Good uniform emergence, with ear flex and good grain quality has quickly made this a S.IN favorite.
Croplan	CP 5550	VT2P	115	Position in average-to-high-yield potential acres; dual purpose option. Solid agronomic and disease package. Keep plant densities moderate to high.
Croplan	CP 5682	TRE	116	Broadly adapted across yield environments; excels on highly productive acres. Strong agronomic package; very good grain quality. Semi-flex ear allows for variable planting populations.
Dekalb	66-06	TRE	116	Yield Leader in the 116RM. Excellent top-end potential with a flex ear and good plant health make this a standout product. Caution on wind tolerance. Look for a timely fungicide application to really tap into the top-end yield potential.
Brevant	B17H53	PCE	117	NEW High Yield Champion with a 117RM and a unique early 109RM silking period that allows a greater wondow for grain fill. Excellent disease package and emergence aid in this record potential. To manage this hybrid appropriately, place it in a moderate to HIGH yeilding environment and protect it from Southern Rust with a timely fungicide application. This is a great late RM option that can still be planted early and thrive in moderate to low populations.
Dekalb	117-78	VT2P	117	Very versatile 117RM with excellent top-end yield. Consistent product with good husk coverage on a semi-flex ear. Good drought tolerance and relaxed canopy will make this a great fit for any S.IN field.
Dekalb	68-35	VT2P	118	Yield Leader 118RM! Fast emergence, drought tolerance, flex ear, and excellent top-end yield on this white cob, full-season product. Fungicide application adds fuel to this yield machine.
Croplan	5911	VT2P	119	Yield leading full-season hybrid with solid agronomics. Tremendous genetic combination that brings top-end yield across yield environments. Answer Plot data says "Just Plant It"! Superb staygreen and intactness with very good drought tolerance, stalks, and roots. Above average Southern Rust tolerance. SemiFlex ear with nice girth and deep kernels.
Dekalb	70-45	VT2P	120	A stable, 120RM hybrid with exciting top-end yields combined with stability. This robust placement and girthy flex ear product also have awesome grain quality and test weight for this full season hybrid.

TOP SOYBEAN VARIETIES



BRAND	VARIETY	TRAIT	RM	DESCRIPTION
Croplan	CP 3120E	Enlist	3.1	WinPak® variety consisting of CP3024ES and CP3126E. Crazy top-end yield ability here with excellent PRR protection and stress tolerance. This WinPak will be broadly adapted across yield environments, soil types, and yield levels. Strength in wet feet conditions.
Brevant	B315EE	Enlist	3.1	New 3.1 that combines top-end potential and sound agronomics. Excellent stress emergence for early planting and no-till. Very solid disease package, including SDS and White Mold, as well as good Phytophthora field tolerance. A moderate plant with a wider canopy. Watch placing on extremely drought prone soils.
Asgrow	33XF3	Xtend Flex	3.3	Exciting performance out of this 3.3RM. Very well adapted product for S.IN with great top-end yields. Fast emergence and branchy plant type. Fungicides recommended for FELS. Solid SDS and SSC tolerance.
Croplan	CP 3330E	Enlist	3.3	WinPak® variety consisting of CP3225E and CP3426E. Replaces CP3320. Solid agronomic package, broad-acre WinPak that delivers top-end yield ability.
Alloy	34E35	Enlist	3.4	NEW, exclusive to Alloy. This 3.4 RM Enlist E3® soybean fits a wide range of soil types and practices with great standability and consistent yield potential. Good tolerance to Sudden Death Syndrome.
Brevant	B344EE	Enlist	3.4	A strong 3.4 Peking bean, brings an improvement over the disease package and agronomics of the B342EE. Excellent emergence and standability, allows for flexible placement and row spacing. Strong SDS, BSR, and Charcoal Rot tolerance. Slightly below average for frogeye so manage appropriately.
Brevant	B342EE	Enlist	3.4	A proven yield leader for Brevant! Great flexibility and big yield on a wide range of acres. Package with a fungicide to protect against White Mold and maximize top yield potential. Plant at modest densities to avoid late season lodging. Excellent Frogeye tolerance. Peking SCN resistance.
Asgrow	35XF5	Xtend Flex	3.5	Double PRR gene stack. Versatility with great yield potential in most environments. Very consistent performance.
Asgrow	36XF4	Xtend Flex	3.6	Exciting 3.6 with lots of top-end yield potential! Good agronomics and defensive traits, but more of an offensive bean vs 35XF4. We will need to manage populations to aid standability.
Brevant	B364EE	Enlist	3.6	An exceptional yield leader with an incredibly strong agronomic package. Fast out of the ground and eye appealing from the start. Strong disease package for SDS, BSR, and Charcoal Rot. Strong Phytophthora field tolerance combined with the Rps1k gene. Slightly below average for Frogeye, so manage with caution of that. Good standability late.
Croplan	CP 3620E	Enlist	3.6	Upgraded WinPak® variety that consists of CP3524ES and CP3626E. All about yield and broad acre placement without sacrificing agronomics! Excellent PRR field tolerance on both components with strong tolerance to SDS. Medium tall, intermediate bush WinPak with good standability.
Alloy	38E35	Enlist	3.8	NEW, the 38E35 is a great fit for almost all SW.IN soils.
Asgrow	38XF3	Xtend Flex	3.8	Fast emerging late Group 3 with very good standability and excellent top-end yield. Eye catching field appearance. This variety is a favorite across S.IN. Use fungicides for FELS.
Croplan	CP 3830E	Enlist	3.8	WinPak® variety consisting of CP3825E and CP3835E. WinPak variety designed for Central and West. Strong standability and SDS tolerance; acceptable IDC tolerance.
Alloy	39E33	Enlist	3.9	Great choice for all S.IN soil types and offers good emergence and standability. Excellent top-end with very good standability and harvestability. Try to couple with an SDS seed treatment to manage Sudden Death Syndrome.
Brevant	B394EE	Enlist	3.9	The fullest season Peking bean in the industry! This exciting variety brings excellent emergence for early planting and cold/wet soils and excellent SDS tolerance. Shows good Phytophthora field tolerance, also brings the addition of the Rps1k for some genetic tolerance. A moderate plant stature with a wider canopy improves standability.
Croplan	CP 3920ES	Enlist	3.9	WinPak® variety consisting of CP3922E and CP3926ES. Excellent PRR, SDS and elite FELS protection. Good stress tolerance with top end yield ability. Medium height, thinner type WinPak that has very good standability. Broadly adaptable with good stress tolerance and great defensive characteristics.
Asgrow	40XF1	Xtend Flex	4.0	Widely adapted product in S.IN that has shown consistent performance in both higher yielding environments and more variable soils. Good emergence and even better early growth.
Asgrow	40XF1	Xtend Flex	4.0	Widely adapted product in S.IN that has shown consistent performance in both higher yielding environments and more variable soils. Good emergence and even better early growth.
NK	NK42A6E3S	Enlist	4.2	Superb performance with great agronomics. Broadly adapted across soil types and drainage classes. STS Excluder with robust plant type for first crop or double crop acres. Excellence disease tolerance to maximize yield potential.

UNLOCK YOUR FARM'S POTENTIAL WITH THESE HIGH-PERFORMERS.

Optimize Seed ROI

To produce farm topping yields, you need to do many things right. And that starts with CROPLAN® seed. It's seed that puts you on the path to maximizing ROI on each acre, beginning with exceptionally high performing genetics, which carry the latest traits and technology. But even bigger advantages come with the data and intelligence we build on top of these cutting-edge corn hybrids.

ANSWER PLOT® RESEARCH PROVIDES POPULATION, NITROGEN AND FUNGICIDE RESPONSE DATA FOR ALL CROPLAN CORN HYBRIDS.

That means you can fine tune management and increase yield potential in the most economically efficient manner.

- There's a 36.5 bu/A average yield response advantage¹ when hybrids are managed according to their Response to Nitrogen (RTN).
- Then, there's a 12.0 bu/A average yield response advantage¹ when hybrids are managed according to their Response to Fungicide (RTF), which not only guides the fungicide decision, but also the application timing.
- Testing and correlating plant populations, RTN and RTF allows us to make sense of the almost infinite interactions between population, nitrogen, fungicide and yield response for each hybrid.

EACH HYBRID IS DIFFERENT, AND THEIR AGRONOMIC REQUIREMENTS ARE, TOO.

Putting every hybrid into the same environment won't maximize your ROI. Instead, give each hybrid what it needs when it needs it. And just as importantly, eliminate actions that don't provide the yield and revenue impact you desire.

Only CROPLAN seed provides this level of intelligence. And you can only find CROPLAN seed hybrids at the best retailers in America.

ZINC SEED TREATMENT IN THE BAG

Zinc is proven to help corn get off to a fast, healthy start and encourage stronger root development. CROPLAN is one of the only seed brands with zinc on every corn hybrid, in every bag, with no overtreatment or upcharge. It's a key component of our proprietary corn seed treatment – Fortivent® Plus. In 2018 Answer Plot® testing, Fortivent Plus showed a +4.7bu/A average advantage over untreated CROPLAN products.

Fortivent® Plus Features and Benefits

- All CROPLAN® hybrids come with Poncho® VOTiVO® seed treatment.
- Provides enhanced Pythium control with ethaboxam fungicide.
- Includes Fortivent Zn for success in early-season growth and root development.
- Includes a replant guarantee on all CROPLAN hybrids.*

When you choose CROPLAN seed, you're gaining an agronomic edge which can help maximize ROI potential.

*Contact your local retail seed expert.

1. 2024 Answer Plot® trial data.



OUR INDEPENDENCE FUELS THE TRAITS WE OFFER.

When you are a leader in the seed industry, you're able to hand select the genetics and traits farmers want, independently. Here are the traits available in our lineup this year.

DELOW ORGUND TRAITO		1	RAIT COMPONENT	S		HERBICIDE TOLERANCE							
BELOW GROUND TRAITS	YIELDGARD® Rootworm	HERCULEX® ROOTWORM	ROOTWORM	DURACADE®	RNAi	GLYPHOSATE	GLUFOSINATE	ENLIST®	FOPS				
VT4PRO™	✓				✓	✓							
SMARTSTAX®	✓	✓				✓	✓						
SMARTSTAX® PRO	✓	✓			✓	✓	✓						
DURACADE®			✓	✓		✓	√ **						

ADOVE COOLIND TOAITS		TRAIT CON	APONENTS .		HERBICIDE TOLERANCE							
ABOVE GROUND TRAITS	YIELDGARD VT PRO®	YIELDGARD® Corn Borer	HERCULEX® 1	VIPTERA®	GLYPHOSATE	GLUFOSINATE	ENLIST®	FOPS				
VT DOUBLE PRO®	✓				✓							
TRECEPTA® TECHNOLOGY	✓			✓	✓							
POWERCORE® ENLIST®	✓		✓		✓	✓	✓	✓				

**Check bag tag on tolerance




CROPLAN® TRAIT LETTERING FOR CORN HYBRIDS

Descriptive hybrid numbering and trait lettering systems are used for CROPLAN® corn hybrids.

KEY	HYBRID	TRAIT	LOGO
SS/RIB	SmartStax® RIB Complete® Corn Blend	Two mode of actions working against corn rootworm for below ground protection. As a RIB Complete® brand corn blend, means refuge compliance for the Corn-Growing Area is easier than ever. Two more sites of action provide tolerance to glyphosate and glufosinate herbicide applications.	SmartStax:
SSPRO/RIB	SmartStax® PRO Complete®Corn Blend	For corn on corn acres, or those with corn rootworm damage, SmartStax® PRO technology contains three different modes of action against corn rootworm. SmartStax® PRO Technology combines the proven benefits of SmartStax® Technology with an additional, unique RNAi-based mode of action — becoming the first product with three modes of action for corn rootworm control. Plus, it's a RIB Complete® brand corn blend, which means refuge compliance for the Corn-Growing Area is easier than ever. Products available with and without refuge in bag options.	SmartStax: PRO
VT4P	VT4PRO™ RIB Complete®	For corn on corn acres, or those with corn rootworm damage, VT4PRO™ Technology combines the three built-in modes of action in Trecepta® Technology, an elite above-ground pest package for corn, with two below-ground modes of action to help manage corn rootworm. VT4PRO Technology will provide farmers protection against above-ground pests including European corn borer, southwestern corn borer, fall armyworm, black cutworm, western bean cutworm and corn earworm. VT4PRO contains Roundup Ready 2 Technology® which allows the corn plant to withstand glyphosate treatments. Plus, it's a RIB Complete® brand corn blend, which means refuge compliance for the Corn- Growing Area is easier than ever. Products available with and without refuge in bag options.	VT4PRO"
VT2P/RIB	VT Double PRO® RIB Complete® Corn Blend	For rotated acres with no visible corn rootworm, and low to moderate risk. Dual modes of action for maximum protection against above-ground pests, like European and Southwestern corn borers and fall armyworm. An additional site of action helps plants withstand glyphosate to prevent weeds from competing with corn. As a RIB Complete® brand corn blend, means refuge compliance for the Corn-Growing Area is easier than ever. Products available with and without refuge in bag options.	VTDoublePRO*
RR	Roundup Ready® Corn 2	Roundup Ready Corn 2 enables consistent field-to-field weed control. Engineered for glyphosate tolerance, this technology allows you to apply Roundup® brand agricultural herbicides and other labeled glyphosate products.	Roundup Ready: CORN 2
TRE/RIB	Trecepta® RIB Complete® Corn Blend	For rotated acres with no visible corn rootworm, and low to moderate risk. Trecepta® Technology helps reduce yield loss by protecting your corn crop from a wide range of above-ground pests. Built on the proven VT Double PRO® Technology, Trecepta Technology gives you more complete control against corn borers (European and southwestern), fall armyworm, western bean cutworm, black cutworm and corn earworm. Trecepta contains Roundup Ready 2 Technology® which allows the corn plant to withstand glyphosate treatments. Plus, it's a RIB Complete® brand corn blend, which means refuge compliance for the Corn-Growing Area is easier than ever. Products available with and without refuge in bag options.	Trecepta°
DGVT2P/RIB	DroughtGard® VT Double PRO® RIB Complete® Corn Blend	VT Double PRO® RIB Complete® corn blend contains dual modes of action for maximum protection against above-ground pests, like European and Southwestern corn borers and fall armyworm. DroughtGard® Hybrids products are designed to help corn plants resist drought stress and minimize the risk associated with one key, unpredictable factor: The weather. The DroughtGard® Hybrids gene helps the plant create proteins that are essential for growth, helping to support yield opportunity when water is scarce. Plus, it's a RIB Complete® brand corn blend, which means refuge compliance for the Corn-Growing Area is easier than ever. Products available with and without refuge in bag options.	DroughtGard MYBRIDS VTDoublePRO GROWNER VTDoublePRO
D	Duracade®	The Duracade® trait stack provides multiple modes of action against corn rootworm and corn borer, as well as suppression of ear-feeding insects. This trait stack includes a novel, alternate mode of action to help preserve trait durability and delay insect adaptation for long-term field health, and the convenience of an integrated E-Z Refuge® seed blend.	Duracade LIBERTY LINK
PCE	PowerCore® Enlist®	Herbicide flexibility with the Enlist® weed control system, which offers tolerance to 2,4-D choline in Enlist® herbicides in addition to glufosinate and glyphosate. Insect control against black cutworm, fall armyworm, European and southwestern corn borers, and corn earworm. Enlist weed control system provides a whole-farm solution across corn, soybean and cotton acres.	POWERCGRE Enlist REFUGE ADMINCED






- Strong western adaptation; good Goss's wilt and strong greensnap tolerance
- Exceptional top-end yield potential
- Plant at moderate populations due to semi-flex ear
- Recommend a fungicide application in areas with high disease pressure



- Moves east to west; broadly adapted to soil types and yield environments
- Tall hybrid with strong stalks, roots and staygreen
- Manage nitrogen and population
- Best-suited for rotated acres; manage accordingly in corn-on-corn situations




- Highly versatile hybrid with the VT4P trait for the 110RM group
- Strong agronomics with very good drought tolerance and late season stalks
- Nice ear flex for variable planting populations
- Manage for Southern Rust




- Best suited for variable to tough acres
- Excellent emergence, seedling vigor and roots
- Semi-flex ear; plant at moderate populations
- Avoid areas with Goss"s wilt history


5 = Not Recommended




- Versatile product that can move east to west across the Corn Belt
- Flexible hybrid that can handle low-end to high-end acres
- Moderate response to fungicide, which can help with late season health




- Broadly adapted, workhorse style hybrid that can deliver top end yield potential
- Strong ear flex with excellent grain quality and test weight
- Very good drought tolerance, late season health, and intactness
- Acceptable Southern Rust tolerance




- Position in average to high yield environments to maximize performance
- Very good emergence, roots, stalks and drought tolerance
- Strong Goss"s Wilt tolerance




- Versatile hybrid with excellent heat tolerance and yield potential
- Medium-short hybrid with strong stalks and solid agronomics
- Position at moderate-to-low populations to maximize girthy flex ear
- Use caution in areas with high risk of greensnap




- High yield potential when placed on medium-to-highly productive acres
- Excellent emergence with strong late season stalks and drought tolerance
- Manage key diseases and late season intactness with fungicide application
- Fungicide is recommended in areas where gray leaf spot and southern rust are a concern




- Versatile, dual-purpose product; adapted across multiple yield environments
- Excellent stalks, roots and test weight; strong drydown
- Optimize yield potential with enhanced nitrogen management; moderate-tohigh plant densities
- Best positioned on rotated acres; ear tip back influenced by genetics




- Widely adapted east to west across multiple soil types and yield levels
- Strong roots and drought tolerance with excellent test weight
- Semi-flex ear and high response-to-population score allow positioning across yield environments
- Manage fields with history of Anthracnose and southern rust




- Broadly adapted VT4P with very good agronomics and late season intactness
- Good ear flex to allow for variable planting populations
- Excellent tolerance to Anthracnose Stalk Rot; very good tolerance to Physoderma Node Breakage
- Acceptable Goss's Wilt tolerance




- Position on average-to-high-yield potential acres; dual purpose option
- Solid agronomic and disease package
- Keep plant densities moderate to high
- Acceptable Goss's wilt tolerance



- Best performance in the central and eastern Corn Belt
- Top-end yield potential with very good stress tolerance
- Excellent dual purpose silage potential
- Use caution in high Physoderma regions



- Broadly adapted across yield environments; medium flower date offers north to south movement across maturity zones
- Medium-height plant with wide leaves and a girthy semi-flex ear
- Position at moderate populations with enhanced nitrogen management for high-yield-potential




- Broadly adapted across yield environments; excels on highly productive acres
- Strong agronomic package; very good grain quality
- Semi-flex ear allows for variable planting populations

SCALE: 1 = Excellent 2 = Strong 3 = Acceptable


4 = Manage 5 = Not Recommended Product descriptions and ratings are generated from Answer Plot® trials and/or from the genetics supplier and my change as additional data is gathered.




CROPLAN® corn silage hybrids that consistently perform for high-quality and high-tonnage in Answer Plot® trials.




- Delta hybrid versatile enough to perform outside of zone
- Flexible hybrid that can work across a variety of yield environments
- Excellent test weight and flex ear
- Strong agronomics and southern rust tolerance



- Outstanding performance potential from east to west
- Top-end yield potential with good ear flex capabilities
- Versatile placement across soil types at moderate populations
- Fungicide recommended to enhance protection against southern rust



- Fits well in the Southern U.S. and Delta regions
- Full-season offering with excellent emergence and seedling vigor
- Strong stalks and roots with good late season health
- Strong southern rust tolerance



- High yield potential, full season hybrid with very good agronomics and drought
- Semi-flex ear to allow for variable planting populations
- Very good staygreen and late season intactness
- Good tolerance to Southern Rust



2025 CROPLAN Corn Stoplight Chart



Property															
Mart	Hybrid	l ,	Plant Physiology	RT	$\overline{}$	Agronomics	Diseas	se Package	Herbicide Tol.	Yield Environment	Soils	Placement	Physiology	Management	Caution
Marie Mari	,2				1 Vigor									-	
Part				_								Versatile hybrid with strong stress			Eungicide application
The column The	CP4930														
Mart					_	-			Tightenesti Fa(E)	·		third of harvest.			
Mart		<u> </u>			2								· · · · · · · · · · · · · · · · · · ·		
Part	Hybrid											Placement	Physiology	Management	Caution
Marrier Marr			1 1 1 1		Vigor	Stalk Root SG	GLS NCLB	SCLB Rust						Manage nitrogen and population.	Best-suited for rotated acres:
No.	CP4997			_	1 2	2 2 2	3 2	2 3							
Part					_	-	Goss ASR		Pigment/HPPD(27) A	1 101 1 1 1		son types and yield environments	Toots, and staygreen	environments	on-corn situations
Table 1		NO	RED SF Medium 16-18	KIF	_ 2	2 2	2 2	3 2		Tougn	Coarse w/ irr				
Part	Hybrid	P	, , , , , , , , , , , , , , , , , , , ,						Herbicide Tol.	Yield Environment	Soils	Placement	Physiology	Management	Caution
Part				_				SCLB Rust		, , , , , , , , , , , , , , , , , , ,	1	Highly versatile hybrid with strong		In-season management of	
Math	CP5050							2 2							
					_	- i			Pigment/HPPD(27) A			vigor for early planting.		performance.	nign disease years.
Tell		NO	Red SF Medium 18-20	KIF	1 3	2 2	2 2	N/A 2		Tough	Coarse w/ Irr				
Property	Hybrid	P	Plant Physiology	RT		Agronomics	Diseas	se Package	Herbicide Tol.	Yield Environment	Soils	Placement	Physiology	Management	Caution
		Trait		RTP №	1 Vigor	Stalk Root SG	GLS NCLB	SCLB Rust	Growth Regulators (4)	Highly Prod w/ Mngt	Fine	Dook and company on made bights		llas siss flav for mandarate	
Market M	CP5073	VT2P							Sulfonylureas/ALS (2)	Productive	Medium				
Property									Pigment/HPPD(27)				tillage and early planting		late-season health
Tail Part Day Part P		NO	RED SF Medium 16-18	RTF	1 2	2 3	3 3	N/A N/A		Tough	Coarse w/ Irr				
Control Cont	Hybrid	P	Plant Physiology	RT		Agronomics	Diseas	se Package	Herbicide Tol.	Yield Environment	Soils	Placement	Physiology	Management	Caution
Part		Trait	RM GDU Height Ear	RTP H	l Vigor	Stalk Root SG	GLS NCLB	SCLB Rust	Growth Regulators (4)	Highly Prod w/ Mngt	Fine				
Market M	CP5115	SS, VT2P	111 2624 M-T M-H	RTN H	1 2	3 3 3	3 2	3 N/A	Sutfonylureas/ALS (2)	Productive	Medium		Excellent emergence, seedling		Caution on Goes' wilt acres
Post	010110	Data Proven	Cob Flex Flower Kernels	СН	1 Dry	Drought TW	Goss ASR	PNB Diplodia	Pigment/HPPD(27)	Average/Variable	Coarse		vigor, and roots		Cadion on Coss witt acres
First			RED SF M-L 18-20	RTF №	1 3	2 1	4 3	5 3		Tough	Coarse w/ Irr				
Part	Hybrid	Р	Plant Physiology	RT		Agronomics	Diseas	se Package	Herbicide Tol.	Yield Environment	Soils	Placement	Physiology	Management	Caution
Second 1 175 7 14 14 14 14 14 14 14				RTP M	1 Vigor		GLS NCLB	SCLB Rust	Growth Regulators (4)	Highly Prod w/ Mngt	Fine			Responds well to higher	
But Name Col Flac Flavour Emerge Flavour Emerge Col Flavour Flavour Col Flavour	CDE122	SS	111 2775 T M-H	RTN M	1 2	2 2 2	2 2	2 2	Sulfonylureas/ALS (2)	Productive	Medium				Best performance is on
Past Physician Past	CP5132	Data Proven	Cob Flex Flower Kernels	С	Dry	Drought TW	Goss ASR	PNB Diplodia	Pigment/HPPD(27) A	Average/Variable	Coarse				rotated acres.
Tail RM GOU Height Ear RP File Migration Series Company			RED SD M-E 14-16	RTF №	1 2	2 2	2 1	1 3		Tough	Coarse w/ Irr	,	8,8	apperance.	
Tail RM GOU Height Ear RP File Migration Series Company	Hybrid				_										
V2	yumu	1 1	Plant Physiology	RT	1	Agronomics	Diseas	se Package	Herbicide Tol.	Yield Environment	Soils	Placement	Physiology	Management	Caution
Mathematical Math	. iybiiu				1 Vigor						1		VG emergence and seedling vigor;		Caution
Fig.		Trait	RM GDU Height Ear	RTP M		Stalk Root SG	GLS NCLB		Growth Regulators (4)	Highly Prod w/ Mngt	Fine	Broadly adapted hybrid to move across	VG emergence and seedling vigor; good stalks, roots, and staygreen.	Moderate RTN with low RTF	
Productive Pro	CP5208	Trait VT2P	RM GDU Height Ear 112 2713 Medium Medium	RTP M	1 2	Stalk Root SG 3 3 3	GLS NCLB	SCLB Rust	Growth Regulators (4) A Sulfonylureas/ALS (2) A	Highly Prod w/ Mngt Productive	Fine Medium	Broadly adapted hybrid to move across variety of soils from highly productive	VG emergence and seedling vigor; good stalks, roots, and staygreen. Very nice field appearance with	Moderate RTN with low RTF scores. Strong ear flex; plant at	Better options for the corn on
Productive Pro		Trait VT2P	RM GDU Height Ear 112 2713 Medium Medium Cob Flex Flower Kernels	RTP M RTN M C M	1 2	Stalk Root SG 3 3 3 Drought TW	GLS NCLB 3 2 Goss ASR	SCLB Rust 2 3 PNB Diplodia	Growth Regulators (4) A Sulfonylureas/ALS (2) A	Highly Prod w/ Mngt Productive Average/Variable	Fine Medium Coarse	Broadly adapted hybrid to move across variety of soils from highly productive	VG emergence and seedling vigor; good stalks, roots, and staygreen. Very nice field appearance with wide, dark leaves. VG TW and	Moderate RTN with low RTF scores. Strong ear flex; plant at	Better options for the corn on
Post 12 200 Modium Modium Rate Modium Modium Rate Ra	CP5208	Trait VT2P Data Proven	RM GDU Height Ear 112 2713 Medium Medium Cob Flex Flower Kernels RED SF N/A 16-18	RTP M RTN M C M RTF L	1 2	Stalk Root SG 3 3 3 Drought TW 3 2	GLS NCLB	SCLB Rust 2 3 PNB Diplodia N/A N/A	Growth Regulators (4) A Sulfonylureas/ALS (2) A Pigment/HPPD(27) A	Highly Prod w/ Mngt Productive Average/Variable Tough	Fine Medium Coarse Coarse w/ Irr	Broadly adapted hybrid to move across variety of soils from highly productive to more marginal acres.	VG emergence and seedling vigor; good stalks, roots, and staygreen. Very nice field appearance with wide, dark leaves. VG TW and grain quality	Moderate RTN with low RTF scores. Strong ear flex; plant at moderate densities.	Better options for the corn on corn acre
Data Provision Color Flower F		Trait VT2P Data Proven	RM GDU Height Ear 112 2713 Medium Medium Cob Flex Flower Kernets RED SF N/A 16-18 Plant Physiology	RTP M RTN M C M RTF L	1 2 1 Dry 2	Stalk Root SG 3 3 3 3 3 3 3 3 3	GLS NCLB 3 2 Goss ASR 3 2 Diseas	SCLB Rust 2 3 PNB Diplodia N/A N/A se Package	Growth Regulators (4) A Sulfonylureas/ALS (2) A Pigment/HPPD(27) A Herbicide Tol.	Highly Prod w/ Mngt Productive Average/Variable Tough Yield Environment	Fine Medium Coarse Coarse w/ Irr Soils	Broadly adapted hybrid to move across variety of soils from highly productive to more marginal acres.	VG emergence and seedling vigor; good stalks, roots, and staygreen. Very nice field appearance with wide, dark leaves. VG TW and grain quality Physiology	Moderate RTN with low RTF scores. Strong ear flex; plant at moderate densities. Management	Better options for the corn on corn acre
Physical	CP5208	Trait VT2P Data Proven PTrait	RM GDU Height Ear	RTP M RTN M C M RTF L RT RTP L	1 2 1 Dry 2 2 Vigor	Stalk Root SG 3 3 3 Drought TW 3 2 Agronomics Stalk Root SG	GLS NCLB	SCLB Rust 2 3 PNB Diplodia N/A N/A se Package	Growth Regulators (4) Sutfonylureas/ALS (2) Pigment/HPPD(27) Herbicide Tol. Growth Regulators (4)	Highly Prod w/ Mngt Productive Average/Variable Tough Yield Environment Highly Prod w/ Mngt	Fine Medium Coarse Coarse w/ Irr Soils Fine	Broadly adapted hybrid to move across variety of soils from highly productive to more marginal acres. Placement Broadly adapted to handle multiple	VG emergence and seedling vigor; good stalks, roots, and staygreen. Very nice field appearance with wide, dark leaves. VG TW and grain quality Physiology Medium plant height with medium ear placement. Very good	Moderate RTN with low RTF scores. Strong ear flex; plant at moderate densities. Management Moderate RTN and RTF scores.	Better options for the corn on corn acre Caution Caution ratings for growth
Trait	CP5208	Trait VT2P Data Proven P Trait VT2P	RM GDU Height Ear 112 2713 Medium Medium Cob Flex Flower Kernels RED SF N/A 16-18 RED SF N/A Medium Mediu	RTP M RTN M C M RTF L RTF L RTP L RTN M	1 2 1 Dry 2 2 Vigor 1 2	Stalk	GLS NCLB 3 2 Goss ASR 3 2 Diseas GLS NCLB 2 2	SCLB Rust 2 3 PNB Diplodia N/A N/A Se Package SCLB Rust 1 2	Growth Regulators (4) A Sulfonylureas/ALS (2) A Pigment/HPPD(27) A Herbicide Tol. Growth Regulators (4) C Sulfonylureas/ALS (2) C	Highly Prod w/ Mngt Productive Average/Variable Tough Yield Environment Highly Prod w/ Mngt Productive	Fine Medium Coarse Coarse w/ Irr Soits Fine Medium	Broadly adapted hybrid to move across variety of soils from highly productive to more marginal acres. Placement Broadly adapted to handle multiple yield environments. Workhorse style	VG emergence and seedling vigor; good stalks, roots, and staygreen. Very nice field appearance with wide, dark leaves. VG TW and grain quality Physiology Medium plant height with medium ear placement. Very good agronomics and late season look.	Moderate RTN with low RTF scores. Strong ear flex; plant at moderate densities. Management Moderate RTN and RTF scores. Strong ear flex; plant at moderate densities. Manage for Southern	Better options for the com on corn acre Caution Caution ratings for growth regulators and SU's/ALS
Trait	CP5208	Trait VT2P Data Proven P Trait VT2P	RM GDU Height Ear	RTP M RTN M C M RTF L RTF L RTP L RTN M C M	1 2 1 Dry 2 2 Vigor 1 2 1 Dry	Stalk	GLS NCLB 3 2 Goss ASR 3 2 Diseas GLS NCLB 2 2 Goss ASR	SCLB Rust 2 3 PNB Diplodia N/A N/A se Package SCLB Rust 1 2 PNB Diplodia	Growth Regulators (4) A Sulfonylureas/ALS (2) A Pigment/HPPD(27) A Herbicide Tol. Growth Regulators (4) C Sulfonylureas/ALS (2) C	Highty Prod w/ Mngt Productive Average/Variable Tough Yield Environment Highty Prod w/ Mngt Productive Average/Variable	Fine Medium Coarse Coarse w/ Irr Soils Fine Medium Coarse	Broadly adapted hybrid to move across variety of soils from highly productive to more marginal acres. Placement Broadly adapted to handle multiple yield environments. Workhorse style	VG emergence and seedling vigor; good stalks, roots, and staygreen. Very nice field appearance with wide, dark leaves. VG TW and grain quality Physiology Medium plant height with medium ear placement. Very good agronomics and late season look. Excellent grain quality and test	Moderate RTN with low RTF scores. Strong ear flex; plant at moderate densities. Management Moderate RTN and RTF scores. Strong ear flex; plant at moderate densities. Manage for Southern	Better options for the com on corn acre Caution Caution ratings for growth regulators and SU's/ALS
SPRO	CP5208 Hybrid CP5272	Trait VT2P Data Proven P Trait VT2P Data Proven	RM GDU Height Ear	RTP M RTN M C M RTF L RT RTP L RTN M C M RTF N	1 2 1 Dry 2 2 Vigor 1 2 1 Dry	Stalk Root SG 3 3 3 3 3 3 3 3 3	GLS NCLB 3 2 Goss ASR 3 2 Diseas GLS NCLB 2 2 Goss ASR 2 2	SCLB Rust 2 3	Growth Regulators (4) Sulfonylureas/ALS (2) A Pigment/HPPD(27) A Herbicide Tol. Growth Regulators (4) C Sulfonylureas/ALS (2) Pigment/HPPD(27) A	Highly Prod w/ Mngt Productive Average/Variable Tough Yield Environment Highly Prod w/ Mngt Productive Average/Variable Tough	Fine Medium Coarse Coarse w/ Irr Soils Fine Medium Coarse Coarse w/ Irr	Broadly adapted hybrid to move across variety of soils from highly productive to more marginal acres. Placement Broadly adapted to handle multiple yield environments. Workhorse style hybrid with top end yield ability.	VG emergence and seedling vigor; good stalks, roots, and staygreen. Very nice field appearance with wide, dark leaves. VG TW and grain quality Physiotogy Medium plant height with medium ear placement. Very good agronomics and late season look. Excellent grain quality and test weight.	Moderate RTN with low RTF scores. Strong ear flex; plant at moderate densities. Management Moderate RTN and RTF scores. Strong ear flex; plant at moderate densities. Manage for Southern Rust in high disease years.	Better options for the corn on corn acre Caution Caution ratings for growth regulators and SU's/ALS chemistries.
Data Proven Cob Flex Flower RED SF M-L 16-18 RTF M Vigor Stalk Root SG SLS NCLB SCLB SCLB Rust Orwin Regulations (4) A Highly Prod w/ Mingt Fine Data Proven Cob Flex Flower Red SF Medium 14-16 RTF M Vigor Stalk Root SG SLS NCLB SCLB Rust Orwin Regulations (4) A Highly Prod w/ Mingt Fine Name Productive Medium Plant Prod w/ Mingt Fine Name Productive Medium Name Productive	CP5208	Trait VT2P Data Proven P Trait VT2P Data Proven P Trait VT2P Data Proven	RM GDU Height Ear	RTP M RTN M C M RTF L RT RTP L RTN M C M RTF N RTF M	1 2 1 Dry 2 Vigor 1 2 1 Dry 1 2	Stalk Root SG 3 3 3 3 3 3 3 3 3	GLS NCLB 3 2 Goss ASR 3 2 Diseas GLS NCLB 2 2 Goss ASR 2 2 Diseas	SCLB	Growth Regulators (4) Sulfonylureas/ALS (2) A Pigment/HPPD(27) A Herbicide Tol. Growth Regulators (4) Sulfonylureas/ALS (2) C Pigment/HPPD(27) A Herbicide Tol.	Highty Prod w/ Mngt Productive Average/Variable Tough Yield Environment Highty Prod w/ Mngt Productive Average/Variable Tough Yield Environment	Fine Medium Coarse Coarsew/Irr Soils Fine Medium Coarse Coarsew/Irr Soils	Broadly adapted hybrid to move across variety of soils from highly productive to more marginal acres. Placement Broadly adapted to handle multiple yield environments. Workhorse style hybrid with top end yield ability. Placement	VG emergence and seedling vigor; good stalks, roots, and staygreen. Very nice field appearance with wide, dark leaves. VG TW and grain quality Physiology Medium plant height with medium ear placement. Very good agronomics and late season look. Excellent grain quality and test weight. Physiology	Moderate RTN with low RTF scores. Strong ear flex; plant at moderate densities. Management Moderate RTN and RTF scores. Strong ear flex; plant at moderate densities. Manage for Southern Rust in high disease years. Management	Better options for the corn on corn acre Caution Caution ratings for growth regulators and SU's/ALS chemistries.
Fig.	CP5208 Hybrid CP5272 Hybrid	Trait VT2P Data Proven P Trait VT2P Data Proven P Trait VT2P Data Proven	RM GDU Height Ear	RTP M RTN M C M RTF L RT RTP L RTN M C M RTF L RTN M RTP L RTR RTP L RTR RTP M	1 2 1 Dry 2 Vigor 1 2 1 Dry 1 2	Stalk Root SG 3 3 3 3 3 3 3 3 3	GLS NCLB 3 2 Goss ASR 3 2 Diseas GLS NCLB 2 2 Goss ASR 2 2 Diseas GLS NCLB	SCLB	Growth Regulators (4) Sulfonylureas/ALS (2) A Pigment/HPPD(27) A Herbicide Tol. Growth Regulators (4) C Sulfonylureas/ALS (2) Pigment/HPPD(27) A Herbicide Tol. Growth Regulators (4) A	Highly Prod w/ Mngt Productive Average/Variable Tough Yield Environment Highly Prod w/ Mngt Productive Average/Variable Tough Yield Environment Highly Prod w/ Mngt	Fine Medium Coarse Coarsew/Irr Solts Fine Medium Coarse Coarsew/Irr Solts Fine	Broadly adapted hybrid to move across variety of soils from highly productive to more marginal acres. Placement Broadly adapted to handle multiple yield environments. Workhorse style hybrid with top end yield ability. Placement Best performance on marginal to highly	VG emergence and seedling vigor; good stalks, roots, and staygreen. Very nice field appearance with wide, dark leaves. VG TW and grain quality Physiology Medium plant height with medium ear placement. Very good agronomics and late season look. Excellent grain quality and test weight. Physiology Tall plant type with high ear	Moderate RTN with low RTF scores. Strong ear flex; plant at moderate densities. Management Moderate RTN and RTF scores. Strong ear flex; plant at moderate densities. Manage for Southern Rust in high disease years. Management Great early plant hybrid. Keep	Better options for the corn on corn acre Caution Caution ratings for growth regulators and SU's/ALS chemistries. Caution Potential for some root
Plant Plan	CP5208 Hybrid CP5272	Trait VT2P Data Proven P Trait VT2P Data Proven P Trait SPRO	RM GDU Height Ear	RTP M RTN M C M RTF L RT RTP L RTN M C M RTF M RTN M RTP M RTP M RTP M RTP M RTN H	1 2 1 Dry 2 Vigor 1 2 1 Dry 1 2 1 Vigor 1 1 Vigor 1 1 1	Stalk Root SG	GLS NCLB 3 2 Goss ASR 3 2 Diseas GLS NCLB 2 2 Goss ASR 2 2 Diseas GLS NCLB 3 2	SCLB	Growth Regulators (4) Sulfonylureas/ALS (2) A Pigment/HPPD(27) A Herbicide Tol. Growth Regulators (4) C Sulfonylureas/ALS (2) Pigment/HPPD(27) A Herbicide Tol. Growth Regulators (4) A Sulfonylureas/ALS (2) A	Highly Prod w/ Mngt Productive Average/Variable Tough Yield Environment Highly Prod w/ Mngt Productive Average/Variable Tough Yield Environment Highly Prod w/ Mngt Productive	Fine Medium Coarse Coarsew/Irr Soils Fine Medium Coarse Coarsew/Irr Soils Fine Medium Medium Coarse Medium Medium Medium Medium	Broadly adapted hybrid to move across variety of soils from highly productive to more marginal acres. Placement Broadly adapted to handle multiple yield environments. Workhorse style hybrid with top end yield ability. Placement Best performance on marginal to highly productive acres. Works well on both	VG emergence and seedling vigor; good stalks, roots, and staygreen. Very nice field appearance with wide, dark leaves. VG TW and grain quality Physiology Medium plant height with medium ear placement. Very good agronomics and late season look. Excellent grain quality and test weight. Physiology Physiology Tall plant type with high ear placement. Excellent emergence	Moderate RTN with low RTF scores. Strong ear flex; plant at moderate densities. Management Moderate RTN and RTF scores. Strong ear flex; plant at moderate densities. Manage for Southern Rust in high disease years. Management Great early plant hybrid. Keep populations on the moderate side.	Better options for the com on corn acre Caution Caution ratings for growth regulators and SU's/ALS chemistries. Caution Potential for some root wobble when pops are
Trait RM GDU Height Ear RTP M Vigor Stalk Rot SG GLS NCLB SCLB Rust Growth Regulators (4) N/A Highly Prod w/ Mngt Fine Data Proven CDS Flex Flower Regulators (4) N/A Productive Medium CDATE Productive Medium CDATE Productive Average/Variable COARSE TOUGH TOU	CP5208 Hybrid CP5272 Hybrid	Trait VT2P Data Proven P Trait VT2P Data Proven P Trait SPRO	RM GDU Height Ear	RTP M RTN M C M RTF L RTP L RTN M C M RTF M RTF M RTF M RTF M RTP M RTT RTP M RTN H C M	1 2 1 Dry 2 Vigor 1 2 1 Dry 1 2 1 Vigor 1 Ury 1	Stalk Root SG 3 3 3 3 3 3 3 3 3	GLS NCLB 3 2 Goss ASR 3 2 Diseas GLS NCLB 2 2 Goss ASR 2 2 Diseas GLS NCLB 3 2	SCLB	Growth Regulators (4) Sulfonylureas/ALS (2) A Pigment/HPPD(27) A Herbicide Tol. Growth Regulators (4) C Sulfonylureas/ALS (2) Pigment/HPPD(27) A Herbicide Tol. Growth Regulators (4) A Sulfonylureas/ALS (2) A	Highly Prod w/ Mngt Productive Average/Variable Tough Yield Environment Highly Prod w/ Mngt Productive Average/Variable Tough Yield Environment Highly Prod w/ Mngt Productive Average/Variable Average/Variable	Fine Medium Coarse W Irr Soils Fine Medium Coarse W Irr Soils Fine Medium Coarse W Irr Soils Fine Medium Coarse W Irr	Broadly adapted hybrid to move across variety of soils from highly productive to more marginal acres. Placement Broadly adapted to handle multiple yield environments. Workhorse style hybrid with top end yield ability. Placement Best performance on marginal to highly productive acres. Works well on both rotated and corn on corn. Excellent	VG emergence and seedling vigor; good stalks, roots, and staygreen. Very nice field appearance with wide, dark leaves. VG TW and grain quality Physiology Medium plant height with medium ear placement. Very good agronomics and late season look. Excellent grain quality and test weight. Physiology Tall plant type with high ear placement. Excellent emergence and early growth. Solid	Moderate RTN with low RTF scores. Strong ear flex; plant at moderate densities. Management Moderate RTN and RTF scores. Strong ear flex; plant at moderate densities. Manage for Southern Rust in high disease years. Management Great earity plant hybrid. Keep populations on the moderate side. Be aggressive with nitrogen and	Better options for the corn on corn acre Caution Caution ratings for growth regulators and SU's/ALS chemistries. Caution Potential for some root wobble when pops are
PCE	CP5208 Hybrid CP5272 Hybrid CP5320	Trait	RM GDU Height Ear	RTP M RTN M C M RTF L RTP L RTN M C M RTF M RTF M RTP M RTP M RTP M RTN H C RTF M	1 2 1 Dry 2 Vigor 1 2 1 Dry 1 2 1 Vigor 1 Ury 1	Stalk Root SG 3 3 3 3 3 3 3 3 3	GLS NCLB 3 2 Goss ASR 3 2 Diseas GLS NCLB 2 2 Goss ASR 2 2 Diseas GLS NCLB 3 2 GOSS ASR 2 1	SCLB	Growth Regulators (4) Sulfonylureas/ALS (2) A Pigment/HPPD(27) A Herbicide Tol. Growth Regulators (4) Sulfonylureas/ALS (2) C Pigment/HPPD(27) A Herbicide Tol. Growth Regulators (4) Sulfonylureas/ALS (2) C Pigment/HPPD(27) A Sulfonylureas/ALS (2) A Pigment/HPPD(27) A	Highly Prod w/ Mngt Productive Averager/Variable Tough Yield Environment Highly Prod w/ Mngt Productive Averager/Variable Tough Yield Environment Highly Prod w/ Mngt Productive Average/Variable Tough	Fine Medium Coarse W Irr Soilts Fine Medium Coarse Coarse W Irr Soilts Fine Medium Coarse Coarse W Irr Soilts Fine Medium Coarse Coarse W Irr	Broadly adapted hybrid to move across variety of soils from highly productive to more marginal acres. Placement Broadly adapted to handle multiple yield environments. Workhorse style hybrid with top end yield ability. Placement Best performance on marginal to highly productive acres. Works well on both rotated and corn on corn. Excellent tonnage for silage	VG emergence and seedling vigor; good stalks, roots, and staygreen. Very nice field appearance with wide, dark leaves. VG TW and grain quality Medium plant height with medium ear placement. Very good agronomics and late season look. Excellent grain quality and test weight. Physiology Physiology Physiology Physiology Like the proper state of the proper state of the properties of the	Moderate RTN with low RTF scores. Strong ear flex; plant at moderate densities. Management Moderate RTN and RTF scores. Strong ear flex; plant at moderate densities. Manage for Southern Rust in high disease years. Management Great early plant hybrid. Keep populations on the moderate side. Be aggressive with nitrogen and manage for GLS.	Better options for the com on corn acre Caution Caution ratings for growth regulators and SU's/ALS chemistries. Caution Potential for some root wobble when pops are pushed.
Data Proven Cob Flex Flower Flower Cob Flex Flower Flower Cob Flex Flower Flower Cob Flex Flower C	CP5208 Hybrid CP5272 Hybrid	Trait	RM GDU Height Ear	RTP MRTN MRTN MRTF L RTP L RTN MRTF L RTN MRTF MRTF MRTF MRTF MRTF MRTN MRTF MRTN MRTF MRTF MRTF MRTF MRTF MRTF MRTF MRTF	1 2 1 Dry 2 2 1 Vigor 1 2 2 1 Vigor 1 1 2 1 Dry 1 1 Dry 1 1 2 1 Dry 1 1 Dry 1 2 Dry 1 Dr	Stalk Root SG	GLS NCLB 3 2 Goss ASR 3 2 Diseas GLS NCLB 2 2 Goss ASR 2 2 Diseas GLS NCLB 3 2 Coss ASR 2 1 Diseas GLS NCLB 1 1 Diseas	SCLB	Growth Regulators (4) Sulfonylureas/ALS (2) A Pigment/HPPD(27) A Herbicide Tol. Growth Regulators (4) C Sulfonylureas/ALS (2) Pigment/HPPD(27) A Herbicide Tol. Growth Regulators (4) A Sulfonylureas/ALS (2) A Pigment/HPPD(27) A Herbicide Tol. Herbicide Tol.	Highly Prod w/ Mngt Productive Average/Variable Tough Yield Environment Highly Prod w/ Mngt Productive Average/Variable Tough Yield Environment Highly Prod w/ Mngt Productive Average/Variable Tough Yield Environment Highly Prod w/ Mngt Productive Average/Variable Tough Yield Environment	Fine Medium Coarse W Irr Soils Soils Soils	Broadly adapted hybrid to move across variety of soils from highly productive to more marginal acres. Placement Broadly adapted to handle multiple yield environments. Workhorse style hybrid with top end yield ability. Placement Best performance on marginal to highly productive acres. Works well on both rotated and corn on corn. Excellent tonnage for silage	VG emergence and seedling vigor; good stalks, roots, and staygreen. Very nice field appearance with wide, dark leaves. VG TW and grain quality Medium plant height with medium ear placement. Very good agronomics and late season look. Excellent grain quality and test weight. Physiology Physiology Physiology Physiology Physiology Physiology	Moderate RTN with low RTF scores. Strong ear flex; plant at moderate densities. Management Moderate RTN and RTF scores. Strong ear flex; plant at moderate densities. Manage for Southern Rust in high disease years. Management Great early plant hybrid. Keep populations on the moderate side. Be aggressive with nitrogen and manage for GLS.	Better options for the com on corn acre Caution Caution ratings for growth regulators and SU's/ALS chemistries. Caution Potential for some root wobble when pops are pushed.
Pink SF Medium 16-18 RTF 3 3 1 2 1 N/A 2 1 N/A	CP5208 Hybrid CP5272 Hybrid CP5320	Trait VT2P Data Proven P Trait VT2P Data Proven P Trait SSPRO Data Proven P Trait F Trait F Trait F Trait F Trait F Trait F Trait	RM GDU Height Ear	RTP MRTN MRTN MRTF L RTP L RTN MRTF L RTN MRTF MRTF MRTF MRTF MRTF MRTF MRTF MRTF	1 2 1 Dry 2 2 1 Vigor 1 2 2 1 Vigor 1 1 2 1 Dry 1 1 Dry 1 1 2 1 Dry 1 1 Dry 1 2 Dry 1 Dr	Stalk Root SG	GLS NCLB 3 2 Goss ASR 3 2 Diseas GLS NCLB 2 2 Goss ASR 2 2 Diseas GLS NCLB 3 2 Coss ASR 2 1 Diseas GLS NCLB 1 1 Diseas	SCLB Rust 2 3	Growth Regulators (4) Sulfonylureas/ALS (2) A Pigment/HPPD(27) A Herbicide Tol. Growth Regulators (4) C Sulfonylureas/ALS (2) C Pigment/HPPD(27) A Herbicide Tol. Growth Regulators (4) A Sulfonylureas/ALS (2) A Pigment/HPPD(27) A Herbicide Tol. Growth Regulators (4) A Sulfonylureas/ALS (2) A Pigment/HPPD(27) A Herbicide Tol. Growth Regulators (4) N/A	Highty Prod w/ Mngt Productive Average/Variable Tough Yield Environment Highty Prod w/ Mngt Productive Average/Variable Tough Yield Environment Highty Prod w/ Mngt Productive Average/Variable Tough Yield Environment Highty Prod w/ Mngt Productive Average/Variable Tough Yield Environment Highty Prod w/ Mngt	Fine Medium Coarse W Irr Soilts Fine Medium Coarse Coarse W Irr Soilts Fine Medium Coarse Coarse W Irr Soilts Fine Medium Coarse Coarse W Irr	Broadly adapted hybrid to move across variety of soils from highly productive to more marginal acres. Placement Broadly adapted to handle multiple yield environments. Workhorse style hybrid with top end yield ability. Placement Best performance on marginal to highly productive acres. Works well on both rotated and corn on corn. Excellent tonnage for sitage	VG emergence and seedling vigor; good stalks, roots, and staygreen. Very nice field appearance with wide, dark leaves. VG TW and grain quality Physiology Medium plant height with medium ear placement. Very good agronomics and late season look. Excellent grain quality and test weight. Physiology Tall plant type with high ear placement. Excellent emergence and early growth. Solid agronomics. Physiology Medium tall hybrid with medium	Moderate RTN with low RTF scores. Strong ear flex; plant at moderate densities. Management Moderate RTN and RTF scores. Strong ear flex; plant at moderate densities. Manage for Southern Rust in high disease years. Management Great early plant hybrid. Keep populations on the moderate side. Be aggressive with nitrogen and manage for GLS. Management	Better options for the corn on corn acre Caution Caution ratings for growth regulators and SU's/ALS chemistries. Caution Potential for some root wobble when pops are pushed. Caution
Hybrid Plant Physiology	CP5208 Hybrid CP5272 Hybrid CP5320	Trait VT2P Data Proven P Trait VT2P Data Proven P Trait SSPRO Data Proven P Trait FCE	RM GDU Height Ear	RTP MRTN MRTN MRTF LRTN MRTF MRTF MRTF MRTF MRTF MRTF MRTF MRTF	1 2 1 2 1 2 1 2 1 2 1 2 1 2 1 2 1 2 1 2	Stalk Root SG	GLS NCLB 3 2 Goss ASR 3 2 Diseas GLS NCLB 2 2 Goss ASR 2 2 Diseas GLS NCLB 3 2 Goss ASR 2 1 Diseas GLS NCLB 1 1	SCLB	Growth Regulators (4) Sulfonylureas/ALS (2) A Pigment/HPPD(27) A Herbicide Tol. Growth Regulators (4) C Sulfonylureas/ALS (2) Pigment/HPPD(27) A Herbicide Tol. Growth Regulators (4) A Sulfonylureas/ALS (2) A Pigment/HPPD(27) A Herbicide Tol. Growth Regulators (4) A Sulfonylureas/ALS (2) A Pigment/HPPD(27) A Herbicide Tol. Growth Regulators (4) N/A Sulfonylureas/ALS (2) N/A	Highty Prod w/ Mngt Productive Average/Variable Tough Yield Environment Highty Prod w/ Mngt Productive Average/Variable Tough Yield Environment Highty Prod w/ Mngt Productive Average/Variable Tough Yield Environment Highty Prod w/ Mngt Productive Average/Variable Tough Yield Environment Highty Prod w/ Mngt Productive	Fine Medium Coarse Coarse w/ Irr Soils Fine Medium Coarse Coarse w/ Irr Soils Fine Medium Coarse Medium Coarse Medium Coarse Medium Coarse Coarse w/ Irr	Broadly adapted hybrid to move across variety of soils from highly productive to more marginal acres. Placement Broadly adapted to handle multiple yield environments. Workhorse style hybrid with top end yield ability. Placement Best performance on marginal to highly productive acres. Works well on both rotated and corn on corn. Excellent tonnage for silage Placement Broad acre fit and handles wet feet acres well. Excellent yield potential for	VG emergence and seedling vigor; good stalks, roots, and staygreen. Very nice field appearance with wide, dark leaves. VG TW and grain quality Physiology Medium plant height with medium ear placement. Very good agronomics and late season look. Excellent grain quality and test weight. Physiology Tall plant type with high ear placement. Excellent emergence and early growth. Solid agronomics. Physiology Medium tall hybrid with medium ear placement. Excellent emergence	Moderate RTN with low RTF scores. Strong ear flex; plant at moderate densities. Management Moderate RTN and RTF scores. Strong ear flex; plant at moderate densities. Manage for Southern Rust in high disease years. Management Great eartly plant hybrid. Keep populations on the moderate side. Be aggressive with nitrogen and manage for GLS. Management Big flex ear that can handle moderate planting populations.	Better options for the corn on corn acre Caution Caution ratings for growth regulators and SU's/ALS chemistries. Caution Potential for some root wobble when pops are pushed. Caution Manage for Sounthern Rust when conditions favor
Trait RM GDU Height Ear RTP M Vigor Stalk Root SG GLS NCLB SCLB Rust Growth Regulators (4) A Highly Prod w/ Mngt Fine VT2P 112 2825 Tall M-High RTN M 2 2 2 3 3 2 2 1 2 Sulfonylureas/ALS (2) A Productive RED SF Medium 14-16 RTF L 2 2 2 1 2 N/A 2 Trait RM GDU Height Ear RTP M Vigor Stalk Root SG GLS NCLB SCLB Rust Growth Regulators (4) A Highly Prod w/ Mngt Fine VT2P 113 2770 M-S M RTN M 2 1 1 3 3 2 2 3 Sulfonylureas/ALS (2) A Productive Trait RM GDU Height Ear RTP M Vigor Stalk Root SG GLS NCLB SCLB Rust Growth Regulators (4) A Highly Prod w/ Mngt Fine VT2P 113 2770 M-S M RTN M 2 1 1 3 3 2 2 3 Sulfonylureas/ALS (2) A Productive Trait RM GDU Height Ear RTP M Vigor Stalk Root SG GLS NCLB SCLB Rust Growth Regulators (4) A Highly Prod w/ Mngt Fine VT2P 113 2770 M-S M RTN M 2 1 1 3 3 2 2 3 Sulfonylureas/ALS (2) A Productive Trait RM GDU Height Ear RTP M Vigor Stalk Root SG GLS NCLB SCLB Rust Growth Regulators (4) A Highly Prod w/ Mngt Fine VT2P 113 2770 M-S M RTN M 2 1 1 3 3 2 2 3 Sulfonylureas/ALS (2) A Productive Data Proven G Gb Flex Flower Kernels C M Dry Drought TW Goss ASR PNB Diplodia Pigment/HPPD(27) A A Average/Variable Coarse Trait RM GDU Height Ear RTP M Vigor Stalk Root SG GLS NCLB SCLB Rust Growth Regulators (4) A Average/Variable Coarse Herbicide Tol. A Highly Prod w/ Mngt Fine VIEW Flower Regulators (4) A Average/Variable Coarse VT2P 113 2770 M-S M RTN M 2 1 1 3 3 3 2 2 3 Sulfonylureas/ALS (2) A Productive Medium Versatile hybrid with excellent heat tolerance and yield potential VS emergence, seedling vigor, and roots. Good stalks, and stolid agronomics stalks and solid agronomics VG emergence, seedling vigor, and Productive Medium Position in average to high yield environments to maximize gitter (5) Sulfonylureas/ALS (2) A Productive Medium Versatile hybrid with excellent heat tolerance and yield potential	CP5208 Hybrid CP5272 Hybrid CP5320 Hybrid	Trait VT2P Data Proven P Trait VT2P Data Proven P Trait SSPRO Data Proven P Trait FCE	RM GDU Height Ear	RTP M RTN M RTF L RTF M RTF RTF M RTF RTF M RTF RTF M RTF C L L L L L L L L L	1 2 1 1 2 1 1 2 1 1 2 1 1 1 1 1 1 1 1 1	Stalk Root SG	GLS NCLB 3 2 Goss ASR 3 2 Diseas GLS NCLB 2 2 Goss ASR 2 2 Diseas GLS NCLB 3 2 GOSS ASR 2 1 Diseas SLS NCLB 1 1 Goss ASR	SCLB	Growth Regulators (4) Sulfonylureas/ALS (2) A Pigment/HPPD(27) A Herbicide Tol. Growth Regulators (4) C Sulfonylureas/ALS (2) Pigment/HPPD(27) A Herbicide Tol. Growth Regulators (4) A Sulfonylureas/ALS (2) A Pigment/HPPD(27) A Herbicide Tol. Growth Regulators (4) A Sulfonylureas/ALS (2) A Pigment/HPPD(27) A Herbicide Tol. Growth Regulators (4) N/A Sulfonylureas/ALS (2) N/A	Highly Prod w/ Mngt Productive Average/Variable Tough Yield Environment Highly Prod w/ Mngt Productive Average/Variable Tough Yield Environment Highly Prod w/ Mngt Productive Average/Variable Tough Yield Environment Highly Prod w/ Mngt Productive Average/Variable Tough	Fine Medium Coarse W Irr Soilts Fine Medium Coarse W Irr Soilts Fine Medium Coarse W Irr Soilts Fine Medium Coarse Coarse W Irr Soilts Fine Medium Coarse Coarse W Irr Soilts Fine Medium Coarse	Broadly adapted hybrid to move across variety of soils from highly productive to more marginal acres. Placement Broadly adapted to handle multiple yield environments. Workhorse style hybrid with top end yield ability. Placement Best performance on marginal to highly productive acres. Works well on both rotated and corn on corn. Excellent tonnage for silage Placement Broad acre fit and handles wet feet acres well. Excellent yield potential for	VG emergence and seedling vigor; good stalks, roots, and staygreen. Very nice field appearance with wide, dark leaves. VG TW and grain quality Medium plant height with medium ear placement. Very good agronomics and late season look. Exceltent grain quality and test weight. Physiology Tall plant type with high ear placement. Excellent emergence and early growth. Solid agronomics. Physiology Medium tall hybrid with medium ear placement. Excellent stalk strength with very good staygreen	Moderate RTN with low RTF scores. Strong ear flex; plant at moderate densities. Management Moderate RTN and RTF scores. Strong ear flex; plant at moderate densities. Manage for Southern Rust in high disease years. Management Great eartly plant hybrid. Keep populations on the moderate side. Be aggressive with nitrogen and manage for GLS. Management Big flex ear that can handle moderate planting populations.	Better options for the corn on corn acre Caution Caution ratings for growth regulators and SU's/ALS chemistries. Caution Potential for some root wobble when pops are pushed. Caution Manage for Sounthern Rust when conditions favor
CP5366 VT2P 112 2825 Tall M-High RTN M 2 2 3 3 3 2 2 1 2 Sutpry/life parts Proven CD Flex Flower Rends C M Dry Drought TW Goss ASR PNB Diplodia Pigment/HPPD/27) A Average/Variable Coarse Trait RM GDU Height Ear RTP M Vigor Stalk RN M M 2 2 1 1 1 3 3 2 2 3 Sutpry/life as Asserting that Proven CP5340 VT2P 113 2770 M-S M RTN M Dry Drought TW Goss ASR PNB Diplodia Pigment/HPPD/27) A Average/Variable Coarse Woderate RTN with low RTF solitos and staygeen. Taller phants the environments to maximize yield. VT2P 113 2770 M-S M RTN M 2 1 1 1 3 3 2 2 3 Sutpry/life as Asserting Moderate RTN with low RTF solitos. Tough Coarse w/ Irr VT2P 113 2770 M-S M RTN M Dry Drought TW Goss ASR PNB Diplodia Pigment/HPPD/27) A Average/Variable Coarse VT2P 113 2770 M-S M RTN M Dry Drought TW Goss ASR PNB Diplodia Pigment/HPPD/27) A Average/Variable Coarse VT2P 113 2770 M-S M RTN M Dry Drought TW Goss ASR PNB Diplodia Pigment/HPPD/27) A Average/Variable Coarse VT2P Stalk Row RTP M Dry Drought TW Goss ASR PNB Diplodia Pigment/HPPD/27) A Average/Variable Coarse VT2P Stalk Row RTP M Dry Drought TW Goss ASR PNB Diplodia Pigment/HPPD/27) A Average/Variable Coarse VT2P Stalk Row RTP M Dry Drought TW Goss ASR PNB Diplodia Pigment/HPPD/27) A Average/Variable Coarse VT2P Stalk Row RTP M Dry Drought TW Goss ASR PNB Diplodia Pigment/HPPD/27) A Average/Variable Coarse	CP5208 Hybrid CP5272 Hybrid CP5320 Hybrid CP5329	Trait VT2P Data Proven P Trait VT2P Data Proven P Trait SSPRO Data Proven P Trait PCE Data Proven	RM GDU Height Ear	RTP M RTN M RTF L RTF M RTF RTF M RTF RTF M RTF RTF M RTF C L L L L L L L L L	1 2 1 1 2 1 1 2 1 1 2 1 1 1 1 1 1 1 1 1	Stalk Root SG	GLS NCLB 3 2 Goss ASR 3 2 Diseas GLS NCLB 2 2 Goss ASR 2 2 Diseas GLS NCLB 3 2 Goss ASR 2 1 Diseas GLS NCLB 1 1 Goss ASR 2 1	SCLB	Growth Regulators (4) Sulfonylureas/ALS (2) A Pigment/HPPD(27) A Herbicide Tol. Growth Regulators (4) C Sulfonylureas/ALS (2) Pigment/HPPD(27) A Herbicide Tol. Growth Regulators (4) A Sulfonylureas/ALS (2) A Pigment/HPPD(27) A Herbicide Tol. Growth Regulators (4) A Sulfonylureas/ALS (2) A Pigment/HPPD(27) A Herbicide Tol. Growth Regulators (4) N/A Sulfonylureas/ALS (2) N/A N/A Sulfonylureas/ALS (2) N/A	Highty Prod w/ Mngt Productive Average/Variable Tough Yield Environment Highty Prod w/ Mngt Productive Average/Variable Tough Yield Environment Highty Prod w/ Mngt Productive Average/Variable Tough Yield Environment Highty Prod w/ Mngt Productive Average/Variable Tough Yield Environment Highty Prod w/ Mngt Productive Average/Variable Tough	Fine Medium Coarse Coarse w/ Irr Soils Fine Medium Coarse Coarse w/ Irr Soils Fine Medium Coarse Medium Coarse Medium Coarse Coarse w/ Irr Soils Fine Medium Coarse Coarse w/ Irr Soils Fine Coarse w/ Irr	Broadly adapted hybrid to move across variety of soils from highly productive to more marginal acres. Placement Broadly adapted to handle multiple yield environments. Workhorse style hybrid with top end yield ability. Placement Best performance on marginal to highly productive acres. Works well on both rotated and corn on corn. Excellent tonnage for sitage Placement Broad acre fit and handles wet feet acres well. Excellent yield potential for the highly productive acres.	VG emergence and seedling vigor; good stalks, roots, and staygreen they nice field appearance with wide, dark leaves. VG TW and grain quality Physiology Medium plant height with medium ear placement. Very good agronomics and late season look. Excellent grain quality and test weight. Physiology Tall plant type with high ear placement. Excellent emergence and early growth. Solid agronomics. Physiology Medium tall hybrid with medium ear placement. Excellent stalk strength with very good staygreen and intractness.	Moderate RTN with low RTF scores. Strong ear flex; plant at moderate densities. Management Moderate RTN and RTF scores. Strong ear flex; plant at moderate densities. Manage for Southern Rust in high disease years. Management Great early plant hybrid. Keep populations on the moderate side. Be aggressive with nitrogen and manage for GLS. Management Big flex ear that can handle moderate planting populations. Above average Tar Spot tolerance.	Better options for the corn on corn acre Caution Caution ratings for growth regulators and SU's/ALS chemistries. Caution Potential for some root wobble when pops are pushed. Caution Manage for Sounthern Rust when conditions favor disease onset.
CP5336 VIZP 112 2625 1 dt. WF-Figil R1N N 2 2 3 3 2 2 1 2 SubmyuresayAt.5(2) A Average/Variable Coarse with the control of the coarse of the c	CP5208 Hybrid CP5272 Hybrid CP5320 Hybrid	Trait VT2P Data Proven P Trait VT2P Data Proven P Trait SSPRO Data Proven P Trait PCE Data Proven	RM GDU Height Ear	RTP M RTN M C M RTF L RTF L RTN M C M RTF M RTF M RTF M RTF M RTF M RTP M RTF	1 2 1 Dry 2 Vigor 1 2 1 Vigor 1 2 1 Vigor 1 2 1 Vigor 1 Dry 1 2 1 Vigor 1 Dry 1 Dry	Stalk	GLS NCLB 3 2 Goss ASR 3 2 Diseas GLS NCLB 2 2 Goss ASR 2 2 Diseas GLS NCLB 3 2 GOSS ASR 2 1 Diseas GLS NCLB 1 1 Goss ASR 2 1	SCLB	Growth Regulators (4) Sulfonyfureas/ALS (2) A Pigment/HPPD(27) A Herbicide Tol. Growth Regulators (4) Sulfonyfureas/ALS (2) Pigment/HPPD(27) A Herbicide Tol. Growth Regulators (4) A Sulfonyfureas/ALS (2) A Pigment/HPPD(27) A Herbicide Tol. Growth Regulators (4) N/A Sulfonyfureas/ALS (2) A Pigment/HPPD(27) A Herbicide Tol. Growth Regulators (4) N/A Sulfonyfureas/ALS (2) N/A Pigment/HPPD(27) N/A	Highly Prod w/ Mngt Productive Averager/Variable Tough Yield Environment Highly Prod w/ Mngt Productive Averager/Variable Tough Yield Environment Highly Prod w/ Mngt Productive Average/Variable Tough Yield Environment Highly Prod w/ Mngt Productive Averager/Variable Tough Yield Environment Highly Prod w/ Mngt Productive Averager/Variable Tough Yield Environment	Fine Medium Coarse W Irr Soils Fine Medium Coarse Soils	Broadly adapted hybrid to move across variety of soils from highly productive to more marginal acres. Placement Broadly adapted to handle multiple yield environments. Workhorse style hybrid with top end yield ability. Placement Best performance on marginal to highly productive acres. Works well on both rotated and corn on corn. Excellent tonnage for sitage Placement Broad acre fit and handles wet feet acres well. Excellent yield potential for the highly productive acres.	VG emergence and seedling vigor; good stalks, roots, and staygreen. Very nice field appearance with wide, dark leaves. VG TW and grain quality Medium plant height with medium ear placement. Very good agronomics and late season look. Exceltent grain quality and test weight. Physiology Tall plant type with high ear placement. Excellent emergence and early growth. Solid agronomics. Physiology Medium tall hybrid with medium er placement. Excellent stalk strength with very good staygreen and intactness.	Moderate RTN with low RTF scores. Strong ear flex; plant at moderate densities. Management Moderate RTN and RTF scores. Strong ear flex; plant at moderate densities. Manage for Southern Rust in high disease years. Management Great early plant hybrid. Keep populations on the moderate side. Be aggressive with nitrogen and manage for GLS. Management Big flex ear that can handle moderate planting populations. Above average Tar Spot tolerance.	Better options for the corn on corn acre Caution Caution ratings for growth regulators and SU's/ALS chemistries. Caution Potential for some root wobble when pops are pushed. Caution Manage for Sounthern Rust when conditions favor disease onset.
RED Fig. Well and the control of	CP5208 Hybrid CP5272 Hybrid CP5320 Hybrid CP5329	Trait	RM GDU Height Ear	RTP M RTN M C M RTF L RTP L RTN M C M RTF M RTP M RT RTP M RTN H C RTF M RTN H C RTF M RTN C RTF M RTN C RTF M RTN C RTF M RTN C L RTF M RTN C L RTF M	1 2 1 Dry 2 Vigor 1 2 1 Urgor 1 2 1 Vigor 1 1 Dry 1 2 1 Vigor 1 Dry 1 2 1 Vigor 1 Dry 1 Vigor 1 Urgor 1 Vigor 1 Vigor 1 Vigor	Stalk Root SG	GLS NCLB 3 2 Goss ASR 3 2 Diseas GLS NCLB 2 2 Goss ASR 2 2 Diseas GLS NCLB 3 2 Goss ASR 1 1 Diseas GLS NCLB 1 1 Goss ASR 2 1 Diseas GLS NCLB 1 1 Diseas GLS NCLB 1 1 Goss ASR 2 1	SCLB	Growth Regulators (4) Sulfonyfureas/ALS (2) A Pigment/HPPD(27) A Herbicide Tol. Growth Regulators (4) C Sutfonyfureas/ALS (2) Pigment/HPPD(27) A Herbicide Tol. Growth Regulators (4) A Sutfonyfureas/ALS (2) A Pigment/HPPD(27) A Herbicide Tol. Growth Regulators (4) A Sutfonyfureas/ALS (2) A Pigment/HPPD(27) A Herbicide Tol. Growth Regulators (4) N/A Sutfonyfureas/ALS (2) N/A Pigment/HPPD(27) N/A Herbicide Tol. Growth Regulators (4) A A A A A A A A A A A A A A A A A A A	Highly Prod w/ Mngt Productive Average/Variable Tough Yield Environment Highly Prod w/ Mngt Productive Average/Variable Tough Yield Environment Highly Prod w/ Mngt Productive Average/Variable Tough Yield Environment Highly Prod w/ Mngt Productive Average/Variable Tough Yield Environment Highly Prod w/ Mngt Productive Average/Variable Tough Yield Environment Highly Prod w/ Mngt Productive Average/Variable Tough	Fine Medium Coarse W Irr Soils Fine Medium Coarse W Irr Soils Fine Medium Coarse W Irr Soils Fine Medium Coarse Coarse W Irr Soils Fine Medium Coarse Coarse W Irr Soils Fine Medium Coarse Medium Coarse Soils Fine Medium Coarse Fine Medium Coarse Coarse W Irr	Broadly adapted hybrid to move across variety of soils from highly productive to more marginal acres. Placement Broadly adapted to handle multiple yield environments. Workhorse style hybrid with top end yield ability. Placement Best performance on marginal to highly productive acres. Works well on both rotated and corn on corn. Excellent tonnage for silage Placement Broad acre fit and handles wet feet acres well. Excellent yield potential for the highly productive acres.	VG emergence and seedling vigor; good stalks, roots, and staygreen they note field appearance with wide, dark leaves. VG TW and grain quality Physiology Medium plant height with medium ear placement. Very good agronomics and late season look. Excellent grain quality and test weight. Physiology Tall plant type with high ear placement. Excellent emergence and early growth. Solid agronomics. Physiology Medium tall hybrid with medium ear placement. Excellent stalk strength with very good staygreen and intactness. Physiology VG emergence, seedling vigor, and	Moderate RTN with low RTF scores. Strong ear flex; plant at moderate densities. Management Moderate RTN and RTF scores. Strong ear flex; plant at moderate densities. Manage for Southern Rust in high disease years. Management Great early plant hybrid. Keep populations on the moderate side. Be aggressive with nitrogen and manage for GLS. Management Big flex ear that can handle moderate planting populations. Above average Tar Spot tolerance. Management	Better options for the corn on corn acre Caution Caution ratings for growth regulators and SU's/ALS chemistries. Caution Potential for some root wobble when pops are pushed. Caution Manage for Sounthern Rust when conditions favor disease onset.
Hybrid Plant Physiology RT Agronomics Disease Package Herbicide Tol. Trait RM ODU Height Ear RTP M Vigor Stalk Root SG GLS NCLB SCLB Rust Growth Regulators (4) A Highty Prod w/ Mngt Fine VT2P 113 2770 M-S M RTN M 2 1 1 1 3 3 2 2 3 Sufronylureas/ALS (2) A Productive Medium Versatile hybrid with excellent heat operand of the production of the proven Cob Flex Flower Kernels C M Dry Drought TW Orough Regulators (4) A Average/Variable Coarse	CP5208 Hybrid CP5272 Hybrid CP5320 Hybrid CP5329	Trait VT2P Data Proven P Trait VT2P Data Proven P Trait SSPRO Data Proven P Trait PCE Data Proven P Trait PCE Data Proven	RM GDU Height Ear	RTP M RTN M C M RTF L RTP L RTN M C M RTF M RTP M RT RTP M RT RTP M RTP	1 2 1 Dry 2 Vigor 1 2 1 Vigor 1 2 1 Vigor 1 1 2 Dry 1 2 1 Vigor 1 1 Dry 1 2 1 Vigor 1 1 Dry 3 3	Stalk Root SG	GLS NCLB 3 2 Goss ASR 3 2 Diseas GLS NCLB 2 2 Goss ASR 2 2 Diseas GLS NCLB 3 2 Goss ASR 2 1 Diseas GLS NCLB 1 1 Goss ASR 2 1 Diseas GLS NCLB 1 1 Goss ASR 2 1 Diseas GLS NCLB 1 1 Goss ASR 2 1	SCLB	Growth Regulators (4) Sulfonylureas/ALS (2) A Pigment/HPPD(27) A Herbicide Tol. Growth Regulators (4) C Sulfonylureas/ALS (2) C Pigment/HPPD(27) A Herbicide Tol. Growth Regulators (4) A Sulfonylureas/ALS (2) A Pigment/HPPD(27) A Herbicide Tol. Growth Regulators (4) A Sulfonylureas/ALS (2) N/A Pigment/HPPD(27) N/A Herbicide Tol. Growth Regulators (4) Sulfonylureas/ALS (2) N/A Pigment/HPPD(27) N/A Herbicide Tol. Growth Regulators (4) Sulfonylureas/ALS (2) A A Sulfonylureas/ALS (2) A Sulfonylureas/ALS (2) A Sulfonylureas/ALS (2) A Sulfonylureas/ALS (2) A	Highly Prod w/ Mngt Productive Average/Variable Tough Yield Environment Highly Prod w/ Mngt Productive Average/Variable Tough Yield Environment Highly Prod w/ Mngt Productive Average/Variable Tough Yield Environment Highly Prod w/ Mngt Productive Average/Variable Tough Yield Environment Highly Prod w/ Mngt Productive Average/Variable Tough Yield Environment Highly Prod w/ Mngt Productive Average/Variable Tough	Fine Medium Coarse W Irr Soilts Fine Medium Coarse Coarse W Irr Soits Fine Medium Coarse Medium Coarse Medium Coarse Medium Coarse Medium Coarse Medium Coarse Coarse W Irr	Broadly adapted hybrid to move across variety of soils from highly productive to more marginal acres. Placement Broadly adapted to handle multiple yield environments. Workhorse style hybrid with top end yield ability. Placement Best performance on marginal to highly productive acres. Works well on both rotated and corn on corn. Excellent tonnage for silage Placement Broad acre fit and handles wet feet acres well. Excellent yield potential for the highly productive acres. Placement Position in average to high yield	VG emergence and seedling vigor; good stalks, roots, and staygreen. Very nice field appearance with wide, dark leaves. VG TW and grain quality Medium plant height with medium ear placement. Very good agronomics and late season look. Excellent grain quality and test weight. Physiology Tall plant type with high ear placement. Excellent emergence and early growth. Solid agronomics. Physiology Medium tall hybrid with medium ear placement. Excellent stalk strength with very good staygreen and intactness. Physiology WG emergence, seedling vigor, and roots. Good stalks, and staygreen.	Moderate RTN with low RTF scores. Strong ear flex; plant at moderate densities. Management Moderate RTN and RTF scores. Strong ear flex; plant at moderate densities. Manage for Southern Rust in high disease years. Management Great earty plant hybrid. Keep populations on the moderate side. Be aggressive with nitrogen and manage for GLS. Management Big flex ear that can handle moderate planting populations. Above average Tar Spot tolerance. Management Management Moderate RTN with low RTF	Better options for the corn on corn acre Caution Caution ratings for growth regulators and SU's/ALS chemistries. Caution Potential for some root wobble when pops are pushed. Caution Manage for Sounthern Rust when conditions favor disease onset. Caution Timely harvest recommended under stressful fall
Trait RM GDU Height Ear RTP M Vigor Stalk Root SG GLS NCLB SCLB Rust Growth Regulators (4) A Highly Prod w// Mngt Fine VT2P 113 2770 M-S M RTN M 2 1 1 3 3 2 2 3 Sulfonylureas/ALS (2) A Productive Medium Data Proven Cob Flex Flower Kernels C M Flex Flower Kernels C M Dry Drought TW Goss ASR PNB Diplodia Pigment/HPPD(27) A A Average/Variable Coarse Trait RM GDU Height Ear RTP M Vigor Stalk Root SG GLS NCLB SCLB Rust Growth Regulators (4) A Highly Prod w// Mngt Fine VT2P 113 2770 M-S M RTN M 2 1 1 3 3 2 2 3 Sulfonylureas/ALS (2) A Productive Medium Position at moderate-to-low populations to maximize girthy flex ear of the production of the productive and yield potential visits of greensnap. Manage for Southern Rust	CP5208 Hybrid CP5272 Hybrid CP5320 Hybrid CP5329 Hybrid	Trait VT2P Data Proven P Trait VT2P Data Proven P Trait SSPRO Data Proven P Trait PCE Data Proven P Trait PCE Data Proven	RM GDU Height Ear	RTP	4 2 4 Dry - 2 - Vigor 4 2 4 Dry 4 2 4 Dry 4 2 4 Vigor 4 1 Dry 4 2 4 Vigor 5 Dry 6 Uvigor 7 1 Dry 7 1 Dry 8 0 1 Vigor 9 0 1 Vigor	Stalk Root SG	GLS NCLB 3 2 Goss ASR 3 2 Diseas GLS NCLB 2 2 Goss ASR 2 2 Diseas GLS NCLB 3 2 Goss ASR 2 1 Diseas GLS NCLB 1 1 Goss ASR 2 1 Diseas GLS NCLB 1 1 Goss ASR 2 1 Diseas GLS NCLB 1 2 GLS NCLB 1 2 GLS NCLB 1 3 GLS NCLB 1 4 GOSS ASR 2 1 Diseas GLS NCLB 1 1 Goss ASR 2 1 Diseas GLS NCLB 1 1 Goss ASR 2 1 Diseas GLS NCLB 1 1 Goss ASR 2 1 Diseas GLS NCLB 2 2 GOSS ASR	SCLB	Growth Regulators (4) Sulfonylureas/ALS (2) A Pigment/HPPD(27) A Herbicide Tol. Growth Regulators (4) C Sulfonylureas/ALS (2) C Pigment/HPPD(27) A Herbicide Tol. Growth Regulators (4) A Sulfonylureas/ALS (2) A Pigment/HPPD(27) A Herbicide Tol. Growth Regulators (4) A Sulfonylureas/ALS (2) N/A Pigment/HPPD(27) N/A Herbicide Tol. Growth Regulators (4) Sulfonylureas/ALS (2) N/A Pigment/HPPD(27) N/A Herbicide Tol. Growth Regulators (4) Sulfonylureas/ALS (2) A A Sulfonylureas/ALS (2) A Sulfonylureas/ALS (2) A Sulfonylureas/ALS (2) A Sulfonylureas/ALS (2) A	Highty Prod w/ Mngt Productive Average/Variable Tough Yield Environment Highty Prod w/ Mngt Productive Average/Variable Tough Yield Environment Highty Prod w/ Mngt Productive Average/Variable Tough Yield Environment Highty Prod w/ Mngt Productive Average/Variable Tough Yield Environment Highty Prod w/ Mngt Productive Average/Variable Tough Yield Environment Highty Prod w/ Mngt Productive Average/Variable	Fine Medium Coarse W Irr Solls Fine Medium Coarse Coarsew/ Irr Solls Fine Medium Coarse Coarsew/ Irr Solls Fine Medium Coarse Coarsew Irr Solls Fine Medium Coarse Coarsew Irr Solls Fine Medium Coarse Coarsew Irr Medium Coarse Coarsew/ Irr	Broadly adapted hybrid to move across variety of soils from highly productive to more marginal acres. Placement Broadly adapted to handle multiple yield environments. Workhorse style hybrid with top end yield ability. Placement Best performance on marginal to highly productive acres. Works well on both rotated and corn on corn. Excellent tonnage for silage Placement Broad acre fit and handles wet feet acres well. Excellent yield potential for the highly productive acres. Placement Position in average to high yield	VG emergence and seedling vigor; good stalks, roots, and staygreen; year of the view of th	Moderate RTN with low RTF scores. Strong ear flex; plant at moderate densities. Management Moderate RTN and RTF scores. Strong ear flex; plant at moderate densities. Manage for Southern Rust in high disease years. Management Great earty plant hybrid. Keep populations on the moderate side. Be aggressive with nitrogen and manage for GLS. Management Big flex ear that can handle moderate planting populations. Above average Tar Spot tolerance. Management Management Moderate RTN with low RTF	Better options for the corn on corn acre Caution Caution ratings for growth regulators and SU's/ALS chemistries. Caution Potential for some root wobble when pops are pushed. Caution Manage for Sounthern Rust when conditions favor disease onset. Caution Timely harvest recommended under stressful fall
CP5340 VT2P 113 2770 M-S M RTN M 2 1 1 3 3 2 2 3 Sutronytureas/ALS (2) A Productive Medium Versatile hybrid with excellent heat tolerance and yield potential of learner and yield potential tolerance and yield potenti	CP5208 Hybrid CP5272 Hybrid CP5320 Hybrid CP5329 Hybrid CP5336	Trait VT2P Data Proven P Trait VT2P Data Proven P Trait SSPRO Data Proven P Trait PCE Data Proven P Trait VT2P Data Proven	RM GDU Height Ear	RTP	4 2 4 Dry - 2 - Vigor 4 2 4 Dry 4 2 4 Dry 4 2 4 Vigor 4 1 Dry 4 2 4 Vigor 5 Dry 6 Uvigor 7 1 Dry 7 1 Dry 8 0 1 Vigor 9 0 1 Vigor	Stalk	GLS NCLB 3 2 Goss ASR 3 2 Diseas GLS NCLB 2 2 Goss ASR 2 2 Diseas GLS NCLB 3 2 Goss ASR 2 1 Diseas GLS NCLB 1 1 Goss ASR 2 1 Diseas GLS NCLB 1 2 Goss ASR 2 1 Coss ASR 2 2 Coss ASR 2 2	SCLB	Growth Regulators (4) Sulfonylureas/ALS (2) A Pigment/HPPD(27) A Herbicide Tol. Growth Regulators (4) C Sulfonylureas/ALS (2) C Pigment/HPPD(27) A Herbicide Tol. Growth Regulators (4) A Sulfonylureas/ALS (2) A Pigment/HPPD(27) A Herbicide Tol. Growth Regulators (4) A Sulfonylureas/ALS (2) A Pigment/HPPD(27) N/A Sulfonylureas/ALS (2) N/A Pigment/HPPD(27) N/A Sulfonylureas/ALS (2) A Pigment/HPPD(27) A	Highly Prod w/ Mngt Productive Average/Variable Tough Yield Environment Highly Prod w/ Mngt Productive Average/Variable Tough Yield Environment Highly Prod w/ Mngt Productive Average/Variable Tough Yield Environment Highly Prod w/ Mngt Productive Average/Variable Tough Yield Environment Highly Prod w/ Mngt Productive Average/Variable Tough Yield Environment Highly Prod w/ Mngt Productive Average/Variable Tough	Fine Medium Coarse Coarsew/Irr Solls Fine Medium Coarse Medium Coarse Coarsew/Irr	Broadly adapted hybrid to move across variety of soils from highly productive to more marginal acres. Placement Broadly adapted to handle multiple yield environments. Workhorse style hybrid with top end yield ability. Placement Best performance on marginal to highly productive acres. Works well on both rotated and corn on corn. Excellent tonnage for sitage Placement Broad acre fit and handles wet feet acres well. Excellent yield potential for the highly productive acres. Placement Position in average to high yield environments to maximize yield.	VG emergence and seedling vigor; good stalks, roots, and staygreen. Very nice field appearance with wide, dark leaves. VG TW and grain quality Physiology Medium plant height with medium ear placement. Very good agronomics and late season look. Excellent grain quality and test weight. Physiology Tall plant type with high ear placement. Excellent emergence and early growth. Solid agronomics. Physiology Medium tall hybrid with medium ear placement. Excellent stalk strength with very good staygreen and intactness. Physiology VG emergence, seedling vigor, and roots. Good stalks, and staygreen. Talls Clood stalks, and staygreen. Talls Clonder ear that flexes in length.	Moderate RTN with low RTF scores. Strong ear flex; plant at moderate densities. Management Moderate RTN and RTF scores. Strong ear flex; plant at moderate densities. Manage for Southern Rust in high disease years. Management Great eartly plant hybrid. Keep populations on the moderate side. Be aggressive with nitrogen and manage for GLS. Management Big flex ear that can handle moderate planting populations. Above average Tar Spot tolerance. Management Moderate RTN with low RTF scores. Avoid poorty drained soils.	Better options for the corn on corn acre Caution Caution ratings for growth regulators and SU's/ALS chemistries. Caution Potential for some root wobble when pops are pushed. Caution Manage for Sounthern Rust when conditions favor disease onset. Caution Timely harvest recommended under stressful fall conditions.
CP5340 VT2P 113 2770 M-S M RTN M 2 1 1 1 3 3 2 2 3 Sufonylureas/ALS(2) A Productive Medium Versatile hybrid with excellent heat of the productive Medium versatile hybrid with excellent heat of the productive of	CP5208 Hybrid CP5272 Hybrid CP5320 Hybrid CP5329 Hybrid	Trait VT2P Data Proven P Trait VT2P Data Proven P Trait SSPRO Data Proven P Trait PCE Data Proven P Trait PCE Data Proven	RED GDU Height Ear	RTP	1 2 1 Dry 2 Vigor 1 2 1 Vigor 1 2 1 Vigor 1 2 1 Vigor 1 1 1 Dry 1 2 1 Vigor 1 1 1 Uigor 1 1 2 Uigor 1	Stalk	GLS NCLB 3 2 Goss ASR 2 2 Goss ASR 2 2 Goss ASR 2 2 Goss ASR 2 1 Diseas GLS NCLB 3 2 Goss ASR 2 1 Diseas GLS NCLB 3 2 Goss ASR 2 1 Diseas GLS NCLB 1 1 Goss ASR 2 1 Diseas GLS NCLB 2 2 Goss ASR 2 1 Diseas GLS NCLB 3 2 Goss ASR 2 1 Diseas GLS NCLB 3 2 Goss ASR 2 1 Diseas GLS NCLB 3 2 GOSS ASR 2 1 Diseas GLS NCLB 3 2 GOSS ASR 2 1 Diseas GLS NCLB 3 2 GOSS ASR 2 2 GOSS ASR 2 2	SCLB	Growth Regulators (4) Sulfonyfureas/ALS (2) A Pigment/HPPD(27) A Herbicide Tol. Growth Regulators (4) Sulfonyfureas/ALS (2) Pigment/HPPD(27) A Herbicide Tol. Growth Regulators (4) A Sulfonyfureas/ALS (2) A Pigment/HPPD(27) A Herbicide Tol. Growth Regulators (4) N/A Sulfonyfureas/ALS (2) A Pigment/HPPD(27) A Herbicide Tol. Growth Regulators (4) Sulfonyfureas/ALS (2) N/A Sulfonyfureas/ALS (2) A Pigment/HPPD(27) A Herbicide Tol. Growth Regulators (4) Sulfonyfureas/ALS (2) A Pigment/HPPD(27) A Herbicide Tol. A Herbicide Tol. A Pigment/HPPD(27) A	Highly Prod w/ Mngt Productive Average/Variable Tough Yield Environment Highly Prod w/ Mngt Productive Average/Variable Tough Yield Environment Highly Prod w/ Mngt Productive Average/Variable Tough Yield Environment Highly Prod w/ Mngt Productive Average/Variable Tough Yield Environment Highly Prod w/ Mngt Productive Average/Variable Tough Yield Environment Highly Prod w/ Mngt Productive Average/Variable Tough Yield Environment Highly Prod w/ Mngt Productive Average/Variable Tough	Fine Medium Coarse Fine Medium Coarse Medium Coarse Coarse w/ Irr Soilts Fine Medium Coarse Coarse w/ Irr Soilts Fine Medium Coarse Coarse w/ Irr Soilts Fine Medium Coarse Medium Coarse Coarse w/ Irr Soilts Fine Medium Coarse Coarse w/ Irr Soilts Fine Medium Coarse Coarse w/ Irr Soilts Fine Medium Coarse Coarse w/ Irr	Broadly adapted hybrid to move across variety of soils from highly productive to more marginal acres. Placement Broadly adapted to handle multiple yield environments. Workhorse style hybrid with top end yield ability. Placement Best performance on marginal to highly productive acres. Works well on both rotated and corn on corn. Excellent tonnage for sitage Placement Broad acre fit and handles wet feet acres well. Excellent yield potential for the highly productive acres. Placement Position in average to high yield environments to maximize yield.	VG emergence and seedling vigor; good stalks, roots, and staygreen. Very nice field appearance with wide, dark leaves. VG TW and grain quality Physiology Medium plant height with medium ear placement. Very good agronomics and late season look. Excellent grain quality and test weight. Physiology Tall plant type with high ear placement. Excellent emergence and early growth. Solid agronomics. Physiology Medium tall hybrid with medium ear placement. Excellent stalk strength with very good staygreen and intactness. Physiology VG emergence, seedling vigor, and roots. Good stalks, and staygreen. Talls Clood stalks, and staygreen. Talls Clonder ear that flexes in length.	Moderate RTN with low RTF scores. Strong ear flex; plant at moderate densities. Management Moderate RTN and RTF scores. Strong ear flex; plant at moderate densities. Manage for Southern Rust in high disease years. Management Great eartly plant hybrid. Keep populations on the moderate side. Be aggressive with nitrogen and manage for GLS. Management Big flex ear that can handle moderate planting populations. Above average Tar Spot tolerance. Management Moderate RTN with low RTF scores. Avoid poorty drained soils.	Better options for the corn on corn acre Caution Caution ratings for growth regulators and SU's/ALS chemistries. Caution Potential for some root wobble when pops are pushed. Caution Manage for Sounthern Rust when conditions favor disease onset. Caution Timely harvest recommended under stressful fall conditions.
Data Proven Cob Flex Flower Kernels C M Dry Drought TW Goss ASR PNB Diplodia Pigment/HPPD(27) A Average/Variable Coarse International Coarse Coarse	CP5208 Hybrid CP5272 Hybrid CP5320 Hybrid CP5329 Hybrid CP5336	Trait VT2P Data Proven P Trait VT2P Data Proven P Trait SSPRO Data Proven P Trait PCE Data Proven P Trait VT2P Data Proven	RM GDU Height Ear	RTP	1 2 1 Dry 2 Vigor 1 2 1 Dry 1 2 1 Vigor 1 1 Dry 1 2 1 Vigor 1 2 1 Vigor 1 1 Dry 1 2 1 Vigor 1 1 Dry 1 2 1 Vigor 1 1 Dry 1 2 1 Vigor 1 1 Vigor 1 1 Dry 3 Uvigor 1 1 Vigor	Stalk	GLS NCLB 3 2 Goss ASR 3 2 Diseas GLS NCLB 2 2 Goss ASR 2 2 Diseas GLS NCLB 3 2 GOSS ASR 2 1 Diseas GLS NCLB 4 1 Goss ASR 2 1 Diseas GLS NCLB 2 2 Goss ASR 2 1 Diseas GLS NCLB 4 1 Goss ASR 2 1 Diseas GLS NCLB 2 2 Goss ASR 2 1 Diseas GLS NCLB 3 1 Diseas GLS NCLB 4 1 Diseas GLS NCLB 5 NCLB 7 Diseas GLS NCLB 7 Diseas	SCLB	Growth Regulators (4) Sulfonyfureas/ALS (2) A Pigment/HPPD(27) A Herbicide Tol. Growth Regulators (4) Sulfonyfureas/ALS (2) Pigment/HPPD(27) A Herbicide Tol. Growth Regulators (4) A Sulfonyfureas/ALS (2) A Pigment/HPPD(27) A Herbicide Tol. Growth Regulators (4) A Sulfonyfureas/ALS (2) A Pigment/HPPD(27) A Herbicide Tol. Growth Regulators (4) N/A Sulfonyfureas/ALS (2) A Pigment/HPPD(27) A Herbicide Tol. Growth Regulators (4) A Sulfonyfureas/ALS (2) A Pigment/HPPD(27) A Herbicide Tol. Growth Regulators (4) A A Sulfonyfureas/ALS (2) A Pigment/HPPD(27) A Herbicide Tol. Growth Regulators (4) A A	Highly Prod w/ Mngt Productive Average/Variable Tough Yield Environment Highly Prod w/ Mngt Productive Average/Variable Tough Yield Environment Highly Prod w/ Mngt Productive Average/Variable Tough Yield Environment Highly Prod w/ Mngt Productive Average/Variable Tough Yield Environment Highly Prod w/ Mngt Productive Average/Variable Tough Yield Environment Highly Prod w/ Mngt Productive Average/Variable Tough Yield Environment Highly Prod w/ Mngt Productive Average/Variable Tough Yield Environment Highly Prod w/ Mngt	Fine Medium Coarse W Irr Soils Fine Medium Coarse W Irr Soils Fine Medium Coarse Coarse W Irr	Broadly adapted hybrid to move across variety of soils from highly productive to more marginal acres. Placement Broadly adapted to handle multiple yield environments. Workhorse style hybrid with top end yield ability. Placement Best performance on marginal to highly productive acres. Works well on both rotated and corn on corn. Excellent tonnage for sitage Placement Broad acre fit and handles wet feet acres well. Excellent yield potential for the highly productive acres. Placement Position in average to high yield environments to maximize yield.	VG emergence and seedling vigor; good stalks, roots, and staygreen. Very nice field appearance with wide, dark leaves. VG TW and grain quality Physiology Medium plant height with medium ear placement. Very good agronomics and late season look. Excellent grain quality and test weight. Physiology Tall plant type with high ear placement. Excellent emergence and early growth. Solid agronomics. Physiology Medium tall hybrid with medium ear placement. Excellent stalk strength with very good staygreen and intactness. Physiology VG emergence, seedling vigor, and roots. Good stalks, and staygreen. Talls Clood stalks, and staygreen. Talls Clonder ear that flexes in length.	Moderate RTN with low RTF scores. Strong ear flex; plant at moderate densities. Management Moderate RTN and RTF scores. Strong ear flex; plant at moderate densities. Manage for Southern Rust in high disease years. Management Great early plant hybrid. Keep populations on the moderate side. Be aggressive with nitrogen and manage for GLS. Management Big flex ear that can handle moderate planting populations. Above average Tar Spot tolerance. Management Moderate RTN with low RTF scores. Avoid poorty drained soils. Management	Better options for the corn on corn acre Caution Caution ratings for growth regulators and SU's/ALS chemistries. Caution Potential for some root wobble when pops are pushed. Caution Manage for Sounthern Rust when conditions favor disease onset. Caution Timely harvest recommended under stressful fall conditions. Caution Caution
INO RED FE Medium 16-20 KIF L 2 3 3 N/A 4 Tough Coarse W/Irr	CP5208 Hybrid CP5272 Hybrid CP5320 Hybrid CP5329 Hybrid CP5336	Trait	RM GDU Height Ear	RTP	1 2 1 Dry 2 Vigor 1 2 1 Dry 1 2 1 Vigor 1 1 1 Dry 1 2 1 Vigor 1 1 1 Dry 1 2 1 Vigor 1 1 2 Dry 1 2 1 Vigor 1 1 2 Dry 3 3 1 Vigor 1 1 2 Dry 3 3	Stalk	GLS NCLB 3 2 Goss ASR 3 2 Diseas GLS NCLB 2 2 Goss ASR 2 2 Diseas GLS NCLB 3 2 Goss ASR 2 1 Diseas GLS NCLB 1 1 Goss ASR 2 1 Diseas GLS NCLB 2 2 Goss ASR 2 1 Diseas GLS NCLB 1 1 Diseas GLS NCLB 1 1 Diseas GLS NCLB 1 1 Diseas GLS NCLB 1 1 Diseas GLS NCLB 1 1 Diseas GLS NCLB 1 1 Diseas GLS NCLB 2 2 Goss ASR 2 1 Diseas GLS NCLB 3 2	SCLB	Growth Regulators (4) A Sulfonylureas/ALS (2) A Pigment/HPPD(27) A Herbicide Tol. Growth Regulators (4) Growth Regulators (4) C Sulfonylureas/ALS (2) Pigment/HPPD(27) A Herbicide Tol. Growth Regulators (4) A Sulfonylureas/ALS (2) A Pigment/HPPD(27) A Herbicide Tol. Growth Regulators (4) N/A Sulfonylureas/ALS (2) N/A Pigment/HPPD(27) Herbicide Tol. Growth Regulators (4) A Sulfonylureas/ALS (2) N/A Pigment/HPPD(27) Herbicide Tol. Growth Regulators (4) A Sulfonylureas/ALS (2) A Pigment/HPPD(27) A A Herbicide Tol. Growth Regulators (4) A Sulfonylureas/ALS (2) A Pigment/HPPD(27) A A Herbicide Tol. Growth Regulators (4) A Sulfonylureas/ALS (2) A A Sulfonylureas/ALS (2) A A Sulfonylureas/ALS (2) A A Sulfonylureas/ALS (2) A A Sulfonylureas/ALS (2) A A Sulfonylureas/ALS (2) A A Sulfonylureas/ALS (2) A A	Highly Prod w/ Mngt Productive Average/Variable Tough Yield Environment Highly Prod w/ Mngt Productive Average/Variable Tough Yield Environment Highly Prod w/ Mngt Productive Average/Variable Tough Yield Environment Highly Prod w/ Mngt Productive Average/Variable Tough Yield Environment Highly Prod w/ Mngt Productive Average/Variable Tough Yield Environment Highly Prod w/ Mngt Productive Average/Variable Tough Yield Environment Highly Prod w/ Mngt Productive Average/Variable Tough	Fine Medium Coarse W Irr Soils Fine Medium Coarse Coarse W Irr Soils Fine Medium Coarse Coarse W Irr	Broadly adapted hybrid to move across variety of soils from highly productive to more marginal acres. Placement Broadly adapted to handle multiple yield environments. Workhorse style hybrid with top end yield ability. Placement Best performance on marginal to highly productive acres. Works well on both rotated and corn on corn. Excellent tonnage for silage Placement Broad acre fit and handles wet feet acres well. Excellent yield potential for the highly productive acres. Placement Position in average to high yield environments to maximize yield. Placement Placement Position in average to high yield environments to maximize yield.	VG emergence and seedling vigor; good stalks, roots, and staygreen. Very nice field appearance with wide, dark leaves. VG TW and grain quality Physiology Medium plant height with medium ear placement. Very good agronomics and late season look. Excellent grain quality and test weight. Physiology Tall plant type with high ear placement. Excellent emergence and early growth. Solid agronomics. Physiology Medium tall hybrid with medium ear placement. Excellent stalk strength with very good staygreen and intactness. Physiology VG emergence, seedling vigor, and roots. Good stalks, and staygreen. Taller plant type with med-high ear set. Slender ear that flexes in length. Physiology Medium-short hybrid with strong Medium-short hybrid with strong	Moderate RTN with low RTF scores. Strong ear flex; plant at moderate densities. Management Moderate RTN and RTF scores. Strong ear flex; plant at moderate densities. Manage for Southern Rust in high disease years. Management Great earty plant hybrid. Keep populations on the moderate side. Be aggressive with nitrogen and manage for GLS. Management Big flex ear that can handle moderate planting populations. Above average Tar Spot tolerance. Management Moderate RTN with low RTF scores. Avoid poorty drained soils. Management Management Management Position at moderate-to-low	Better options for the corn on corn acre Caution Caution ratings for growth regulators and SU's/ALS chemistries. Caution Potential for some root wobble when pops are pushed. Caution Manage for Sounthern Rust when conditions favor disease onset. Caution Timely harvest recommended under stressful fall conditions. Caution Caution Caution Use caution in areas with high
	CP5208 Hybrid CP5272 Hybrid CP5320 Hybrid CP5329 Hybrid CP5336 Hybrid	Trait VT2P Data Proven P Trait VT2P Data Proven P Trait VT2P Data Proven P Trait PCE Data Proven P Trait VT2P Data Proven P Trait PCE Data Proven P Trait VT2P Data Proven	REM GDU Height Ear	RTP	1 2 1 Dry 2 Vigor 1 2 1 Vigor 1 2 1 Vigor 1 1 2 1 Vigor 1 1 Dry 1 2 1 Vigor 1 1 Dry 1 2 1 Vigor 1 1 Uigor 1 1 Dry 2 1 Vigor 1 1 Uigor 1 1 Dry 3 Uigor	Stalk	GLS NCLB 3 2 Goss ASR 3 2 Diseas GLS NCLB 2 2 Goss ASR 2 2 Diseas GLS NCLB 3 2 Goss ASR 2 1 Diseas GLS NCLB 1 1 Goss ASR 2 1 Diseas GLS NCLB 2 2 Goss ASR 2 1 Diseas GLS NCLB 3 2 Goss ASR 2 1 Diseas GLS NCLB 3 2 Goss ASR	SCLB	Growth Regulators (4) A Sulfonylureas/ALS (2) A Pigment/HPPD(27) A Herbicide Tol. Growth Regulators (4) Growth Regulators (4) C Sulfonylureas/ALS (2) Pigment/HPPD(27) A Herbicide Tol. Growth Regulators (4) A Sulfonylureas/ALS (2) A Pigment/HPPD(27) A Herbicide Tol. Growth Regulators (4) N/A Sulfonylureas/ALS (2) N/A Pigment/HPPD(27) Herbicide Tol. Growth Regulators (4) A Sulfonylureas/ALS (2) N/A Pigment/HPPD(27) Herbicide Tol. Growth Regulators (4) A Sulfonylureas/ALS (2) A Pigment/HPPD(27) A A Herbicide Tol. Growth Regulators (4) A Sulfonylureas/ALS (2) A Pigment/HPPD(27) A A Herbicide Tol. Growth Regulators (4) A Sulfonylureas/ALS (2) A A Sulfonylureas/ALS (2) A A Sulfonylureas/ALS (2) A A Sulfonylureas/ALS (2) A A Sulfonylureas/ALS (2) A A Sulfonylureas/ALS (2) A A Sulfonylureas/ALS (2) A A	Highly Prod w/ Mngt Productive Average/Variable Tough Yield Environment Highly Prod w/ Mngt Productive Average/Variable Tough Yield Environment Highly Prod w/ Mngt Productive Average/Variable Tough Yield Environment Highly Prod w/ Mngt Productive Average/Variable Tough Yield Environment Highly Prod w/ Mngt Productive Average/Variable Tough Yield Environment Highly Prod w/ Mngt Productive Average/Variable Tough Yield Environment Highly Prod w/ Mngt Productive Average/Variable Tough Yield Environment Highly Prod w/ Mngt Productive Average/Variable	Fine Medium Coarse W Irr Soilts Fine Medium Coarse W Irr Soilts Fine Medium Coarse Coarse W Irr Medium Coarse Coarse W Irr Soilts Fine Medium Coarse Coarse W Irr Medium Coarse Coarse W Irr	Broadly adapted hybrid to move across variety of soils from highly productive to more marginal acres. Placement Broadly adapted to handle multiple yield environments. Workhorse style hybrid with top end yield ability. Placement Best performance on marginal to highly productive acres. Works well on both rotated and corn on corn. Excellent tonnage for silage Placement Broad acre fit and handles wet feet acres well. Excellent yield potential for the highly productive acres. Placement Position in average to high yield environments to maximize yield. Placement Placement Position in average to high yield environments to maximize yield.	VG emergence and seedling vigor; good stalks, roots, and staygreen. Very nice field appearance with wide, dark leaves. VG TW and grain quality Physiology Medium plant height with medium ear placement. Very good agronomics and late season look. Excellent grain quality and test weight. Physiology Tall plant type with high ear placement. Excellent emergence and early growth. Solid agronomics. Physiology Medium tall hybrid with medium ear placement. Excellent stalk strength with very good staygreen and intactness. Physiology VG emergence, seedling vigor, and roots. Good stalks, and staygreen. Taller plant type with med-high ear set. Slender ear that flexes in length. Physiology Medium-short hybrid with strong Medium-short hybrid with strong	Moderate RTN with low RTF scores. Strong ear flex; plant at moderate densities. Management Moderate RTN and RTF scores. Strong ear flex; plant at moderate densities. Manage for Southern Rust in high disease years. Management Great earty plant hybrid. Keep populations on the moderate side. Be aggressive with nitrogen and manage for GLS. Management Big flex ear that can handle moderate planting populations. Above average Tar Spot tolerance. Management Moderate RTN with low RTF scores. Avoid poorty drained soils. Management Management Management Position at moderate-to-low	Better options for the corn on corn acre Caution Caution ratings for growth regulators and SU's/ALS chemistries. Caution Potential for some root wobble when pops are pushed. Caution Manage for Sounthern Rust when conditions favor disease onset. Caution Timely harvest recommended under stressful fall conditions. Caution Use caution in areas with high risk of greensnap. Manage for some conditions.



2025 CROPLAN Corn Stoplight Chart



Hybrid	Plant Physiology	RT		Agronomics		Disease Package	Herbicide Tol.	Yield Environment	Soils	Placement	Physiology	Management	Caution
	Trait RM GDU Height Ear	RTP M	Vigor	Stalk Roo	ot SG G	S NCLB SCLB Rust	Growth Regulators (4)	Highly Prod w/ Mngt	Fine		Solid agronomics, including		
ODEOOF	VT2P 113 2728 M-T M	RTN H	2	1 2	2	3 2 2 N/A	Sulfonylureas/ALS(2) A	Productive	Medium	Tremendous consistency across	excellent stalks and late-season	Acceptable ear flex for variable	Benefits from enhanced
CP5335	Data Proven Cob Flex Flower Kernel	s C H	Dry	Drought TW	/ G	ss ASR PNB Diplodia	Pigment/HPPD(27)	Average/Variable	Coarse	variable yield environments	intactness; improved Goss's wilt	densities; strong plant health for continuous corn	nitrogen management
	NO PINK SF Medium 16-18	RTF M		2 1		2 2 N/A 2		Tough	Coarse w/ Irr		rating over 5370	Continuous com	
Hybrid	Plant Physiology	RT		Agronomics		Disease Package	Herbicide Tol.	Yield Environment	Soils	Placement	Physiology	Management	Caution
пурпи	Trait RM GDU Height Ear		Vigor			S NCLB SCLB Rust	Growth Regulators (4)			racement			Cauton
	TRE 113 2825 M-T M	RTN M	Vigor	2 2		3 2 2 N/A	Sulfonylureas/ALS (2)	Highly Prod w/ Mngt Productive	Fine Medium	Broad acre placement from light soils	Medium tall hybrid with medium ear placement. Excellent	Acceptable agronomics but	Managa fac CLC and Cauthara
CP5363	Data Proven Cob Flex Flower Kernel	s C	Dry			ss ASR PNB Diplodia	Pigment/HPPD(27)	Average/Variable	Coarse	to tough clays to highly productive	emergence, early vigor and grain	manage for GLS and Southern Rust to increase late season plant	Rust
	RED SF M-L 16-18	RTF H	2	Drought TW		3 1 1 3	Figitient/HFFD(27)	Tough	Coarse w/ Irr	acres.	quality.	integrity.	
									1				1
Hybrid	Plant Physiology	RT		Agronomics		Disease Package	Herbicide Tol.	Yield Environment	Soils	Placement	Physiology	Management	Caution
	Trait RM GDU Height Ear	RTP H	Vigor	Stalk Roo		S NCLB SCLB Rust	Growth Regulators (4)	Highly Prod w/ Mngt	Fine	Highly versatile dual-purpose product	Excellent stalks, roots and test	Optimize yield with enahnced	Best-positioned on rotated
CP5370	SS, VT2P 113 2730 T M-H	RTN H	1	1 1	_	3 2 2 3	Sulfonylureas/ALS (2)	Productive	Medium	with a wide range of adaptability	weight; strong drydown. Consistant on variable soils and	nitrogen management and	acres; ear tip back influenced
	Data Proven Cob Flex Flower Kernel			Drought TW		ss ASR PNB Diplodia	Pigment/HPPD(27)	Average/Variable	Coarse	across multiple yield environments	rolling hills.	moderate-high plant densities	by genetics
	NO Pink SF Medium 18-20	RTF M	2	2 1		1 2 N/A N/A		Tough	Coarse w/ Irr		Totally mass		
Hybrid	Plant Physiology	RT		Agronomics		Disease Package	Herbicide Tol.	Yield Environment	Soils	Placement	Physiology	Management	Caution
	Trait RM GDU Height Ear	RTP H	Vigor	Stalk Roo	ot SG G	S NCLB SCLB Rust	Growth Regulators (4)	Highly Prod w/ Mngt	Fine		Med tall hybrid with med high ear	Keep pops on higher side of	
CP5468	VT4P 114 2850 M-Tall M-H	RTN M	2	2 2	3	2 2 1 2	Sulfonylureas/ALS (2)	Productive	Medium	Broadly adapted hybrid with strong late season agronomics and disease	placement. Solid agro's with very	planting range. Responds well to N	Fungicide aids in late season
C1 3400	Data Proven Cob Flex Flower Kernel	s C M	Dry	Drought TW	/ G	ss ASR PNB Diplodia	Pigment/HPPD(27)	Average/Variable	Coarse	package.	good roots. Large, deep kernals on		intactness and staygreen.
	NO Red SF Medium 16-18	RTF M	2	2 1		2 N/A 2		Tough	Coarse w/ Irr		girthy ear.	tolerance to ASR and PNB.	
Hybrid	Plant Physiology	RT	T	Agronomics		Disease Package	Herbicide Tol.	Yield Environment	Soils	Placement	Physiology	Management	Caution
,	Trait RM GDU Height Ear	RTP H	Vigor	Stalk Roo	ot SG G	S NCLB SCLB Rust	Growth Regulators (4)	Highly Prod w/ Mngt	Fine	Versatile hybrid with strong stress	,8,	Due to placing in high end acres	
	VT2P 114 2850 M-T M	RTN L	3	3 2		2 3 2 N/A	Sulfonylureas/ALS(2)	Productive	Medium	tolerance; best-suited in High Yeild	Med - Tall plant with great roots,	keep the foot on the gas with Pops	Fungicide application
CP5497	Data Proven Cob Flex Flower Kernel			Drought TW		ss ASR PNB Diplodia	Pigment/HPPD(27) A	Average/Variable	Coarse	environments, excellent replacement	staygreen and drydown. Top of the		recommended
	RED SF M-E 14-16	RTF H	2	2 1		3 4 4 N/A	- ignomini sizi)	Tough	Coarse w/ Irr	option in future for 5678 and strong partner for 5550.	charts on test wt.	out of this hybrid. New Hot Male that will lead into the future.	
				2 1	-	7 7 10/4							
Hybrid	Plant Physiology	RT		Agronomics		Disease Package	Herbicide Tol.	Yield Environment	Soils	Placement	Physiology	Management	Caution
	Trait RM GDU Height Ear		Vigor	Stalk Roo		S NCLB SCLB Rust	Growth Regulators (4)	Highly Prod w/ Mngt	Fine	Position in average to high yield environment acres; dual-purpose		Semi-flex ear allows for moderate	
CP5550	VT2P 115 2748 M-T M-H	RTN M	2	2 2		3 2 N/A	Sulfonylureas/ALS (2)	Productive	Medium	option with excellent grain quality.	Solid agronomic and disease	to moderately-high planting	Acceptable Goss' wilt
	Data Proven Cob Flex Flower Kernel			Drought TW		ss ASR PNB Diplodia	Pigment/HPPD(27)	Average/Variable	Coarse	Hides it's yeild with deep kernel depth.	package	densities	tolerance
	PINK SF Medium 14-16	RTF M	2	2 2		3 1 N/A 3		Tough	Coarse w/ Irr				
								rough	Coarse w/ III	MUST PLANT!!			
Hybrid	Plant Physiology	RT		Agronomics		Disease Package	Herbicide Tol.	Yield Environment	Soils	Placement	Physiology	Management	Caution
Hybrid	Plant Physiology Trait RM GDU Height Ear	RT RTP H	Vigor		ot SG G	Disease Package S NCLB SCLB Rust	Herbicide Tol. Growth Regulators (4)				Physiology	Position at med-to-high pops; Low	
			Vigor 2					Yield Environment	Soils	Placement Excellent Value Hybrid with solid agronomics and solid pedigree. Strong	Physiology Solid Pedigree and good disease	Position at med-to-high pops; Low RTN score makes it a solid fit for	Caution Fungicide recommended for physoderma and GLS. Keep
Hybrid CP5588	Trait RM GDU Height Ear	RTP H	2	Stalk Roo	2	S NCLB SCLB Rust	Growth Regulators (4)	Yield Environment Highly Prod w/ Mngt	Soils Fine	Placement Excellent Value Hybrid with solid agronomics and solid pedigree. Strong emergence, roots, stalks, and draught		Position at med-to-high pops; Low RTN score makes it a solid fit for preplant N applications, use	Fungicide recommended for physoderma and GLS. Keep on rotated acres unless highly
	Trait RM GDU Height Ear DGVT2P 115 2875 M-T M-H	RTP H	2	Stalk Roo	2 / G	S NCLB SCLB Rust 3 2 N/A	Growth Regulators (4) A Sulfonylureas/ALS (2) A	Yield Environment Highly Prod w/ Mngt Productive	Soils Fine Medium	Placement Excellent Value Hybrid with solid agronomics and solid pedigree. Strong	Solid Pedigree and good disease	Position at med-to-high pops; Low RTN score makes it a solid fit for	Fungicide recommended for physoderma and GLS. Keep on rotated acres unless highly
CP5588	Trait RM GDU Height Ear	RTP H RTN L s C H RTF M	2	Stalk Roc 2 2 Drought TW 2 3	2 / G	S NCLB SCLB Rust 3 3 2 N/A ss ASR PNB Diplodia 3 3 5 3	Growth Regulators (4) A Sulfonylureas/ALS (2) A Pigment/HPPD(27) A	Yield Environment Highly Prod w/ Mngt Productive Average/Variable Tough	Soils Fine Medium Coarse Coarse w/ Irr	Placement Excellent Value Hybrid with solid agronomics and solid pedigree. Strong emergence, roots, stalks, and draught tolerence. Top tier yield on rotated acres.	Solid Pedigree and good disease package.	Position at med-to-high pops; Low RTN score makes it a solid fit for preplant N applications, use fungicide to maximize kernel depth to ring the bell on top end pot.	Fungicide recommended for physoderma and GLS. Keep on rotated acres unless highly managed.
	Trait RM GDU Height Ear	RTP H RTN L S C H RTF M	2 Dry 2	Stalk Roo 2 2 Drought TW 2 3 Agronomics	Z G	S NCLB SCLB Rust 3 3 2 N/A ss ASR PNB Diplodia 3 3 5 3 Disease Package	Growth Regulators (4) Sulfonylureas/ALS (2) A Pigment/HPPD(27) A Herbicide Tol.	Yield Environment Highly Prod w/ Mngt Productive Average/Variable Tough Yield Environment	Soils Fine Medium Coarse Coarse w/ Irr Soils	Placement Excellent Value Hybrid with solid agronomics and solid pedigree. Strong emergence, roots, stalks, and draught tolerence. Top tier yield on rotated acres. Placement	Solid Pedigree and good disease	Position at med-to-high pops; Low RTN score makes it a solid fit for preplant N applications, use fungicide to maximize kernel depth to ring the bell on top end pot. Management	Fungicide recommended for physoderma and GLS. Keep on rotated acres unless highly
CP5588	Trait RM GDU Height Ear	RTP H RTN L S C H RTF M RT RTP M	Dry 2 Vigor	Stalk Root 2 2 Drought TW 2 3 Agronomics Stalk Root	J Go	.S NCLB SCLB Rust 3 3 2 N/A ss ASR PNB Diplodia 3 3 5 3 Disease Package .S NCLB SCLB Rust	Growth Regulators (4) A Sulfonylureas/ALS (2) A Pigment/HPPD(27) A Herbicide Tol. Growth Regulators (4) A	Yield Environment Highly Prod w/ Mngt Productive Average/Variable Tough Yield Environment Highly Prod w/ Mngt	Soils Fine Medium Coarse Coarse w/ Irr Soils Fine	Placement Excellent Value Hybrid with solid agronomics and solid pedigree. Strong emergence, roots, stalks, and draught tolerence. Top tier yield on rotated acres. Placement Broadly adapted across yield	Solid Pedigree and good disease package. Physiology	Position at med-to-high pops; Low RTN score makes it a solid fit for preplant N applications, use fungicide to maximize kernel depth to ring the bell on top end pot. Management Position at medium populations	Fungicide recommended for physoderma and GLS. Keep on rotated acres unless highly managed. Caution
CP5588	Trait RM GDU Height Ear	RTP H RTN L S C H RTF M RTF M RTP M RTP M RTN H	2 Dry 2 Vigor 2	Stalk Roce 2 2 Drought TW 2 3 Agronomics Stalk Roce 2 3	t SG G	.S NCLB SCLB Rust 3 3 2 N/A ss ASR PNB Diplodia 3 3 5 3 Disease Package .S NCLB SCLB Rust 3 2 N/A	Growth Regulators (4) A Sulfonylureas/ALS (2) A Pigment/HPPD(27) A Herbicide Tol. Growth Regulators (4) A Sulfonylureas/ALS (2) A	Yield Environment Highly Prod w/ Mngt Productive Average/Variable Tough Yield Environment Highly Prod w/ Mngt Productive	Soils Fine Medium Coarse Coarse w/ Irr Soils Fine Medium	Placement Excellent Value Hybrid with solid agronomics and solid pedigree. Strong emergence, roots, stalks, and draught tolerence. Top tier yield on rotated acres. Placement Broadly adapted across yield environments; medium flower date	Solid Pedigree and good disease package. Physiology Medium-height plant with wide	Position at med-to-high pops; Low RTN score makes it a solid fit for preplant N applications, use fungicide to maximize kernel depth to ring the bell on top end pot. Management Position at medium populations with enhanced nitrogen	Pungicide recommended for physoderma and GLS. Keep on rotated acres unless highly managed. Caution Use caution in areas with high
CP5588	Trait	RTP H RTN L S C H RTF M RTP M RTP M RTN H S C M	Dry Vigor Dry Dry Dry Dry	Stalk Root 2 2 Drought TW 2 3 Agronomics Stalk Root	2	.S NCLB SCLB Rust 3 3 2 N/A 55 ASR PNB Diplodia 3 3 5 3 Disease Package .S NCLB SCLB Rust 3 2 2 N/A 55 ASR PNB Diplodia	Growth Regulators (4) A Sulfonylureas/ALS (2) A Pigment/HPPD(27) A Herbicide Tol. Growth Regulators (4) A	Yield Environment Highly Prod w/ Mngt Productive Average/Variable Tough Yield Environment Highly Prod w/ Mngt Productive Average/Variable	Soils Fine Medium Coarse Coarse w/ Irr Soils Fine Medium Coarse	Placement Excellent Value Hybrid with solid agronomics and solid pedigree. Strong emergence, roots, stalks, and draught tolerence. Top tier yield on rotated acres. Placement Broadly adapted across yield	Solid Pedigree and good disease package. Physiology Medium-height plant with wide	Position at med-to-high pops; Low RTN score makes it a solid fit for preplant N applications, use fungicide to maximize kernel depth to ring the bell on top end pot. Management Position at medium populations	Fungicide recommended for physoderma and GLS. Keep on rotated acres unless highly managed. Caution
CP5588 Hybrid CP5678	Trait	RTP H RTN L S C H RTF M RTP M RTP M RTP M RTN H S C M RTF M	Dry Vigor Dry Dry Dry Dry	Stalk Roc 2 2 Drought TW 2 3 Agronomics Stalk Roc 2 3 Drought TW 2 1	2	.S NCLB SCLB Rust 3 3 2 N/A 5 ASR PNB Diplodia 6 3 5 3 5 3 Disease Package .S NCLB SCLB Rust 6 2 2 N/A 5 ASR PNB Diplodia 6 3 3 3 3	Growth Regulators (4) Sulfonylureas/ALS (2) A Pigment/HPPD(27) Herbicide Tol. Growth Regulators (4) Sulfonylureas/ALS (2) A Pigment/HPPD(27)	Yield Environment Highly Prod w/ Mngt Productive Average/Variable Tough Yield Environment Highly Prod w/ Mngt Productive Average/Variable Tough	Soils Fine Medium Coarse Coarse w/ Irr Soils Fine Medium Coarse Coarse w/ Irr	Placement Excellent Value Hybrid with solid agronomics and solid pedigree. Strong emergence, roots, stalks, and draught tolerence. Top tier yield on rotated acres. Placement Broadly adapted across yield environments; medium flower date offers north to south movement across maturity zones	Solid Pedigree and good disease package. Physiology Medium-height plant with wide leaves and a girthy semi-flex ear	Position at med-to-high pops; Low RTN score makes it a solid fit for preplant N applications, use fungicide to maximize kernel depth to ring the bell on top end pot. Management Position at medium populations with enhanced nitrogen management for high-yield-potential	Fungicide recommended for physoderma and GLS. Keep on rotated acres unless highly managed. Caution Use caution in areas with high risk of greensnap
CP5588	Trait	RTP H RTN L S C H RTF M RTP M RTP M RTN H S C M RTF M	2 Dry 2 Vigor 2 Dry 2 Dry 2	Stalk Roc 2 2 2 2 2 2 2 3 3 3	ot SG G	.S NCLB SCLB Rust 3 3 2 N/A ss ASR PNB Diplodia 3 3 3 3 Disease Package .S NCLB SCLB Rust 3 2 2 N/A ss ASR PNB Diplodia 3 3 3 3 Disease Package	Growth Regulators (4) A Sulfonylureas/ALS (2) A Pigment/HPPD(27) A Herbicide Tol. Growth Regulators (4) A Sulfonylureas/ALS (2) A	Yield Environment Highly Prod w/ Mngt Productive Average/Variable Tough Yield Environment Highly Prod w/ Mngt Productive Average/Variable	Soils Fine Medium Coarse Coarse w/ Irr Soils Fine Medium Coarse	Placement Excellent Value Hybrid with solid agronomics and solid pedigree. Strong emergence, roots, stalks, and draught tolerence. Top tier yield on rotated acres. Placement Broadly adapted across yield environments; medium flower date offers north to south movement across	Solid Pedigree and good disease package. Physiology Medium-height plant with wide	Position at med-to-high pops; Low RTN score makes it a solid fit for preplant N applications, use fungicide to maximize kernel depth to ring the bell on top end pot. Management Position at medium populations with enhanced nitrogen management for high-yield-	Fungicide recommended for physoderma and GLS. Keep on rotated acres unless highly managed. Caution Use caution in areas with high
CP5588 Hybrid CP5678	Trait	RTP H RTN L S C H RTF M RTP M RTN H S C M RTF M RTF M RTN H S C M RTF M	2 Dry 2 Vigor 2 Dry 2 Vigor 1	Stalk	ot SG G	.S NCLB SCLB Rust 3 3 2 N/A 55 ASR PNB Diplodia 6 3 5 3 Disease Package .S NCLB SCLB Rust 3 2 2 N/A 55 ASR PNB Diplodia 6 3 3 3 3 Disease Package .S NCLB SCLB Rust 6 2 2 N/A 5 ASR PNB Diplodia 7 NCLB SCLB Rust	Growth Regulators (4) Sulfonylureas/ALS (2) A Pigment/HPPD(27) A Herbicide Tol. Growth Regulators (4) A Sulfonylureas/ALS (2) A Pigment/HPPD(27) A Herbicide Tol. Growth Regulators (4) A	Yield Environment Highly Prod w/ Mngt Productive Average/Variable Tough Yield Environment Highly Prod w/ Mngt Productive Average/Variable Tough Yield Environment Highly Prod w/ Mngt	Soils Fine Medium Coarse Coarsew/Irr Soils Fine Medium Coarse Coarsew/Irr Soils Fine Soils Fine Soils Fine	Placement Excellent Value Hybrid with solid agronomics and solid pedigree. Strong emergence, roots, stalks, and draught tolerence. Top tier yield on rotated acres. Placement Broadly adapted across yield emvironments; medium flower date offers north to south movement across maturity zones Placement Broad acre hybrid that moves well	Solid Pedigree and good disease package. Physiology Medium-height plant with wide teaves and a girthy semi-flex ear Physiology Medium tall hybrid with med-high	Position at med-to-high pops; Low RTN score makes it a solid fit for preplant N applications, use fungicide to maximize kernel depth to ring the bell on top end pot. Management Position at medium populations with enhanced nitrogen management for high-yield-potential Management Good ear flex. Keep N rates	Fungicide recommended for physoderma and GLS. Keep on rotated acres unless highly managed. Caution Use caution in areas with high risk of greensnap Caution
CP5588 Hybrid CP5678	Trait	RTP H RTN L S C H RTF M RTP M RTN H S C M RTF M RTF M RTF M RTF M RTF M RTF M	2 Dry 2 Vigor 2 Vigor 2 Vigor 2	Stalk Roc 2 2 Drought TW 2 3 Agronomics Stalk Roc 1 Agronomics Stalk Roc 2 2 2	2 Got SG G	.S NCLB SCLB Rust 3 3 2 N/A 55 ASR PNB Diplodia 6 3 5 3 Disease Package .S NCLB SCLB Rust 3 2 2 N/A 55 ASR PNB Diplodia 6 3 3 3 3 Disease Package .S NCLB SCLB Rust 2 2 2 3	Growth Regulators (4) Sulfonylureas/ALS (2) A Pigment/MPPD(27) A Herbicide Tol. Growth Regulators (4) A Sulfonylureas/ALS (2) A Pigment/MPPD(27) A Herbicide Tol. Growth Regulators (4) A Sulfonylureas/ALS (2) A	Yield Environment Highly Prod w/ Mngt Productive Average/Variable Tough Yield Environment Highly Prod w/ Mngt Productive Average/Variable Tough Yield Environment Highly Prod w/ Mngt Productive	Soils Fine Medium Coarse Coarsew/Irr Soils Fine Medium Coarse Coarsew/Irr Soils Fine Medium Medium Coarse Medium Medium	Placement Excellent Value Hybrid with solid agronomics and solid pedigree. Strong emergence, roots, stalks, and draught tolerence. Top tier yield on rotated acres. Placement Broadly adapted across yield environments; medium flower date offers north to south movement across maturity zones Placement Broad acre hybrid that moves well across solt ypes and yield	Solid Pedigree and good disease package. Physiology Medium-height plant with wide leaves and a girthy semi-flex ear Physiology Medium tall hybrid with med-high ear set. Strong agronomics and	Position at med-to-high pops; Low RTN score makes it a solid fit for preplant N applications, use fungicide to maximize kernel depth to ring the bell on top end pot. Management Position at medium populations with enhanced nitrogen management for high-yield-potential Management Good ear flex. Keep N rates aggressive and maximize late	Fungicide recommended for physoderma and GLS. Keep on rotated acres unless highly managed. Caution Use caution in areas with high risk of greensnap
CP5588 Hybrid CP5678 Hybrid	Trait	RTP H RTN L S C H RTF M RTP M RTP M RTN H S C M RTF M	2 Dry 2 Vigor 2 Dry 2 Vigor 2 Dry 2 Dry 2 Dry 1 Vigor 2 Dry 1 Vigor 2 Dry Dry	Stalk Roc	ot SG G	.S NCLB SCLB Rust 3 3 2 N/A 5 ASR PNB Diplodia 6 Disease Package .S NCLB SCLB Rust 6 2 N/A 5 ASR PNB Diplodia 6 3 3 3 3 Disease Package .S NCLB SCLB Rust 6 2 2 N/A 5 ASR PNB Diplodia 7 Disease Package .S NCLB SCLB Rust 8 C 2 2 3 5 NCLB SCLB Rust	Growth Regulators (4) Sulfonylureas/ALS (2) A Pigment/HPPD(27) A Herbicide Tol. Growth Regulators (4) A Sulfonylureas/ALS (2) A Pigment/HPPD(27) A Herbicide Tol. Growth Regulators (4) A	Vield Environment Highly Prod w/ Mngt Productive Average/Variable Tough Vield Environment Highly Prod w/ Mngt Productive Average/Variable Tough Vield Environment Highly Prod w/ Mngt Productive Average/Variable Productive Average/Variable	Soils Fine Medium Coarse Coarsew/Irr Soils Fine Medium Coarse Coarsew/Irr Soils Fine Medium Coarse Medium Coarse Coarsew/Irr	Placement Excellent Value Hybrid with solid agronomics and solid pedigree. Strong emergence, roots, stalks, and draught tolerence. Top tier yield on rotated acres. Placement Broadly adapted across yield environments; medium flower date offers north to south movement across maturity zones Placement Broad acre hybrid that moves well across soil types and yield environments. Agronomically sound	Solid Pedigree and good disease package. Physiology Medium-height plant with wide leaves and a girthy semi-flex ear Physiology Medium tall hybrid with med-high ear set. Strong agronomics and solid disease package. We good	Position at med-to-high pops; Low RTN score makes it a solid fit for preplant N applications, use fungicide to maximize kernel depth to ring the bell on top end pot. Management Position at medium populations with enhanced nitrogen management for high-yield-potentiat Management Good ear flex. Keep N rates aggressive and maximize late season health with fungicide	Fungicide recommended for physoderma and GLS. Keep on rotated acres unless highly managed. Caution Use caution in areas with high risk of greensnap Caution Manage for Southern Rust
CP5588 Hybrid CP5678 Hybrid	Trait	RTP H RTN L S C H RTF M RTP M RTN H S C M RTF M RTF M RTF M RTF M RTF M RTF M	2 Dry 2 Vigor 2 Vigor 2 Vigor 2	Stalk Roc 2 2 Drought TW 2 3 Agronomics Stalk Roc 1 Agronomics Stalk Roc 2 2 2	ot SG G	.S NCLB SCLB Rust 3 3 2 N/A 55 ASR PNB Diplodia 6 3 5 3 Disease Package .S NCLB SCLB Rust 3 2 2 N/A 55 ASR PNB Diplodia 6 3 3 3 3 Disease Package .S NCLB SCLB Rust 2 2 2 3	Growth Regulators (4) Sulfonylureas/ALS (2) A Pigment/MPPD(27) A Herbicide Tol. Growth Regulators (4) A Sulfonylureas/ALS (2) A Pigment/MPPD(27) A Herbicide Tol. Growth Regulators (4) A Sulfonylureas/ALS (2) A	Yield Environment Highly Prod w/ Mngt Productive Average/Variable Tough Yield Environment Highly Prod w/ Mngt Productive Average/Variable Tough Yield Environment Highly Prod w/ Mngt Productive	Soils Fine Medium Coarse Coarsew/Irr Soils Fine Medium Coarse Coarsew/Irr Soils Fine Medium Medium Coarse Medium Medium	Placement Excellent Value Hybrid with solid agronomics and solid pedigree. Strong emergence, roots, stalks, and draught tolerence. Top tier yield on rotated acres. Placement Broadly adapted across yield environments; medium flower date offers north to south movement across maturity zones Placement Broad acre hybrid that moves well across solt ypes and yield	Solid Pedigree and good disease package. Physiology Medium-height plant with wide leaves and a girthy semi-flex ear Physiology Medium tall hybrid with med-high ear set. Strong agronomics and	Position at med-to-high pops; Low RTN score makes it a solid fit for preplant N applications, use fungicide to maximize kernel depth to ring the bell on top end pot. Management Position at medium populations with enhanced nitrogen management for high-yield-potential Management Good ear flex. Keep N rates aggressive and maximize late	Fungicide recommended for physoderma and GLS. Keep on rotated acres unless highly managed. Caution Use caution in areas with high risk of greensnap Caution Manage for Southern Rust when environments favor its
CP5588 Hybrid CP5678 Hybrid	Trait	RTP H RTN L S C H RTF M RTP M RTP M RTN H S C M RTF M	2 Dry 2 Vigor 2 Dry 2 Vigor 2 Dry 2 Dry 2 Dry 1 Vigor 2 Dry 1 Vigor 2 Dry Dry	Stalk Roc	ot SG G	.S NCLB SCLB Rust 3 3 2 N/A 5 ASR PNB Diplodia 6 Disease Package .S NCLB SCLB Rust 6 2 N/A 5 ASR PNB Diplodia 6 3 3 3 3 Disease Package .S NCLB SCLB Rust 6 2 2 N/A 5 ASR PNB Diplodia 7 Disease Package .S NCLB SCLB Rust 8 C 2 2 3 5 NCLB SCLB Rust	Growth Regulators (4) Sulfonylureas/ALS (2) A Pigment/MPPD(27) A Herbicide Tol. Growth Regulators (4) A Sulfonylureas/ALS (2) A Pigment/MPPD(27) A Herbicide Tol. Growth Regulators (4) A Sulfonylureas/ALS (2) A	Vield Environment Highly Prod w/ Mngt Productive Average/Variable Tough Vield Environment Highly Prod w/ Mngt Productive Average/Variable Tough Vield Environment Highly Prod w/ Mngt Productive Average/Variable Productive Average/Variable	Soils Fine Medium Coarse Coarsew/Irr Soils Fine Medium Coarse Coarsew/Irr Soils Fine Medium Coarse Medium Coarse Coarsew/Irr	Placement Excellent Value Hybrid with solid agronomics and solid pedigree. Strong emergence, roots, stalks, and draught tolerence. Top tier yield on rotated acres. Placement Broadly adapted across yield environments; medium flower date offers north to south movement across maturity zones Placement Broad acre hybrid that moves well across soil types and yield environments. Agronomically sound	Solid Pedigree and good disease package. Physiology Medium-height plant with wide leaves and a girthy semi-flex ear Physiology Medium tall hybrid with med-high ear set. Strong agronomics and solid disease package. We good	Position at med-to-high pops; Low RTN score makes it a solid fit for preplant N applications, use fungicide to maximize kernel depth to ring the bell on top end pot. Management Position at medium populations with enhanced nitrogen management for high-yield-potentiat Management Good ear flex. Keep N rates aggressive and maximize late season health with fungicide	Fungicide recommended for physoderma and GLS. Keep on rotated acres unless highly managed. Caution Use caution in areas with high risk of greensnap Caution Manage for Southern Rust when environments favor its
CP5588 Hybrid CP5678 Hybrid CP5682	Trait	RTP H RTN L S C H RTF M RTP M RTN H S C M RTF M RTN H S C M RTF M RTN H S C M RTF M RTN H	2 Dry 2 Vigor 2 Dry 2 Vigor 2 Dry 2 Dry 2 Dry 1 Vigor 2 Dry 1 Vigor 2 Dry Dry	Stalk	ot SG G 3 7 Gt SG G 3 7 Gt SG G 7 Gt SG G	NCLB SCLB Rust	Growth Regulators (4) Sulfonytureas/ALS (2) A Pigment/HPPD(27) Herbicide Tol. Growth Regulators (4) Sulfonytureas/ALS (2) A Sulfonytureas/ALS (2) Herbicide Tol. Growth Regulators (4) A Sulfonytureas/ALS (2) A	Yield Environment Highly Prod w/ Mngt Productive Average/Variable Tough Yield Environment Highly Prod w/ Mngt Productive Average/Variable Tough Yield Environment Highly Prod w/ Mngt Productive Average/Variable Tough Yield Environment Highly Prod w/ Mngt Productive Average/Variable Tough	Soils Fine Medium Coarse Coarsew/Irr Soils Fine Medium Coarse Coarse w/Irr Soils Fine Medium Coarse Coarse w/Irr	Placement Excellent Value Hybrid with solid agronomics and solid pedigree. Strong emergence, roots, stalks, and draught tolerence. Top tier yield on rotated acres. Placement Broadly adapted across yield emvironments; medium flower date offers north to south movement across maturity zones Placement Broad acre hybrid that moves well across soli types and yield environments. Agronomically sound hybrid. Placement	Solid Pedigree and good disease package. Physiology Medium-height plant with wide leaves and a girthy semi-flex ear Physiology Medium tall hybrid with med-high ear set. Strong agronomics and solid disease package. Very good grain quality. Physiology	Position at med-to-high pops; Low RTN score makes it a solid fit for preplant N applications, use fungicide to maximize kernel depth to ring the belt on top end pot. Management Position at medium populations with enhanced nitrogen management for high-yield-potential Management Good ear flex. Keep N rates aggressive and maximize late season health with fungicide application Management Management	Fungicide recommended for physoderma and GLS. Keep on rotated acres unless highly managed. Caution Use caution in areas with high risk of greensnap Caution Manage for Southern Rust when environments favor its onset.
CP5588 Hybrid CP5678 Hybrid CP5682 Hybrid	Trait	RTP H RTN L S C H RTF M RTP M RTN H S C M RTF M RTN H S C M RTF M RTN H S C M RTF M RTN H	2 Dry 2 Vigor 2 Dry 2 Vigor 2 Dry 2	Stalk	ot SG G	.S NCLB SCLB Rust 3 3 2 N/A 5 ASR PNB Diplodia 6 3 3 5 3 Disease Package 5 ASR PNB Diplodia 6 2 2 N/A 6 3 3 3 3 Disease Package CS NCLB SCLB Rust 6 2 2 N/A 6 2 2 N/A 6 3 3 3 3 Disease Package CS NCLB SCLB Rust 6 2 2 N/A 6 3 3 3 3 Disease Package CS NCLB SCLB Rust 6 3 3 3 3 Disease Package CS NCLB SCLB Rust 7 NCB	Growth Regulators (4) Sulfonylureas/ALS (2) A Pigment/HPPD(27) Herbicide Tol. Growth Regulators (4) Sulfonylureas/ALS (2) A Pigment/HPPD(27) A Herbicide Tol. Growth Regulators (4) A Sulfonylureas/ALS (2) A Pigment/HPPD(27) A Herbicide Tol. Herbicide Tol. Herbicide Tol.	Vield Environment Highly Prod w/ Mngt Productive Average/Variable Tough Vield Environment Highly Prod w/ Mngt Productive Average/Variable Tough Vield Environment Highly Prod w/ Mngt Productive Average/Variable Tough Vield Environment Highly Prod w/ Mngt Productive Average/Variable Tough Vield Environment	Soils Fine Medium Coarse Coarse w/ Irr Soils Fine Medium Coarse Soils Soils	Placement Excellent Value Hybrid with solid agronomics and solid pedigree. Strong emergence, roots, stalks, and draught tolerence. Top tier yield on rotated acres. Placement Broadly adapted across yield environments; medium flower date offers north to south movement across maturity zones Placement Broad acre hybrid that moves well across soli types and yield environments. Agronomically sound hybrid. Placement Placement	Solid Pedigree and good disease package. Physiology Medium-height plant with wide leaves and a girthy semi-flex ear Physiology Medium tall hybrid with med-high ear set. Strong agronomics and solid disease package. Very good grain quality.	Position at med-to-high pops; Low RTN score makes it a solid fit for preplant N applications, use fungicide to maximize kernel depth to ring the belt on top end pot. Management Position at medium populations with enhanced nitrogen management for high-yield-potential Management Good ear flex. Keep N rates aggressive and maximize late season health with fungicide application	Fungicide recommended for physoderma and GLS. Keep on rotated acres unless highly managed. Caution Use caution in areas with high risk of greensnap Caution Manage for Southern Rust when environments favor its onset. Caution Manage for southern rust
CP5588 Hybrid CP5678 Hybrid CP5682	Trait	RTP H RTN L S C H RTF M RTP M RTP M RTP M RTF H RTF M RTF H	2 Dry 2 Vigor 2 Dry 2 Vigor 2 Dry 2 Vigor 2 Dry	Stalk	ot SG G	S	Growth Regulators (4) Sulfonylureas/ALS (2) A Pigment/HPPD(27) A Herbicide Tol. Growth Regulators (4) A Sulfonylureas/ALS (2) A Pigment/HPPD(27) A Herbicide Tol. Growth Regulators (4) A Sulfonylureas/ALS (2) A Pigment/HPPD(27) A Herbicide Tol. Growth Regulators (4) A A A A A A A A A A A A A	Yield Environment Highly Prod w/ Mngt Productive Average/Variable Tough Yield Environment Highly Prod w/ Mngt Productive Average/Variable Tough Yield Environment Highly Prod w/ Mngt Productive Average/Variable Tough Yield Environment Highly Prod w/ Mngt Tough Yield Environment Highly Prod w/ Mngt	Soils Fine Medium Coarse W Irr Soils Fine Medium Coarse Coarsew Irr Soils Fine Medium Coarse Coarsew Irr Soils Fine Medium Coarse Soils Fine Medium Coarse Coarse W Irr	Placement Excellent Value Hybrid with solid agronomics and solid pedigree. Strong emergence, roots, stalks, and draught tolerence. Top tier yield on rotated acres. Placement Broadly adapted across yield emvironments; medium flower date offers north to south movement across maturity zones Placement Broad acre hybrid that moves well across soli types and yield environments. Agronomically sound hybrid. Placement	Solid Pedigree and good disease package. Physiology Medium-height plant with wide leaves and a girthy semi-flex ear Physiology Medium tall hybrid with med-high ear set. Strong agronomics and solid disease package. Very good grain quality. Physiology Large, robust plant with ear flex in girth more so than length. Very good emergence with good stalks	Position at med-to-high pops; Low RTN score makes it a solid fit for preplant N applications, use tungicide to maximize kernel depth to ring the bell on top end pot. Management Position at medium populations with enhanced nitrogen management for high-yield-potential Management Good ear flex. Keep N rates aggressive and maximize late season health with fungicide application Management Moderate planting populations for ear flex in girth. Southern rust is a known weakness in high SR	Fungicide recommended for physoderma and GLS. Keep on rotated acres unless highly managed. Caution Use caution in areas with high risk of greensnap Caution Manage for Southern Rust when environments favor its onset.
CP5588 Hybrid CP5678 Hybrid CP5682 Hybrid	Trait	RTP H RTN L S C H RTF M RTP M RTP M RTN H S C M RTF M RTP M	2 Dry 2 Vigor 2 Dry 2 Vigor 2 Dry 2 Vigor 2 Dry	Stalk Roc 2 2 Drought TW 2 3 Agronomics Stalk Roc 2 3 Drought TW 2 1 Agronomics Stalk Roc 2 2 Drought TW 2 2 2 Agronomics Stalk Roc 3 3	ot SG G ot	S	Growth Regulators (4) Sulfonylureas/ALS (2) A Pigment/HPPD(27) A Herbicide Tol. Growth Regulators (4) A Sulfonylureas/ALS (2) A Pigment/HPPD(27) A Herbicide Tol. Growth Regulators (4) Sulfonylureas/ALS (2) A Pigment/HPPD(27) A Herbicide Tol. Growth Regulators (4) A Sulfonylureas/ALS (2) A A Sulfonylureas/ALS (2) A Sulfonylureas/ALS (2) A Sulfonylureas/ALS (2) A Sulfonylureas/ALS (2) A	Yield Environment Highly Prod w/ Mngt Productive Average/Variable Tough Yield Environment Highly Prod w/ Mngt Productive Average/Variable Tough Yield Environment Highly Prod w/ Mngt Productive Average/Variable Tough Yield Environment Highly Prod w/ Mngt Productive Average/Variable Tough Yield Environment Highly Prod w/ Mngt Productive	Soils Fine Medium Coarse Coarsew/Irr	Placement Excellent Value Hybrid with solid agronomics and solid pedigree. Strong emergence, roots, stalks, and draught tolerence. Top tier yield on rotated acres. Placement Broadly adapted across yield environments; medium flower date offers north to south movement across maturity zones Placement Broad acre hybrid that moves well across soil types and yield environments. Agronomically sound hybrid. Placement Placement	Solid Pedigree and good disease package. Physiology Medium-height plant with wide teaves and a girthy semi-flex ear Physiology Medium tall hybrid with med-high ear set. Strong agronomics and solid disease package. Very good grain quality. Physiology Large, robust plant with ear flex in girth more so than length. Very	Position at med-to-high pops; Low RTN score makes it a solid fit for preplant N applications, use fungicide to maximize kernel depth to ring the bell on top end pot. Management Position at medium populations with enhanced nitrogen management for high-yield-potential Management Good ear flex. Keep N rates aggressive and maximize late season health with fungicide application Management Management Moderate planting populations for ear flex in girth. Southern rust is a	Fungicide recommended for physoderma and GLS. Keep on rotated acres unless highly managed. Caution Use caution in areas with high risk of greensnap Caution Manage for Southern Rust when environments favor its onset. Caution Manage for southern rust when environments favor its when environments favor its onset.
CP5588 Hybrid CP5678 Hybrid CP5682 Hybrid CP5760	Trait	RTP H RTN L S C H RTF M RTF M RTN H S C M RTF M	2 Dry 2 Vigor 2 Dry 2 Vigor 2 Dry 2	Stalk Roc 2 2 Drought TW 2 3 Agronomics Stalk Roc 2 3 Drought TW 2 1 Agronomics Stalk Roc 2 2 Drought TW Agronomics Stalk Roc 3 3 Drought TW 3 2	ot SG G ot	S	Growth Regulators (4) Sulfonylureas/ALS (2) Pigment/HPPD(27) A Herbicide Tol. Growth Regulators (4) A Sulfonylureas/ALS (2) A Pigment/HPPD(27) A Herbicide Tol. Growth Regulators (4) Sulfonylureas/ALS (2) A Pigment/HPPD(27) A Herbicide Tol. Growth Regulators (4) Sulfonylureas/ALS (2) A	Yield Environment Highly Prod w/ Mngt Productive Average/Variable Tough Yield Environment Highly Prod w/ Mngt Productive Average/Variable Tough Yield Environment Highly Prod w/ Mngt Productive Average/Variable Tough Yield Environment Highly Prod w/ Mngt Productive Average/Variable Tough Yield Environment Highly Prod w/ Mngt Productive Average/Variable Tough Tough	Soils Fine Medium Coarse W Irr Soils Fine Medium Coarse Coarse W Irr Soils Fine Medium Coarse Coarse W Irr	Placement Excellent Value Hybrid with solid agronomics and solid pedigree. Strong emergence, roots, stalks, and draught tolerence. Top tier yield on rotated acres. Placement Broadly adapted across yield emironments; medium flower date offers north to south movement across maturity zones Placement Broad acre hybrid that moves well across soll types and yield emironments. Agronomically sound hybrid. Placement Place on the average to highly productive acre to realize yield potential. Broadly adaptable hybrid.	Solid Pedigree and good disease package. Physiology Medium-height plant with wide teaves and a girthy semi-flex ear Physiology Medium tall hybrid with med-high ear set. Strong agronomics and solid disease package. Very good grain quality. Physiology Large, robust plant with ear flex in girth more so than length. Very good emergence with good stalks and roots. VG test weight.	Position at med-to-high pops; Low RTN score makes it a solid fit for preplant N applications, use fungicide to maximize kernel depth to ring the bell on top end pot. Management Position at medium populations with enhanced nitrogen management for high-yield-potential Management Good ear flex. Keep N rates aggressive and maximize late season health with fungicide application Management Moderate planting populations for ear flex in girth. Southern rust is a known weakness in high SR environments.	Fungicide recommended for physoderma and GLS. Keep on rotated acres unless highly managed. Caution Use caution in areas with high risk of greensnap Caution Manage for Southern Rust when environments favor its onset. Caution Manage for southern rust when environments favor its onset.
CP5588 Hybrid CP5678 Hybrid CP5682 Hybrid	Trait	RTP H RTN L S C H RTF M RTF M RTN H RTN H S C M RTF M RTN H S C RTF H S C RTF H S C RTF H RTN H S C RTF H RTN H S C RTF H RTN M S C RTF H RTP M RTN M S C RTF H RTP M RT	2 Dry 2 Vigor 2 Dry 2 Vigor 2 Dry 2	Stalk	2	.S NCLB SCLB Rust 3 3 2 N/A 5 ASR PNB Diplodia 6 2 N/A 5 ASR PNB Diplodia 7 Disease Package .S NCLB SCLB Rust 8 2 N/A 5 ASR PNB Diplodia 8 3 3 3 3 Disease Package .S NCLB SCLB Rust 2 2 3 Disease Package .S NCLB SCLB Rust 2 2 2 3 Disease Package .S NCLB SCLB Rust 2 2 2 3 Disease Package .S NCLB SCLB Rust 3 2 4 SS ASR PNB Diplodia 3 2 4 SS ASR PNB Diplodia 3 2 4 SS ASR PNB Diplodia 4 NJA Disease Package	Growth Regulators (4) Sulfonytureas/ALS (2) A Pigment/HPPD(27) A Herbicide Tol. Growth Regulators (4) Sulfonytureas/ALS (2) A Pigment/HPPD(27) A Herbicide Tol. Growth Regulators (4) A Sulfonytureas/ALS (2) A Sulfonytureas/ALS (2) A Figment/HPPD(27) A Herbicide Tol. Growth Regulators (4) A Sulfonytureas/ALS (2) A Pigment/HPPD(27) A Herbicide Tol. Growth Regulators (4) A Sulfonytureas/ALS (2) A Pigment/HPPD(27) A	Yield Environment Highly Prod w/ Mngt Productive Average/Variable Tough Yield Environment Highly Prod w/ Mngt Productive Average/Variable Tough Yield Environment Highly Prod w/ Mngt Productive Average/Variable Tough Yield Environment Highly Prod w/ Mngt Productive Average/Variable Tough Yield Environment Highly Prod w/ Mngt Productive Average/Variable Tough Yield Environment Highly Prod w/ Mngt Productive Average/Variable Tough Yield Environment	Soils Fine Medium Coarse Coarsew/Irr Soils Fine Medium Coarse Soils Fine Medium Coarse Coarsew/Irr	Placement Excellent Value Hybrid with solid agronomics and solid pedigree. Strong emergence, roots, stalks, and draught tolerence. Top tier yield on rotated acres. Placement Broadly adapted across yield emironments; medium flower date offers north to south movement across maturity zones Placement Broad acre hybrid that moves well across soll types and yield emironments. Agronomically sound hybrid. Placement Place on the average to highly productive acre to realize yield potential. Broadly adaptable hybrid.	Solid Pedigree and good disease package. Physiology Medium-height plant with wide leaves and a girthy semi-flex ear Physiology Medium tall hybrid with med-high ear set. Strong agronomics and solid disease package. Very good grain quality. Physiology Large, robust plant with ear flex in girth more so than length. Very good emergence with good stalks and roots. VG test weight. Physiology	Position at med-to-high pops; Low RTN score makes it a solid fit for preplant N applications, use tungicide to maximize kernel depth to ring the bell on top end pot. Management Position at medium populations with enhanced nitrogen management for high-yield-potential Management Good ear flex. Keep N rates aggressive and maximize late season health with fungicide application Management Moderate planting populations for ear flex in girth. Southern rust is a known weakness in high SR	Fungicide recommended for physoderma and GLS. Keep on rotated acres unless highly managed. Caution Use caution in areas with high risk of greensnap Caution Manage for Southern Rust when environments favor its onset. Caution Manage for southern rust when environments favor its when environments favor its onset.
CP5588 Hybrid CP5678 Hybrid CP5682 Hybrid CP5760 Hybrid	Trait	RTP H RTN L S C H RTF M RTN H RTN H S C M RTF M RTN H S C M RTF M RTN H S C H RTF M RTN H S C H RTF H RTN H S C H RTF H RTP M RTN H RTN M	2 Dry 2 Vigor 2 Dry 2 Vigor 2 Dry 2	Stalk Roc 2 2 Drought TW 2 3 Agronomics Stalk Stalk Roc 2 3 Drought TW 2 2 Stalk Roc 2 2 Drought TW 2 2 Agronomics Stalk Roc 3 3 2 Agronomics Stalk Roc Roc	2 Got SG G G G G G G G G G G G G G G G G G G	S	Growth Regulators (4) Sulfonylureas/ALS (2) A Pigment/HPPD(27) A Herbicide Tol. Growth Regulators (4) A Sulfonylureas/ALS (2) A Pigment/HPPD(27) A Herbicide Tol. Growth Regulators (4) A Sulfonylureas/ALS (2) A Pigment/HPPD(27) A Herbicide Tol. Growth Regulators (4) A Sulfonylureas/ALS (2) A Pigment/HPPD(27) A Herbicide Tol. Growth Regulators (4) A Sulfonylureas/ALS (2) A Pigment/HPPD(27) A Herbicide Tol. Growth Regulators (4) A	Yield Environment Highly Prod w/ Mngt Productive Average/Variable Tough Yield Environment Highly Prod w/ Mngt Productive Average/Variable Tough Yield Environment Highly Prod w/ Mngt Productive Average/Variable Tough Yield Environment Highly Prod w/ Mngt Productive Average/Variable Tough Yield Environment Highly Prod w/ Mngt Productive Average/Variable Tough Yield Environment Highly Prod w/ Mngt Productive Average/Variable Tough	Soils Fine Medium Coarse Coarse w/ Irr	Placement Excellent Value Hybrid with solid agronomics and solid pedigree. Strong emergence, roots, stalks, and draught tolerence. Top tier yield on rotated acres. Placement Broadly adapted across yield environments, medium flower date offers north to south movement across maturity zones Placement Broad acre hybrid that moves well across solit ypes and yield environments. Agronomically sound hybrid. Placement Place on the average to highly productive acre to realize yield potential. Broadly adaptable hybrid. Placement Place on the average to highly productive acre to realize yield potential. Broadly adaptable hybrid.	Solid Pedigree and good disease package. Physiology Medium-height plant with wide teaves and a girthy semi-flex ear Physiology Medium tall hybrid with med-high ear set. Strong agronomics and solid disease package. Very good grain quality. Physiology Large, robust plant with ear flex in girth more so than length. Very good emergence with good stalks and roots. VG test weight.	Position at med-to-high pops; Low RTN score makes it a solid fit for preplant N applications, use fungicide to maximize kernel depth to ring the bell on top end pot. Management Position at medium populations with enhanced nitrogen management for high-yield-potential Management Good ear flex. Keep N rates aggressive and maximize late season health with fungicide application Management Moderate planting populations for ear flex in girth. Southern rust is a known weakness in high SR environments. Management	Fungicide recommended for physoderma and GLS. Keep on rotated acres unless highly managed. Caution Use caution in areas with high risk of greensnap Caution Manage for Southern Rust when environments favor its onset. Caution Manage for southern rust when environments favor its onset. Caution Manage for southern rust when environments favor its onset.
CP5588 Hybrid CP5678 Hybrid CP5682 Hybrid CP5760	Trait	RTP H RTN L S C H RTF M RTN H RTN H S C M RTF M RTN H S C M RTF M RTN H S C RTF M RTN H S C C C C C C C C C C C C C C C C C C C	Dry Vigor 2 Dry 2 Vigor 2 Dry 2 Vigor 2 Dry 2 Vigor 2 Vigor 2 Dry 2 Vigor 2 Dry 1 Vigor 2 Dry 1 Vigor 1 Vigor 1 Vigor 1	Stalk	2 Got SG G 2 G G G G G G G G G G G G G G G G	S	Growth Regulators (4) Sulfonylureas/ALS (2) A Pigment/HPPD(27) Herbicide Tol. Growth Regulators (4) A Sulfonylureas/ALS (2) A Pigment/HPPD(27) A Herbicide Tol. Growth Regulators (4) A Sulfonylureas/ALS (2) A Pigment/HPPD(27) A Herbicide Tol. Growth Regulators (4) A Sulfonylureas/ALS (2) A Pigment/HPPD(27) A Herbicide Tol. Growth Regulators (4) Sulfonylureas/ALS (2) A Sulfonylureas/ALS (2) A Herbicide Tol. Growth Regulators (4) Sulfonylureas/ALS (2) A A Sulfonylureas/ALS (2) A A Sulfonylureas/ALS (2) A A Sulfonylureas/ALS (2)	Yield Environment Highly Prod w/ Mngt Productive Average/Variable Tough Yield Environment Highly Prod w/ Mngt Productive Average/Variable Tough Yield Environment Highly Prod w/ Mngt Productive Average/Variable Tough Yield Environment Highly Prod w/ Mngt Productive Average/Variable Tough Yield Environment Highly Prod w/ Mngt Productive Average/Variable Tough Yield Environment Highly Prod w/ Mngt Productive Average/Variable Tough	Soils Fine Medium Coarse W Irr Soils Fine Medium Coarse Coarsew/ Irr Soils Fine Medium Coarse Coarsew/ Irr Soils Fine Medium Coarse Coarsew/ Irr Soils Fine Medium Soils Fine Medium Coarse Coarse W Irr Soils Fine Medium	Placement Excellent Value Hybrid with solid agronomics and solid pedigree. Strong emergence, roots, stalks, and draught tolerence. Top tier yield on rotated acres. Placement Broadly adapted across yield environments, medium flower date offers north to south movement across maturity zones Placement Broad acre hybrid that moves well across soil types and yield environments. Agronomically sound hybrid. Placement Placement Place on the average to highly productive acre to realize yield potential. Broadly adaptable hybrid. Placement Solid broad acre fit across most all yield levels. Agronomics and disease	Solid Pedigree and good disease package. Physiology Medium-height plant with wide leaves and a girthy semi-flex ear Physiology Medium tall hybrid with med-high ear set. Strong agronomics and solid disease package. Very good grain quality. Physiology Large, robust plant with ear flex in girth more so than length. Very good emergence with good stalks and roots. VG test weight. Physiology Medium plant height with Exemergence; VG roots, stalks, staygreen, drydown, drought	Position at med-to-high pops; Low RTN score makes it a solid fit for preplant N applications, use fungicide to maximize kernel depth to ning the bell on top end pot. Management Position at medium populations with enhanced nitrogen management for high-yield-potential Management Good ear flex. Keep N rates aggressive and maximize late season health with fungicide application Management Moderate planting populations for ear flex in girth. Southern rust is a known weakness in high SR environments. Management Moderate RTN and RTF scores. No need to push populations due to	Fungicide recommended for physoderma and GLS. Keep on rotated acres unless highly managed. Caution Use caution in areas with high risk of greensnap Caution Manage for Southern Rust when environments favor its onset. Caution Manage for southern rust when environments favor its onset. Caution Manage for southern rust when environments favor its onset. Caution Avoid environments where dyplodia ear rots have a
CP5588 Hybrid CP5678 Hybrid CP5682 Hybrid CP5760 Hybrid	Trait	RTP H RTN L S C H RTF M RTP M RTN H S C M RTF M RTP M RTN H S C C RTF H RTP M RTN M S C H RTF M RTN M S C H RTF M RTN M S C H RTF M	2 Dry Vigor 2 Dry 2 Vigor 2 Dry 2 Vigor 2 Dry 1 Dry 2 Dry 1 Dry 1 Dry 1 Dry 2 Dry 2 Dry 1 Dry 2 Dry 1 Dry 2 Dry 2 Dry 2 Dry 2 Dry 1	Stalk Roc 2 2 Drought TW 2 3 Agronomics Stalk Stalk Roc 2 3 Drought TW 2 2 Stalk Roc 2 2 Drought TW 2 2 Agronomics Stalk Roc 3 3 2 Agronomics Stalk Roc Roc	2 Got SG G 2 G G G G G G G G G G G G G G G G	S	Growth Regulators (4) Sulfonylureas/ALS (2) A Pigment/HPPD(27) A Herbicide Tol. Growth Regulators (4) A Sulfonylureas/ALS (2) A Pigment/HPPD(27) A Herbicide Tol. Growth Regulators (4) A Sulfonylureas/ALS (2) A Pigment/HPPD(27) A Herbicide Tol. Growth Regulators (4) A Sulfonylureas/ALS (2) A Pigment/HPPD(27) A Herbicide Tol. Growth Regulators (4) A Sulfonylureas/ALS (2) A Pigment/HPPD(27) A Herbicide Tol. Growth Regulators (4) A	Yield Environment Highly Prod w/ Mngt Productive Average/Variable Tough Yield Environment Highly Prod w/ Mngt Productive Average/Variable Tough Yield Environment Highly Prod w/ Mngt Productive Average/Variable Tough Yield Environment Highly Prod w/ Mngt Productive Average/Variable Tough Yield Environment Highly Prod w/ Mngt Productive Average/Variable Tough Yield Environment Highly Prod w/ Mngt Productive Average/Variable Tough Yield Environment Highly Prod w/ Mngt Productive Average/Variable	Soils Fine Medium Coarse Coarsew/Irr	Placement Excellent Value Hybrid with solid agronomics and solid pedigree. Strong emergence, roots, stalks, and draught tolerence. Top tier yield on rotated acres. Placement Broadly adapted across yield environments, medium flower date offers north to south movement across maturity zones Placement Broad acre hybrid that moves well across solit ypes and yield environments. Agronomically sound hybrid. Placement Place on the average to highly productive acre to realize yield potential. Broadly adaptable hybrid. Placement Place on the average to highly productive acre to realize yield potential. Broadly adaptable hybrid.	Solid Pedigree and good disease package. Physiology Medium-height plant with wide leaves and a girthy semi-flex ear Physiology Medium tall hybrid with med-high ear set. Strong agronomics and solid disease package. Very good grain quality. Physiology Large, robust plant with ear flex in girth more so than length. Very good emergence with good stalks and roots. VG test weight. Physiology Medium plant height with Exc emergence; VG roots, stalks, staygreen, drydown, drought tolerance, and TW. Girthy ear with	Position at med-to-high pops; Low RTN score makes it a solid fit for preplant N applications, use fungicide to maximize kernel depth to ning the bell on top end pot. Management Position at medium populations with enhanced nitrogen management for high-yield-potential Management Good ear flex. Keep N rates aggressive and maximize late season health with fungicide application Management Moderate planting populations for ear flex in girth. Southern rust is a known weakness in high SR environments. Management Moderate RTN and RTF scores. No need to push populations due to	Fungicide recommended for physoderma and GLS. Keep on rotated acres unless highly managed. Caution Use caution in areas with high risk of greensnap Caution Manage for Southern Rust when environments favor its onset. Caution Manage for southern rust when environments favor its onset. Caution Avoid environments favor its onset. Caution Avoid environments where
CP5588 Hybrid CP5678 Hybrid CP5682 Hybrid CP5760 Hybrid	Trait	RTP H RTN L S C H RTF M RTN H RTN H S C M RTF M RTN H S C M RTF M RTN H S C RTF M RTN H S C C C C C C C C C C C C C C C C C C C	2 Dry Vigor 2 Dry 2 Vigor 2 Dry 2 Vigor 2 Dry 1 Dry 2 Dry 1 Dry 1 Dry 1 Dry 2 Dry 2 Dry 1 Dry 2 Dry 1 Dry 2 Dry 2 Dry 2 Dry 2 Dry 1	Stalk	2 Got SG G 2 G G G G G G G G G G G G G G G G	S	Growth Regulators (4) Sulfonylureas/ALS (2) A Pigment/HPPD(27) Herbicide Tol. Growth Regulators (4) A Sulfonylureas/ALS (2) A Pigment/HPPD(27) A Herbicide Tol. Growth Regulators (4) A Sulfonylureas/ALS (2) A Pigment/HPPD(27) A Herbicide Tol. Growth Regulators (4) A Sulfonylureas/ALS (2) A Pigment/HPPD(27) A Herbicide Tol. Growth Regulators (4) Sulfonylureas/ALS (2) A Sulfonylureas/ALS (2) A Herbicide Tol. Growth Regulators (4) Sulfonylureas/ALS (2) A A Sulfonylureas/ALS (2) A A Sulfonylureas/ALS (2) A A Sulfonylureas/ALS (2)	Yield Environment Highly Prod w/ Mngt Productive Average/Variable Tough Yield Environment Highly Prod w/ Mngt Productive Average/Variable Tough Yield Environment Highly Prod w/ Mngt Productive Average/Variable Tough Yield Environment Highly Prod w/ Mngt Productive Average/Variable Tough Yield Environment Highly Prod w/ Mngt Productive Average/Variable Tough Yield Environment Highly Prod w/ Mngt Productive Average/Variable Tough	Soils Fine Medium Coarse W Irr Soils Fine Medium Coarse Coarsew/ Irr Soils Fine Medium Coarse Coarsew/ Irr Soils Fine Medium Coarse Coarsew/ Irr Soils Fine Medium Soils Fine Medium Coarse Coarse W Irr Soils Fine Medium	Placement Excellent Value Hybrid with solid agronomics and solid pedigree. Strong emergence, roots, stalks, and draught tolerence. Top tier yield on rotated acres. Placement Broadly adapted across yield environments; medium flower date offers north to south movement across maturity zones Placement Broad acre hybrid that moves well across soil types and yield environments. Agronomically sound hybrid. Placement Placement Place on the average to highly productive acre to realize yield potential. Broadly adaptable hybrid. Placement Solid broad acre fit across most all yield levels. Agronomics and disease package top notch. Excellent	Solid Pedigree and good disease package. Physiology Medium-height plant with wide leaves and a girthy semi-flex ear Physiology Medium tall hybrid with med-high ear set. Strong agronomics and solid disease package. Very good grain quality. Physiology Large, robust plant with ear flex in girth more so than length. Very good emergence with good stalks and roots. VG test weight. Physiology Medium plant height with Exemergence; VG roots, stalks, staygreen, drydown, drought	Position at med-to-high pops; Low RTN score makes it a solid fit for preplant N applications, use fungicide to maximize kernel depth to ning the bell on top end pot. Management Position at medium populations with enhanced nitrogen management for high-yield-potential Management Good ear flex. Keep N rates aggressive and maximize late season health with fungicide application Management Moderate planting populations for ear flex in girth. Southern rust is a known weakness in high SR environments. Management Moderate RTN and RTF scores. No need to push populations due to	Fungicide recommended for physoderma and GLS. Keep on rotated acres unless highly managed. Caution Use caution in areas with high risk of greensnap Caution Manage for Southern Rust when environments favor its onset. Caution Manage for southern rust when environments favor its onset. Caution Manage for southern rust when environments favor its onset. Caution Avoid environments where dyplodia ear rots have a
CP5588 Hybrid CP5678 Hybrid CP5682 Hybrid CP5760 Hybrid	Trait	RTP H RTN L S C H RTF M RTP M RTN H S C M RTF M RTP M RTN H S C C RTF H RTP M RTN M S C H RTF M RTN M S C H RTF M RTN M S C H RTF M	2 Dry Vigor 2 Dry 2 Vigor 2 Dry 2 Vigor 2 Dry 1 Dry 2 Dry 1 Dry 1 Dry 1 Dry 2 Dry 2 Dry 1 Dry 2 Dry 1 Dry 2 Dry 2 Dry 2 Dry 2 Dry 1	Stalk	2 Got SG G G G G G G G G	.S NCLB SCLB Rust 3 3 2 N/A 5 ASR PNB Diplodia 6 3 3 5 3 3 3 3 3 3 3 3 3 3 3 3 3 3 3 3	Growth Regulators (4) Sulfonylureas/ALS (2) A Pigment/HPPD(27) Herbicide Tol. Growth Regulators (4) A Sulfonylureas/ALS (2) A Pigment/HPPD(27) A Herbicide Tol. Growth Regulators (4) A Sulfonylureas/ALS (2) A Pigment/HPPD(27) A Herbicide Tol. Growth Regulators (4) A Sulfonylureas/ALS (2) A Pigment/HPPD(27) A Herbicide Tol. Growth Regulators (4) Sulfonylureas/ALS (2) A Sulfonylureas/ALS (2) A Herbicide Tol. Growth Regulators (4) Sulfonylureas/ALS (2) A A Sulfonylureas/ALS (2) A A Sulfonylureas/ALS (2) A A Sulfonylureas/ALS (2)	Yield Environment Highly Prod w/ Mngt Productive Average/Variable Tough Yield Environment Highly Prod w/ Mngt Productive Average/Variable Tough Yield Environment Highly Prod w/ Mngt Productive Average/Variable Tough Yield Environment Highly Prod w/ Mngt Productive Average/Variable Tough Yield Environment Highly Prod w/ Mngt Productive Average/Variable Tough Yield Environment Highly Prod w/ Mngt Productive Average/Variable Tough Yield Environment Highly Prod w/ Mngt Productive Average/Variable	Soils Fine Medium Coarse Coarsew/Irr	Placement Excellent Value Hybrid with solid agronomics and solid pedigree. Strong emergence, roots, stalks, and draught tolerence. Top tier yield on rotated acres. Placement Broadly adapted across yield environments; medium flower date offers north to south movement across maturity zones Placement Broad acre hybrid that moves well across soil types and yield environments. Agronomically sound hybrid. Placement Placement Place on the average to highly productive acre to realize yield potential. Broadly adaptable hybrid. Placement Solid broad acre fit across most all yield levels. Agronomics and disease package top notch. Excellent	Solid Pedigree and good disease package. Physiology Medium-height plant with wide leaves and a girthy semi-flex ear Physiology Medium tall hybrid with med-high ear set. Strong agronomics and solid disease package. Very good grain quality. Physiology Large, robust plant with ear flex in girth more so than length. Very good emergence with good stalks and roots. VG test weight. Physiology Medium plant height with Exc emergence; VG roots, stalks, staygreen, drydown, drought tolerance, and TW. Girthy ear with	Position at med-to-high pops; Low RTN score makes it a solid fit for preplant N applications, use fungicide to maximize kernel depth to ning the bell on top end pot. Management Position at medium populations with enhanced nitrogen management for high-yield-potential Management Good ear flex. Keep N rates aggressive and maximize late season health with fungicide application Management Moderate planting populations for ear flex in girth. Southern rust is a known weakness in high SR environments. Management Moderate RTN and RTF scores. No need to push populations due to	Fungicide recommended for physoderma and GLS. Keep on rotated acres unless highly managed. Caution Use caution in areas with high risk of greensnap Caution Manage for Southern Rust when environments favor its onset. Caution Manage for southern rust when environments favor its onset. Caution Manage for southern rust when environments favor its onset. Caution Avoid environments where dyplodia ear rots have a
CP5588 Hybrid CP5678 Hybrid CP5682 Hybrid CP5760 Hybrid CP5893	Trait	RTP H RTN L S C H RTF M RTN H S C M RTF M RTN H S C M RTF M RTN H S C RTF H RTP M RTN H S C C T RTP M RTN H S C C T RTP M RTN	2 Dry Vigor 2 Dry 2 Vigor 2 Dry 2 Vigor 2 Dry 1 Dry 2 Dry 1 Dry 1 Dry 1 Dry 2 Dry 2 Dry 1 Dry 2 Dry 1 Dry 2 Dry 2 Dry 2 Dry 2 Dry 1	Stalk Roc 2 2 2 3 Agronomics Stalk Stalk Roc 2 3 Drought TW 2 1 Agronomics Stalk Stalk Roc 2 2 Drought TW 3 3 Drought TW 3 3 Drought TW 3 2 Agronomics Stalk Roc 2 2 2 Drought TW 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2 3 3 3 3 4 3	2 Got SG G G G G G G G G	S	Growth Regulators (4) Sulfonylureas/ALS (2) A Pigment/HPPD(27) Herbicide Tol. Growth Regulators (4) A Sulfonylureas/ALS (2) A Pigment/HPPD(27) A Herbicide Tol. Growth Regulators (4) A Sulfonylureas/ALS (2) A Pigment/HPPD(27) A Herbicide Tol. Growth Regulators (4) Sulfonylureas/ALS (2) A Pigment/HPPD(27) A Herbicide Tol. Growth Regulators (4) Sulfonylureas/ALS (2) A Pigment/HPPD(27) A Herbicide Tol. Growth Regulators (4) Sulfonylureas/ALS (2) A Pigment/HPPD(27) A	Yield Environment Highly Prod w/ Mngt Productive Average/Variable Tough Yield Environment Highly Prod w/ Mngt Productive Average/Variable Tough Yield Environment Highly Prod w/ Mngt Productive Average/Variable Tough Yield Environment Highly Prod w/ Mngt Productive Average/Variable Tough Yield Environment Highly Prod w/ Mngt Productive Average/Variable Tough Yield Environment Highly Prod w/ Mngt Productive Average/Variable Tough Yield Environment Highly Prod w/ Mngt Productive Average/Variable Tough	Soils Fine Medium Coarse W Irr Soils Fine Medium Coarse Coarsew/ Irr Soils Fine Medium Coarse Coarsew/ Irr Soils Fine Medium Coarse Coarse W Irr Soils Fine Medium Coarse Coarse W Irr Soils Fine Medium Coarse Coarse W Irr	Placement Excellent Value Hybrid with solid agronomics and solid pedigree. Strong emergence, roots, stalks, and draught tolerence. Top tier yield on rotated acres. Placement Broadly adapted across yield environments, medium flower date offers north to south movement across maturity zones Placement Broad acre hybrid that moves well across soil types and yield environments. Agronomically sound hybrid. Placement Place on the average to highly productive acre to realize yield potential. Broadly adaptable hybrid. Placement Solid broad acre fit across most all yield levels. Agronomics and disease package top notch. Excellent emergence for early plant option.	Solid Pedigree and good disease package. Physiology Medium-height plant with wide leaves and a girthy semi-flex ear Physiology Medium tall hybrid with med-high ear set. Strong agronomics and solid disease package. Very good grain quality. Physiology Large, robust plant with ear flex in girth more so than length. Very good emergence with good stalks and roots. VG test weight. Physiology Medium plant height with Excemergence; VG roots, stalks, staygreen, drydown, drought tolerance, and TW. Girthy ear with deep kernals. Physiology Tall plant height with VG	Position at med-to-high pops; Low RTN score makes it a solid fit for preplant N applications, use fungicide to maximize kernel depth to ring the bell on top end pot. Management Position at medium populations with enhanced nitrogen management for high-yield-potential Management Good ear flex. Keep N rates aggressive and maximize late season health with fungicide application Management Moderate planting populations for ear flex in girth. Southern rust is a known weakness in high SR environments. Management Moderate RTN and RTF scores. No need to push populations due to its ability to flex. Management	Fungicide recommended for physoderma and GLS. Keep on rotated acres unless highly managed. Caution Use caution in areas with high risk of greensnap Caution Manage for Southern Rust when environments favor its onset. Caution Manage for southern rust when environments favor its onset. Caution Manage for southern rust when environments favor its onset. Caution Avoid environments where dyplodia ear rots have a history of being a problem.
CP5588 Hybrid CP5678 Hybrid CP5682 Hybrid CP5760 Hybrid CP5893 Hybrid	Trait	RTP H RTN L S C H RTF M RTN H RTN H RTP M RTN H S C M RTF M RTN H S C RTF H S C RTF H S C RTF H RTP M RTN H S C RTF H RTP M RTN H S C RTF H RTP M RTN M S C H RTF M RTN	Vigor Uvigor Vigor Uvigor	Stalk Roc 2 2 2 3 Agronomics Stalk Stalk Roc 2 3 Drought TW 2 1 Agronomics Stalk Stalk Roc 2 2 Drought TW 3 3 Drought TW 3 3 Drought TW 3 2 Agronomics Stalk Roc 2 2 2 Drought TW 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2 3 3 3 3 4 3	2 Got SG G G 3 G G G G G G G G G G G G G G G	.S NCLB SCLB Rust 3 3 2 N/A 5 3 3 2 N/A 5 ASR PNB Diplodia 6 3 3 3 3 Disease Package .S NCLB SCLB Rust 3 2 2 N/A 5 ASR PNB Diplodia 6 3 3 3 3 Disease Package .S NCLB SCLB Rust 6 2 2 N/A 5 ASR PNB Diplodia 6 2 2 3 Disease Package .S NCLB SCLB Rust 6 2 2 3 Disease Package .S NCLB SCLB Rust 6 2 2 2 3 Disease Package .S NCLB SCLB Rust 6 3 2 2 2 3 Disease Package .S NCLB SCLB Rust 6 3 2 2 2 3 Disease Package .S NCLB SCLB Rust 6 3 2 N/A N/A Disease Package .S NCLB SCLB Rust 6 3 2 1 2 2 S NCLB SCLB Rust 6 3 2 1 2 2 S NCLB SCLB Rust 6 3 2 1 2 2 S NCLB SCLB Rust 7 NCLB SCLB Rust 8 3 2 1 2 2 S NCLB SCLB Rust 8 3 2 1 2 2 S NCLB SCLB Rust 8 3 2 1 2 2 S NCLB SCLB Rust 9 Diplodia 9 2 2 4	Growth Regulators (4) Sulfonylureas/ALS (2) A Pigment/HPPD(27) A Herbicide Tol. Growth Regulators (4) A Sulfonylureas/ALS (2) A Pigment/HPPD(27) A Herbicide Tol. Growth Regulators (4) A Sulfonylureas/ALS (2) A Pigment/HPPD(27) A Herbicide Tol. Growth Regulators (4) A Sulfonylureas/ALS (2) A Pigment/HPPD(27) A Herbicide Tol. Growth Regulators (4) Sulfonylureas/ALS (2) A Pigment/HPPD(27) A Herbicide Tol. Growth Regulators (4) A Sulfonylureas/ALS (2) A Pigment/HPPD(27) A Herbicide Tol. Growth Regulators (4) Sulfonylureas/ALS (2) A A Sulfonylureas/ALS (2) A Herbicide Tol. Growth Regulators (4) Sulfonylureas/ALS (2) A Sulfonylureas/ALS (2) A	Yield Environment Highly Prod w/ Mngt Productive Average/Variable Tough Yield Environment Highly Prod w/ Mngt Productive Average/Variable Tough Yield Environment Highly Prod w/ Mngt Productive Average/Variable Tough Yield Environment Highly Prod w/ Mngt Productive Average/Variable Tough Yield Environment Highly Prod w/ Mngt Productive Average/Variable Tough Yield Environment Highly Prod w/ Mngt Productive Average/Variable Tough Yield Environment Highly Prod w/ Mngt Productive Average/Variable Tough Yield Environment Tough Yield Environment	Soils Fine Medium Coarse W Irr Soils Fine Medium Coarse Coarse W Irr Soils Fine	Placement Excellent Value Hybrid with solid agronomics and solid pedigree. Strong emergence, roots, stalks, and draught tolerence. Top tier yield on rotated acres. Placement Broadly adapted across yield environments, medium flower date offers north to south movement across maturity zones Placement Broad acre hybrid that moves well across soil types and yield environments. Agronomically sound hybrid. Placement Place on the average to highly productive acre to realize yield potential. Broadly adaptable hybrid. Placement Solid broad acre fit across most all yield levels. Agronomics and disease package top notch. Excellent emergence for early plant option.	Solid Pedigree and good disease package. Physiology Medium-height plant with wide leaves and a girthy semi-flex ear Physiology Medium tall hybrid with med-high ear set. Strong agronomics and solid disease package. Very good grain quality. Physiology Large, robust plant with ear flex in girth more so than length. Very good emergence with good stalks and roots. VG test weight. Physiology Medium plant height with Exc emergence; VG roots, stalks, staygreen, drydown, drought tolerance, and TW. Girthy ear with deep kernals. Physiology Physiology Tall plant height with VG emergence, roots, stalks,	Position at med-to-high pops; Low RTN score makes it a solid fit for preplant N applications, use fungicide to maximize kernel depth to ring the bell on top end pot. Management Position at medium populations with enhanced nitrogen management for high-yield-potential Management Good ear flex. Keep N rates aggressive and maximize late season health with fungicide application Management Moderate planting populations for ear flex in girth. Southern rust is a known weakness in high SR environments. Management Moderate RTN and RTF scores. No need to push populations due to its ability to flex. Management High RTN and RTF scores. No	Fungicide recommended for physoderma and GLS. Keep on rotated acres unless highly managed. Caution Use caution in areas with high risk of greensnap Caution Manage for Southern Rust when environments favor its onset. Caution Manage for southern rust when environments favor its onset. Caution Manage for southern rust when environments favor its onset. Caution Avoid environments where dyplodia ear rots have a history of being a problem.
CP5588 Hybrid CP5678 Hybrid CP5682 Hybrid CP5760 Hybrid CP5893	Trait	RTP H RTN L S C H RTF M RTN H RTN H RTN H S C M RTF M RTN H S C RTF H S C RTF H S C RTF H S C RTF H RTP M RTN M S C M RTF M RTN M S C M RTF M RTN M S C M RTF M RTN M RTN M S C M RTF M RTN M RT	Dry 2 Vigor 2 Dry 2 Vigor 2 Dry 2 Vigor 2 Dry 2 Vigor 1 Vigor 2 Dry 2 Vigor 2 Dry 2 Vigor 2 Dry 2 Vigor 2 Vigor 2 Vigor 1 Vigor 2	Stalk Roc 2 2 2 3 Agronomics Stalk Stalk Roc 2 3 Drought TW 2 1 Agronomics Stalk Stalk Roc 3 3 Drought TW 3 2 Agronomics Stalk Roc 2 2 2 Drought TW 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2 1 Agronomics Stalk Roc Roc Stalk Roc	2 Got SG G G 3 3 G G G G G G G G G G G G G G	.S NCLB SCLB Rust 3 3 2 N/A 5 3 3 5 Diplodia 6 3 3 5 NCLB SCLB Rust 7 NCLB SCLB Rust 8 2 2 N/A 5 ASR PNB Diplodia 8 3 3 3 3 3 Disease Package S NCLB SCLB Rust 9 2 2 3 SS ASR PNB Diplodia 8 2 2 3 Disease Package S NCLB SCLB Rust 9 2 2 3 Disease Package S NCLB SCLB Rust 1	Growth Regulators (4) Sulfonylureas/ALS (2) A Pigment/HPPD(27) A Herbicide Tol. Growth Regulators (4) A Sulfonylureas/ALS (2) A Pigment/HPPD(27) A Herbicide Tol. Growth Regulators (4) A Sulfonylureas/ALS (2) A Pigment/HPPD(27) A Herbicide Tol. Growth Regulators (4) A Sulfonylureas/ALS (2) A Pigment/HPPD(27) A Herbicide Tol. Growth Regulators (4) Sulfonylureas/ALS (2) A Pigment/HPPD(27) A Herbicide Tol. Growth Regulators (4) A Sulfonylureas/ALS (2) A Pigment/HPPD(27) A Herbicide Tol. Growth Regulators (4) Sulfonylureas/ALS (2) A A Sulfonylureas/ALS (2) A Herbicide Tol. Growth Regulators (4) Sulfonylureas/ALS (2) A Sulfonylureas/ALS (2) A	Vield Environment Highly Prod w/ Mngt Productive Average/Variable Tough Vield Environment Highly Prod w/ Mngt Productive Average/Variable Tough Vield Environment Highly Prod w/ Mngt Productive Average/Variable Tough Vield Environment Highly Prod w/ Mngt Productive Average/Variable Tough Vield Environment Highly Prod w/ Mngt Productive Average/Variable Tough Vield Environment Highly Prod w/ Mngt Productive Average/Variable Tough Vield Environment Highly Prod w/ Mngt Productive Average/Variable Tough Vield Environment Highly Prod w/ Mngt Productive Average/Variable Tough	Soils Fine Medium Coarse Coarse w/ Irr	Placement Excellent Value Hybrid with solid agronomics and solid pedigree. Strong emergence, roots, stalks, and draught tolerence. Top tier yield on rotated acres. Placement Broadly adapted across yield environments; medium flower date offers north to south movement across maturity zones Placement Broad acre hybrid that moves well across soil types and yield environments. Agronomically sound hybrid. Placement Placement Placement Solid broad acre fit across most all yield levels. Agronomics and disease package top notch. Excellent emergence for early plant option. Placement	Solid Pedigree and good disease package. Physiology Medium-height plant with wide leaves and a girthy semi-flex ear Physiology Medium tall hybrid with med-high ear set. Strong agronomics and solid disease package. Very good grain quality. Physiology Large, robust plant with ear flex in girth more so than length. Very good emergence with good stalks and roots. VG test weight. Physiology Medium plant height with Excemergence; VG roots, stalks, staygreen, drydown, drought tolerance, and TW. Girthy ear with deep kernals. Physiology Tall plant height with VG emergence, roots, stalks, staygreen, drydown, drought	Position at med-to-high pops; Low RTN score makes it a solid fit for preplant N applications, use fungicide to maximize kernel depth to ring the bell on top end pot. Management Position at medium populations with enhanced nitrogen management for high-yield-potential Management Good ear flex. Keep N rates aggressive and maximize late season health with fungicide application Management Moderate planting populations for ear flex in girth. Southern rust is a known weakness in high SR environments. Management Moderate RTN and RTF scores. No need to push populations due to its ability to flex. Management High RTN and RTF scores. No need to push populations due to	Fungicide recommended for physoderma and GLS. Keep on rotated acres unless highly managed. Caution Use caution in areas with high risk of greensnap Caution Manage for Southern Rust when environments favor its onset. Caution Manage for southern rust when environments favor its onset. Caution Avoid environments favor its onset. Caution Avoid environments where dyploidia ear rots have a history of being a problem.
CP5588 Hybrid CP5678 Hybrid CP5682 Hybrid CP5760 Hybrid CP5893	Trait	RTP H RTN L S C H RTF M RTN H RTN H RTN H S C M RTF M RTN H S C RTF H S C RTF H S C RTF H S C RTF H RTP M RTN M S C M RTF M RTN M S C M RTF M RTN M S C M RTF M RTN M RTN M S C M RTF M RTN M RT	Dry 2 Vigor 2 Dry 2 Vigor 2 Dry 2 Vigor 2 Dry 2 Vigor 1 Vigor 2 Dry 2 Vigor 2 Dry 2 Vigor 2 Dry 2 Vigor 2 Vigor 2 Vigor 1 Vigor 2	Stalk Roc 2 2 Drought TW 2 3 Agronomics Stalk Stalk Roc 2 1 Agronomics Stalk Stalk Roc 2 2 Drought TW 2 2 Agronomics Stalk Roc 2 2 2 Drought TW 3 3 3 2 Agronomics Stalk Roc 2 2 2 Drought TW 3 3 2 2 Drought TW 3 2 2 2 Drought TW 3 2 4 2 2 1 4 2 4 2 5 4	2 Got SG G G 3 3 G G G G G G G G G G G G G G	.S NCLB SCLB Rust 3 3 2 N/A 5 3 3 2 N/A 5 ASR PNB Diplodia 6 3 3 3 3 Disease Package .S NCLB SCLB Rust 3 2 2 N/A 5 ASR PNB Diplodia 6 3 3 3 3 Disease Package .S NCLB SCLB Rust 6 2 2 N/A 5 ASR PNB Diplodia 6 2 2 3 Disease Package .S NCLB SCLB Rust 6 2 2 3 Disease Package .S NCLB SCLB Rust 6 2 2 2 3 Disease Package .S NCLB SCLB Rust 6 3 2 2 2 3 Disease Package .S NCLB SCLB Rust 6 3 2 2 2 3 Disease Package .S NCLB SCLB Rust 6 3 2 N/A N/A Disease Package .S NCLB SCLB Rust 6 3 2 1 2 2 S NCLB SCLB Rust 6 3 2 1 2 2 S NCLB SCLB Rust 6 3 2 1 2 2 S NCLB SCLB Rust 7 NCLB SCLB Rust 8 3 2 1 2 2 S NCLB SCLB Rust 8 3 2 1 2 2 S NCLB SCLB Rust 8 3 2 1 2 2 S NCLB SCLB Rust 9 Diplodia 9 2 2 4	Growth Regulators (4) Sulfonylureas/ALS (2) A Pigment/HPPD(27) A Herbicide Tol. Growth Regulators (4) A Sulfonylureas/ALS (2) A Pigment/HPPD(27) A Herbicide Tol. Growth Regulators (4) A Sulfonylureas/ALS (2) A Pigment/HPPD(27) A Herbicide Tol. Growth Regulators (4) A Sulfonylureas/ALS (2) A Pigment/HPPD(27) A Herbicide Tol. Growth Regulators (4) Sulfonylureas/ALS (2) A Pigment/HPPD(27) A Herbicide Tol. Growth Regulators (4) A Sulfonylureas/ALS (2) A Pigment/HPPD(27) A Herbicide Tol. Growth Regulators (4) Sulfonylureas/ALS (2) A A Sulfonylureas/ALS (2) A Herbicide Tol. Growth Regulators (4) Sulfonylureas/ALS (2) A Sulfonylureas/ALS (2) A	Vield Environment Highly Prod w/ Mngt Productive Average/Variable Tough Vield Environment Highly Prod w/ Mngt Productive Average/Variable Tough Vield Environment Highly Prod w/ Mngt Productive Average/Variable Tough Vield Environment Highly Prod w/ Mngt Productive Average/Variable Tough Vield Environment Highly Prod w/ Mngt Productive Average/Variable Tough Vield Environment Highly Prod w/ Mngt Productive Average/Variable Tough Vield Environment Highly Prod w/ Mngt Productive Average/Variable Tough Vield Environment Highly Prod w/ Mngt Productive Average/Variable Tough Vield Environment Highly Prod w/ Mngt Productive	Soils Fine Medium Coarse W Irr Soils Fine Medium Coarse Coarse w/ Irr Soils Fine Medium Medium Coarse Coarse w/ Irr	Placement Excellent Value Hybrid with solid agronomics and solid pedigree. Strong emergence, roots, stalks, and draught tolerence. Top tier yield on rotated acres. Placement Broadly adapted across yield environments; medium flower date offers north to south movement across maturity zones Placement Broad acre hybrid that moves well across soil types and yield environments. Agronomically sound hybrid. Placement Place on the average to highly productive acre to realize yield potential. Broadly adaptable hybrid. Placement Solid broad acre fit across most all yield leyels. Agronomics alm siesse package to pnotch. Excellent is emergence for early plant option. Placement Chase yield here. Broad acre	Solid Pedigree and good disease package. Physiology Medium-height plant with wide leaves and a girthy semi-flex ear Physiology Medium tall hybrid with med-high ear set. Strong agronomics and solid disease package. Very good grain quality. Physiology Large, robust plant with ear flex in girth more so than length. Very good emergence with good stalks and roots. VG test weight. Physiology Medium plant height with Exc emergence; VG roots, stalks, staygreen, drydown, drought tolerance, and TW. Girthy ear with deep kernals. Physiology Physiology Tall plant height with VG emergence, roots, stalks,	Position at med-to-high pops; Low RTN score makes it a solid fit for preplant N applications, use fungicide to maximize kernel depth to ring the bell on top end pot. Management Position at medium populations with enhanced nitrogen management for high-yield-potential Management Good ear flex. Keep N rates aggressive and maximize late season health with fungicide application Management Moderate planting populations for ear flex in girth. Southern rust is a known weakness in high SR environments. Management Moderate RTN and RTF scores. No need to push populations due to its ability to flex. Management High RTN and RTF scores. No need to push populations due to	Fungicide recommended for physoderma and GLS. Keep on rotated acres unless highly managed. Caution Use caution in areas with high risk of greensnap Caution Manage for Southern Rust when environments favor its onset. Caution Manage for southern rust when environments favor its onset. Caution Manage for southern rust when environments favor its onset. Caution Avoid environments where dyplodia ear rots have a history of being a problem. Caution Caution No specific callouts or

Corn Trait Comparison Tool



Compare Bayer corn traits to leading competitors' alternative platforms below to make sure you are combating insect pressure to maximize yield potential.

ARE YOU AT RISK FOR CORN ROOTWORM?

No

TRAITS	VT4PRO*	Trecepta°	VTDoublePRO*		
PEST TYPE		MODES OF ACTION			
Corn Rootworm	2	0	0		
European Corn Borer	2	2	2		
Corn Earworm ^{1, 2}	3	3	2		
Southwestern Corn Borer	3	3	2		
Fall Armyworm	3	3	2		
Western Bean Cutworm	1	1	0		
Black Cutworm	1	1	0		
TRAIT CHARACTERISTIC		OVERVIEW			
Refuge Requirement	Corn-Growing Area 5% RIB Complete®	Corn-Growing Area 5% RIB Complete® Cotton-Growing Area 20% Structured	Corn-Growing Area 5% RIB Complete® Cotton-Growing Area 20% Structured		
Herbicide Tolerance	Roundup Ready 2 Technology®	Roundup Ready 2 Technology®	Roundup Ready 2 Technology®		



Corn Trait Comparison Tool



Compare Bayer corn traits to leading competitors' alternative platforms below to make sure you are combating insect pressure to maximize yield potential.

ARE YOU AT RISK FOR CORN ROOTWORM?

Yes

TRAITS	SmartStax PRO	VT4PRO"	SmartStax*
PEST TYPE		MODES OF ACTION	
Corn Rootworm	3	2	2
European Corn Borer	3	2	3
Corn Earworm 1, 2	2	3	2
Southwestern Corn Borer	3	3	3
Fall Armyworm	3	3	3
Western Bean Cutworm	0	1	0
Black Cutworm	1	1	1
TRAIT CHARACTERISTIC		OVERVIEW	
Refuge Requirement	Corn-Growing Area 5% RIB Complete®	Corn-Growing Area 5% RIB Complete®	Corn-Growing Area 5% RIB Complete® Cotton-Growing Area 20% Structured
Herbicide Tolerance	Roundup Ready 2 Technology® / LibertyLink ®	Roundup Ready 2 Technology ®	Roundup Ready 2 Technology® / LibertyLink ®





◆ Recommended◆ Use With Appro◆ Not RecommenNA Not Applicable

ę	DEKALB® Disease Shield™ Product NEW New Product VALUE-ADDED			160 TO 180 (BU/A)	200 TO 220 (BU/A)	240 TO 260 (BU/A)	HIGHLY PRODUCTIVE SOILS	MEDIUM - VARIABLE SOILS	POORLY DRAINED SOILS	EARLY PLANTING	LATE HARVEST	CORN ON CORN	IRRIGATED ENVIRONMENTS	DRYLAND	EMERGENCE	ROOT STRENGTH	STALK STRENGTH	DROUGHT TOLERANCE
	DEKALB® CORN BRANDS	VALUE-ADDED TRAIT																
	DKC56-26RIB BRAND BLEND	TRERIB	106	NA-NA	NA-NA	NA-NA	•	•	•	0	•	•	0	0	3	3	2	2
	NEW DKC107-69RIB BRAND BLEND	TRERIB	107	NA-NA	NA-NA	NA-NA									2	2	1	2
	DKC108-17RIB BRAND BLEND	TRERIB	107	NA-NA	NA-NA	NA-NA									2	3	2	3
_	OKC59-81RIB BRAND BLEND	SSRIB	109	32-33	34-35	36-38	*	*	*	*	•	•	•	♦	2	3	3	2
	DKC59-82RIB BRAND BLEND	VT2PRIB	109	32-33	34-35	36-38	*	*	*	*	•	•	•	♦	2	3	3	2
	DKC111-30 BRAND	CONV	111	30-31	34-35	36-38	*	*	*	•	*	*	•	•	3	2	3	2
	DKC111-33RIB BRAND BLEND	SSPRIB	111	30-31	34-35	36-38	*	*	*	•	*	*	•	•	3	2	3	2
В	DKC111-35RIB BRAND BLEND	VT2PRIB	111	30-31	34-35	36-38	*	*	*	•	*	*	•	•	3	2	3	2
	NEW DKC111-62RIB BRAND BLEND	TRERIB	111	NA-NA	NA-NA	NA-NA									3	2	3	2
	K111-01WT BRAND	CONV/WHITE	111	NA-NA	NA-NA	NA-NA	•	•	•	•	•	•	•	0	3	4	3	3
	DKC112-12RIB BRAND BLEND	TRERIB	112	NA-NA	NA-NA	NA-NA									2	3	2	3



Recommended
Use With Appro
Not Recommen
NA Not Applicable

DEKALB® Disease Shield™ Proc NEW New Product	RELATIVE MATURITY	160 TO 180 (BU/A)	200 TO 220 (BU/A)	240 TO 260 (BU/A)	HIGHLY PRODUCTIVE SOILS	MEDIUM - VARIABLE SOILS	POORLY DRAINED SOILS	EARLY PLANTING	LATE HARVEST	CORN ON CORN	IRRIGATED ENVIRONMENTS	DRYLAND	EMERGENCE	ROOT STRENGTH	STALK STRENGTH	DROUGHT TOLERANCE	
DEKALB® CORN BRANDS	DEKALB® CORN BRANDS VALUE-ADDED TRAIT																
NEW DKC112-35RIB BRAND BLEND	SSPRIB	112	NA-NA	NA-NA	NA-NA									2	2	2	3
DKC62-53RIB BRAND BLEND	VT2PRIB	112	30-31	32-34	34-36	•	*	♦	*	•	•	•	*	3	2	3	1
DKC62-69RIB BRAND BLEND	SSRIB	112	30-31	32-34	34-36	*	*	•	•	*	•	*	•	3	2	3	3
DKC62-70RIB BRAND BLEND	VT2PRIB	112	30-31	32-34	34-36	*	*	•	•	*	•	*	•	3	2	3	3
K112-01WTRIB BRAND BLEND	VT3PRIB	112	NA-NA	NA-NA	NA-NA	*	•	•	*	+	*	*	♦	3	4	3	3
K112-03WT BRAND	CONV/WHITE	112	NA-NA	NA-NA	NA-NA	•	•	•	•	•	•	•	•	3	3	3	3
DKC113-83RIB BRAND BLEND	TRERIB	113	30-31	34-35	36-38	•	*	*	•	•	•	*	*	3	3	4	3
DKC63-57RIB BRAND BLEND	VT2PRIB	113	32-33	33-34	34-36	*	*	*	*	+	*	*	•	3	3	3	2
DKC63-58 BRAND	CONV	113	32-33	33-34	34-36	*	*	*	*	+	*	*	•	3	3	3	2
DKC63-90RIB BRAND BLEND	SSRIB	113	30-32	33-34	36-38	*	*	*	*	+	♦	0	♦	3	4	4	3
DKC63-91RIB BRAND BLEND 19	VT2PRIB	113	30-32	33-34	36-38	*	*	*	*	•	♦	•	♦	3	4	4	3



0	

	DEKALB® Disease Shield™ Produ NEW New Product	uct	RELATIVE MATURITY	160 TO 180 (BU/A)	200 TO 220 (BU/A)	240 TO 260 (BU/A)	HIGHLY PRODUCTIVE SOILS	MEDIUM - VARIABLE SOILS	POORLY DRAINED SOILS	EARLY PLANTING	LATE HARVEST	CORN ON CORN	IRRIGATED ENVIRONMENTS	DRYLAND	EMERGENCE	ROOT STRENGTH	STALK STRENGTH	DROUGHT TOLERANCE
	DEKALB® CORN BRANDS	VALUE-ADDED TRAIT																
	K113-01WTRIB BRAND BLEND	VT3PRIB	113	NA-NA	NA-NA	NA-NA	*	*	♦	*	♦	0	*	*	3	3	4	2
	DKC114-99RIB BRAND BLEND	VT4PRIB	114	30-31	34-35	36-38	*	*	*	•	•	*	*	•	2	2	3	3
	DKC64-19 BRAND	CONV	114	NA-NA	NA-NA	NA-NA	*	*	•	*	•	*	•	•	2	2	3	3
	DKC64-21RIB BRAND BLEND	SSRIB	114	NA-NA	NA-NA	NA-NA	*	*	•	*	•	*	•	•	2	2	3	3
	DKC64-22RIB BRAND BLEND	VT2PRIB	114	NA-NA	NA-NA	NA-NA	*	*	•	*	•	*	•	•	2	2	3	3
	DKC64-32 BRAND	CONV	114	36-38	40-42	44-46	*	*	•	♦	*	*	*	♦	5	1	1	3
	DKC64-34RIB BRAND BLEND	SSRIB	114	36-38	40-42	44-46	*	*	•	♦	*	*	*	♦	5	1	1	3
	DKC64-35RIB BRAND BLEND	VT2PRIB	114	36-38	40-42	44-46	*	*	+	♦	*	*	*	♦	5	1	1	3
	K114-01WTRIB BRAND BLEND	VT3P/WHITERIB	114	NA-NA	NA-NA	NA-NA	*	*	*	*	•	*	*	♦	2	3	2	3
	NEW DKC115-55RIB BRAND BLEND	TRERIB	115	NA-NA	NA-NA	NA-NA									2	2	2	2
20	DKC65-92 BRAND	CONV	115	NA-NA	NA-NA	NA-NA	+	*	•	+	*	*	•	•	3	2	2	2



Recommende
Use With Appr
Not Recomme
NA Not Applicable

DEKALB® Disease Shield™ Prod	luct	RELATIVE MATURITY	160 TO 180 (BU/A)	200 TO 220 (BU/A)	240 TO 260 (BU/A)	HIGHLY PRODUCTIVE SOILS	MEDIUM - VARIABLE SOILS	POORLY DRAINED SOILS	EARLY PLANTING	LATE HARVEST	CORN ON CORN	IRRIGATED ENVIRONMENTS	DRYLAND	EMERGENCE	ROOT STRENGTH	STALK STRENGTH	DROUGHT TOLERANCE
DEKALB® CORN BRANDS	VALUE-ADDED TRAIT																
DKC65-94RIB BRAND BLEND	SSRIB	115	39-41	43-45	47-49	+	*	•	+	*	*	•	•	3	2	2	2
DKC65-95RIB BRAND BLEND	VT2PRIB	115	39-41	43-45	47-49	•	*	•	+	*	*	•	•	3	2	2	2
DKC65-99RIB BRAND BLEND	TRERIB	115	38-40	41-43	43-45	*	*	♦	*	*	*	*	•	1	2	2	2
DKC66-02 BRAND	CONV	116	NA-NA	NA-NA	NA-NA	•	•	•	+	+	•	•	•	2	3	3	3
DKC66-06RIB BRAND BLEND	TRERIB	116	NA-NA	NA-NA	NA-NA	*	*	•	+	*	*	•	*	2	3	3	3
DKC66-17RIB BRAND BLEND	SSRIB	116	44-46	50-52	55-57	*	•	*	*	•	*	*	♦	3	2	3	3
DKC66-18RIB BRAND BLEND	VT2PRIB	116	44-46	50-52	55-57	*	•	*	*	•	*	*	♦	3	2	3	3
DKC117-27RIB BRAND BLEND	VT4PRIB	117	NA-NA	NA-NA	NA-NA									2	3	2	3
DKC117-78RIB BRAND BLEND	VT2PRIB	117	30-31	34-35	36-38	*	*	•	*	+	*	*	•	2	2	2	2
DKC67-44RIB BRAND BLEND	VT2PRIB	117	37-39	41-43	44-46	*	*	♦	*	♦	♦	*	0	2	5	4	2
DKC67-94RIB BRAND BLEND 21	TRERIB	117	36-38	38-40	41-43	*	*	•	•	•	*	*	♦	2	1	2	2



DEKALB® Disease Shield™ Produ	uct	RELATIVE MATURITY	160 TO 180 (BU/A)	200 TO 220 (BU/A)	240 TO 260 (BU/A)	HIGHLY PRODUCTIVE SOILS	MEDIUM - VARIABLE SOILS	POORLY DRAINED SOILS	EARLY PLANTING	LATE HARVEST	CORN ON CORN	IRRIGATED ENVIRONMENTS	DRYLAND	EMERGENCE	ROOT STRENGTH	STALK STRENGTH	DROUGHT TOLERANCE
DEKALB® CORN BRANDS	VALUE-ADDED TRAIT																
DKC68-34RIB BRAND BLEND	SSRIB	118	NA-NA	NA-NA	NA-NA	*	*	•	+	*	*	•	+	2	2	3	2
DKC68-35RIB BRAND BLEND	VT2PRIB	118	NA-NA	NA-NA	NA-NA	*	*	•	•	*	*	0	0	2	2	2	2
DKC68-37 BRAND	CONV	118	NA-NA	NA-NA	NA-NA	*	*	•	•	*	*	•	•	2	2	2	2
NEW DKC119-09RIB BRAND BLEND	TRERIB	119	NA-NA	NA-NA	NA-NA									2	2	3	3
DKC70-27RIB BRAND BLEND	VT2PRIB	120	37-39	40-42	44-46	*	⊕	•	*	*	*	*	0	4	3	3	3
DKC70-45RIB BRAND BLEND	VT2PRIB	120	NA-NA	NA-NA	NA-NA	*	*	•	+	*	*	•	•	3	3	3	3



INSECT PROTECTION PORTFOLIO

INSECT PROTECTION PORTFOLIO

	ABOVE-GROUND INSECT PROTECTION	European Corn Borer³	Southwestern Corn Borer³	Black Cutworm	Corn	Earworm³	Western Bean Cutworm ⁴	Fall Armyworm³	Herbicide Tolerance
rtfolio	Sptimum AcreMax Optimum® AcreMax® Corn	+++*	+++▼	++	-	-	-	++	Glyphosate, Glufosinate
int® Brand Po	Sptimum AcreMax Leptra Optimum® AcreMax® Leptra® Corn	+++*	+++▼	+++*	+-	++	+++	+++▼	Glyphosate, Glufosinate
Options in the Brevant® Brand Portfolio	POWERCURE ⇒ Enlist NEW! PowerCore® Enlist® Corn	+++▼	+++*	++	-		-	++*	2,4-D Choline, Glyphosate, Glufosinate, FOP
Option	POWERCORE in Enlist NEW: PowerCore® Ultra Enlist® Corn	+++*	+++*	+++*	+-	++	+++	+++*	2,4-D Choline, Glyphosate, Glufosinate, FOP
		Corn Rootworm (Western [*] , Northern, Mexican)	European Corn Borer	Southwestern Corn Borer³	Black Cutworm	Corn Earworm³	Westem Bean Cutworm ⁴	Fall Armyworm³	Herbicide Tolerance
ne Brevant® ortfolio	QROME Grome® Corn	++*	+++*	+++*	++	+	-	++	Glyphosate, Glufosinate
Options in the Brevant [®] Brand Portfolio	VORCEED ⇒ Enlist NEW! Vorceed® Enlist® Corn	+++*	+++*	+++*	++	+	-	++▼	2,4-D Choline, Glyphosate, Glufosinate, FOP

⁺⁺⁺ Excellent Protection

Characterization from Internal Corteva Agriscience Attributes database. Efficacy levels based on Corteva Agriscience and/or independent university entomologist results against susceptible insect populations. Product responses can vary by location, pest population, environmental conditions and agricultural practices.

⁺⁺ Good Protection

⁺ Some Protection

⁻ No Activity/ Not Labelled

^{▼ 2} or More Working Modes of Action

³ Various factors, including pest pressure, reduced susceptibility, and insect resistance in some pest populations and agricultural plactices.


³ Various factors, including pest pressure, reduced susceptibility, and insect resistance in some pest populations may affect efficacy of certain corn technology products in some regions. To help extend durability of these technologies, Corteva Agriscience recommends you implement Integrated Pest Management (IPM) practices such as crop rotation, cultural and biological control tactics (including rotating sources of Bt-protected corn traits), pest scouting, and appropriate use of pest thresholds when employing management practices such as insecticide application. You must also plant the required refuge when using these technologies. Please contact your sales professional or consult with your local university extension for more information regarding insect resistance management guidelines, best management practices and to understand whether there has been a shift in susceptibility or insect resistance with certain pests documented in your area.

[&]quot;Western bean cutworm has been removed from the Corteva Agriscience product use statement for several corn products that contain Herculex" I (Cry1F) but lack another mode of action for western bean cutworm due to a wide-spread decrease in susceptibility indicating the possibility of field-evolved resistance to Cry1F in most geographies.

PRODUCT NAMING SYSTEM



BREVANT® SEEDS CORN



TRAIT IDENTIFIER

AM = Optimum® AcreMax®

AMXT = Optimum® AcreMax® Xtreme®

AML = Optimum® AcreMax® Leptra®

PCE = PowerCore® Enlist® Refuge Advanced®

PCUE = PowerCore® Ultra Enlist® Refuge Advanced®

PWUE = PowerCore® Ultra Enlist®

 $Q = Qrome^{R}$

R, ER = Roundup Ready® Corn 2, Enlist®

SSE = SmartStax® Enlist® Refuge Advanced®

SX, SXE = SmartStax[®], Enlist[®]

V = Vorceed™ Enlist®

CORN PRODUCTS





Highly Productive ★ Moderate

✓ Low

recommendations on planting populations.) **FUNGICIDE RESPONSE**

AGRONOMICS ★ Stress Emergence

- ✓ Stalks
- Roots
- ✓ Green Snap
- Stay Green
- Drought Tolerance









YIELD ENVIRONMENTS

- Highly Productive
- Moderate
- ♠ Low

AGRONOMICS

- Stress Emergence
- Stalks
- ✓ Roots
- Green Snap
- Stay Green
- Drought Tolerance

POPULATION

recommendations on planting populations.)

FUNGICIDE RESPONSE



B10G53PCE™







YIELD ENVIRONMENTS

- Highly Productive
- Moderate
- ✓ Low

POPULATION

recommendations on planting populations.)

AGRONOMICS

- Stress Emergence
- Stalks
- Roots
- Green Snap
- Stay Green
- Drought Tolerance

FUNGICIDE RESPONSE



B12A50PCE™







YIELD ENVIRONMENTS

- Highly Productive
- Moderate
- Low

POPULATION

recommendations on planting populations.)

FUNGICIDE RESPONSE

AGRONOMICS Stress Emergence

- Stalks
- Roots
- Green Snap
- Stay Green
- **Drought Tolerance**













CORN PRODUCTS





YIELD ENVIRONMENTS

- Highly Productive
- ✓ Low

AGRONOMICS

- ✓ Stress Emergence
- Stalks
- ✓ Roots
- ★ Green Snap
- ✓ Stay Green
- ✓ Drought Tolerance



POPULATION





B13C49PCE™





YIELD ENVIRONMENTS

- Highly Productive

(Consult a Brevant seeds representative for specific recommendations on planting populations.)

POPULATION

✓ Low

AGRONOMICS

- ★ Stress Emergence
- Stalks
- ✓ Roots
- Green Snap
- ✓ Stay Green
- ✓ Drought Tolerance

FUNGICIDE RESPONSE



B12J58V™







POPULATION

YIELD ENVIRONMENTS

- Highly Productive
- Moderate
- ✓ Low

FUNGICIDE RESPONSE

★ Stress Emergence

AGRONOMICS

- Stalks
- Roots
- Green Snap
- ✓ Stay Green
- Drought Tolerance

recommendations on planting populations.)



B13K20Q™





YIELD ENVIRONMENTS

- Highly Productive
- Moderate

POPULATION

(Consult a Brevant seeds representative for specific recommendations on planting populations.)

FUNGICIDE RESPONSE

✓ Low

AGRONOMICS

- ★ Stress Emergence
- Stalks
- Roots
- Green Snap
- Stay Green
- **Drought Tolerance**





CORN PRODUCTS













	REVANT eds	тм		Environment of Pop		Soi	il Type	÷		,	Agro	nom	nics				otes Agronomic Rating that is an initial rating based on seasonal observations and subject to change as data is acquired
Hybrid	Trait versions with same base.	Relative Maturity	Low Yield 150 -180	Moderate Yield 180-230	High Yield 230+	Poorly Drained	Sandy	Ciay	Stalks	Roots	Drought Tolerance	Test Weight	STS	NCLB	**************************************		Brevant Retail Sales Agronomist Local Comments
B08R32	AcreMax, V	108	S 28-30K	HS 30-32K	HS 32-34K	s	MA I	HS H	IS S	HS	s	HS	S HS	s	н	want to	nd and consistent yields. More semi-determinate side of ear flex allows for pushing the pops for those growers that o push top end with fertility. Great germination and early season vigor. Performance since 2023 speaks for itself. s expected to advance in Fall 2025.
B10G53	PCE	110	S 28-30K	HS 30-33K	HS 33-34K	s	s	s	ss	s	s	HS	s	HS	s s		or 2025. Elite new 110RM with East and West movement. Great tolerance to Bacterial Leaf Streak and high pH nce makes well for Western environments. Semi-determinate; white cobb.
B11C37	AM, V	111	S 28-30K	HS 30-33K	HS 33-34K	нѕ	HS F	IS H	IS HS	s	HS	Н	ss	ня	5 N	north t	nely deep penetrating roots and consistent yield make this a sure choice for variable acres. In the I-80 corridor and the Vorceed option will be a great play and brings more top end yield than when planted south of this area.
B12C01	Q, AM, C	112	S 28-30K	HS 30-33K	HS 33-34K	s	нѕ	s s	в на	HS	HS	н	S MA	s	8		um AQUAmax®. A very drought hardy hybrid that comes readily available as a conventional option.
B12A50	PCE	112	HS 28-30K	HS 30-32K	HS 32-33K	s	s	s s	s s	s	HS	Н	s	s	8	Wide p	or 2025. Excellent drought tolerance and overall agronomic package that covers wide range of yield environments. placement and was brought in to the Brevant line-up to begin replacing B13A10AM. Moderate population with the full- ir; pink cobb. Note: Additional trait packages are in testing in 2025 IMPACT testing.
B12J58V	V	112	S 28-30K	HS 30-33K	HS 33-34K	s	s	S H	IS S	s	s	Н	s	s	S		or 2025. Fully traited top end yielder. Data would suggest to place on 180+ ground for best performance. Very agronomics and disease tolerance
B13C49	PCE, V, C	113	S 28-30K	HS 30-33K	HS 33-34K	s	нѕ	S H	ıs s	s	s	HS	s	HS	s	allow fo	stent leader across the corn belt. Now available as conventional non-traited. Improvement in roots over B13A10AM for top end yield with standability on both loam and clay soils. Initial data suggests that Tar Spot tolerance could be than the initial rating.
B14C59	PCE, V	114	S 28-30K	HS 30-32K	HS 33-34K	s	s :	S H	IS S	s	s	s	s	н	5 8		or 2025. New wide AOA hybrid bringing consistency and top-end yield performance. Strong agronomics. Would mend a fungicide for Southern Rust where there is a history of concern. Semi-flex; pink.
B16K30	PCE, V, C	116	HS 28-30K	HS 30-32K	HS 33-34K	нѕ	S H	is s	s s	s	s	ня	ss	ня	S N	compa	stent yielding grain corn product in the east. Strong drought tolearnce and great grain fill make this one ideal as a anion product. Wide AOA. Strong roots and above average drought toleranceFQ product as well.
B16D58	PCUE	116	HS 28-30K	HS 30-32K	HS 33-34K	s	s	s	ss	s	s	HS	s	н	s M	modera	or 2025. Wide AOA product that fits east to west and provide Lep protection. As it moves east the data shows rate to lower yield environments and place B17H53PCE on the top end acre for full season. Manage for Southern and Tar Spot. Semi-determinate; pink cobb. Newly labeled FQ. Tall plant stature.
B17Z18	АМ	117	S 28-30K	HS 30-32K	HS 33-34K	нѕ	S H	ıs s	в на	s	s	s	s	s	Н	potenti	eason product with top end yield performance as well as ability to handle dry stress. Keep on moderate to higher yield ial ground with high management for top end yields. Good overall disease tolerance, but in high management for top elds apply a fungicide. Management population with N mgmt. Also labeled as an FQ silage product. Semi-Flex; Red
B17H53	PCE	117	S 28-30K	HS 30-32K	HS 33-34K	s	s	s s	s s	s	s	н	ss	HS	S H	moven	or 2025. New exciting full season option coming into the Brevant line-up. Early silking product allows for northern ment as well as pollination in less of heat stress window. IMPACT data suggests best placement in 180+ bu/A nments. Newly labeled FQ product. Semi-flex; Pink cobb.
20	KEY		Highly Suita	able - Key Str	rength		Manag Strong		propr	iately	′						

THIS IS WHAT BROAD ACCESS TO THE BEST GENETICS AND TRAITS LOOKS LIKE.

DISEASE & INSECT PROTECTION FOR SOYBEANS

Warden® CX II provides broad-spectrum protection against early-season disease and insects to help improve root health, plant vigor and optimize yield potential. Built from the strong foundation of Warden® CX, Warden® CX II seed treatment includes an additional, innovative active ingredient (Vayantis®) for enhanced disease protection.

Warden® CX II Features and Benefits

Contains four fungicides for multiple modes of action against early-season disease:

- Combination of Vayantis® (Picarbutrazox), a novel A.I., and the highest labeled rate of Mefanoxam commercially available for unprecedented control of Pythium and Phytophthora (including metalaxyl-resistant Pythium).
- Sedaxane (Vibrance®) for Rhizoctonia protection.
- Fludioxonil for protection from Fusarium.
- Includes active ingredient in Cruiser® insecticide (Thiamethoxam) with proven Cruiser® Vigor Effect for healthier, robust root system. Cruiser insecticide provides protection against an array of seed- and foliar-feeding insects.
- A convenient premix formulation at a low use rate that allows for easier application and room to add products to your total seed treatment offer.
- Extra colorant and polymer providing a more vivid red color, plus improved flowability and handling at the planter, leading to better stand counts and yield potential.

WHY WINPAK® SOYBEAN VARIETIES?

WinPak®

WinPak® soybeans are a unique combination of two complimentary varieties blended together to maximize yield potential and help reduce risk. They're a unique concept in soybeans, designed to handle field variability across both highly productive and stressed environments to help ensure you can maximize ROI potential across diverse conditions.

EXAMPLE OF HOW A WINPAK VARIETY CAN BE FORMULATED

	VARIETY A SAMPLE	VARIETY B SAMPLE
PLACEMENT	Average to below-average yield environments.	Best-suited to productive acres.
DISEASE PACKAGE	Strong soybean white mold and iron deficiency chlorosis (IDC) tolerance.	Excellent phytophthora root rot and frogeye field tolerance.
AGRONOMICS	Narrow canopy typeTall heightExcellent standability	Bushy canopy typeMedium heightAverage standability
STRESS TOLERANCE	Excellent stress tolerance.	Strong stress tolerance.

SOYBEAN HERBICIDE TOLERANCE AND WEED CONTROL

Creating a plan for season-long weed management is critical. And it all starts with seed selection. There are several herbicide-tolerant traits available with full commercial approval, which offer great postemergence options.


	GLYPHOSATE	GLUFONSINATE	2,4-D CHOLINE	DICAMBA
XTENDFLEX®	Х	Χ		Χ
ROUNDUP READY 2 XTEND®	Х			Х
ENLIST E3®	Х	Х	Х	



CROPLAN® TRAIT LETTERING FOR SOYBEAN VARIETIES

Descriptive variety numbering and trait lettering systems are used for CROPLAN® soybean varieties.


KEY	VARIETY	TRAIT HERBICIDE TOLERANCE	LOGO
XF	XtendFlex [®]	Roundup®, dicamba and glufosinate tolerant	TENDFLEX SOYBEANS
E	Enlist E3®	Glyphosate, glufosinate and 2,4-D choline tolerant	Enlist ESI SOTEANS
S	STS®	Sulfonylurea tolerant	N/A




- WinPak® variety that consists of CP2543XF and CP2545XF
- Excellent product from West to East with proven genetic backgrounds
- Strong IDC tolerance; acceptable SDS protection
- Manage for SWM in susceptible environments

Height	M		PRR Tolerance	3
Canopy Type	Int/Bush	Characteristics	SDS Tolerance	3
Emergence	NA	acte	SWM Tolerance	3
Standability	2	G G	BSR Tolerance Iron Chlorosis	3
and standabil Broad acre ac	ne XtendFlex® variety wi ity daptation from lower prod nt with good tolerances to	ductive t	o highly produ	uctive








- Broadly adapted east to west
- Very good standability and SDS tolerance
- Excluder with STS®

Height	МТ		PRR Tolerance	2
Canopy Type	Int	stics	SDS Tolerance	2
Emergence	NA NA	Characteristics	Frogeye Leaf spot	
Standability	2	hara	Southern Stem Canker	2
BSR Tolerance	NA	-	Root-Knot Nematode	4
Strong standability of Broadly adapted values	O	oottom ç	, ,	

ROPLAN	CP4545XFS	SOYBEANS	FLEX		
	Group: 4.5				
Height		M		PRR Tolerance	
Canopy Type		Int	stics	SDS Tolerance	4
Emergence		NA	Characteristics	Frogeye Leaf spot	1
Standability		1	l ä	Southern Stem Canker	1
BSR Toleranc	е	NA	-	Root-Knot Nematode	5

- Single-line XtendFlex® variety with strong yield stability across environments
- Well suited for most all soil types and drainage classes
- Excellent standability and PRR tolerance; strong IDC tolerance
- Manage in high SDS areas



Acceptable SWM and IDC, but caution on severe SWM pressure and ultra

Acceptable SDS, SWM, and IDC tolerance

high pH soils




- New single-line Enlist® variety with versatility and top-end yield potential
- Position on medium-to- high-end acres for best performance
- Very good standability and SDS, SWM and IDC tolerance
- Component in WinPak® variety CP2920E

CP2920E Group: 2.9 Height	Enlist E3	WinPak [*]		
	MT	S	PRR Tolerance	2
Canopy Type	Int/Bush	Characteristics	SDS Tolerance	3
Emergence	2	acte	SWM Tolerance	3
Standability	2	<u>#</u>	BSR Tolerance Iron Chlorosis	N/A


- Upgraded WinPak® variety that consists of CP2826E and CP3024ES
- Versatile variety that can move east to west and handles defensive to offensive
- Improved IDC, SDS, and SWM allow this WinPak variety to move east to west
- Manage SDS in high pressure environments with seed treatment

Group: 3.1	Enlist E3	Wini	Pak°		
Height Canopy Type Emergence Standability	MT Int 1 2	Characteristics	PRR Tolerance SDS Tolerance SWM Tolerance BSR Tolerance Iron Chlorosis	N/A	3
WinPak® variety of Broad acre WinPal Improved agronom Acceptable IDC tol	c variety with top elics including SDS	nd yield _l	ootential		






- WinPak® variety consisting of CP3325E and CP3426E
- Broad acre adaption from tough to high yielding environments
- Solid agronomic package, including SDS and IDC tolerance



- Broad acre product that moves east to west; handles variable soils with top end yield potential
- Very good PRR and SDS tolerance




- Single-line variety is a component of WinPak® variety CP3830
- Strong western movement that can handle tough acres
- Excellent PRR tolerance with acceptable SDS tolerance
- Acceptable IDC tolerance



- WinPak® variety consisting of CP3825E and CP3835E
- WinPak variety designed for Central and West
- Strong standability and SDS tolerance; acceptable IDC tolerance

SCALE: 1 = Excellent 2 = Strong 3 = Acceptable 4 = Manage


4 = Manage 5 = Not Recommended Product descriptions and ratings are generated from Answer Pfot® trials and/or from the genetics supplier and my change as additional data is gathered.



- Upgraded WinPak® variety consisting of CP3925ES and CP3926ES
- CP3925ES brings IDC protection to this WinPak variety
- Outstanding agronomic package; excellent FELS tolerance & strong SDS & PRR tolerance
- Broadly adapted WinPak variety with high-yield potential and great defensive characteristics

Group: 4.1	Enlist E3			
Height	MT		PRR Tolerance	- 3
Canopy Type	Int/Bush	Characteristics	SDS Tolerance	3
Emergence	1	acter	Frogeye Leaf spot	
Standability	1	Char	Southern Stem Canker Root-Knot Nematode	
BSR Tolerance	NA			5

- Single-line variety with high yield potential and excellent standability
- Best performance on medium- to well-drained soils
- Excellent FELS tolerance; good PRR and SDS tolerance



- Single-line variety with excellent emergence and very good standability
- Excellent stress tolerance; very good PRR, SDS and FELS tolerance
- Stable yield potential across low and high yield environments
- Use caution in IDC prone areas



- Broad acre soybean with narrower plant type
- Excellent emergence and very good stress tolerance
- Manage with seed treatment in areas with higher concerns for PRR and SDS

Product descriptions and ratings are generated from Answer Pfot® trials and/or from the genetics supplier and my change as additional data is gathered.



2025-26 CROPLAN XtendFlex Placement Chart



	SCN	PRR	PRR Tol	SDS Tol	Cl Tol	swm	BSR	Iron	ssc	FEL	RKN	Emg	Stand	Stress	Variety	Canopy	Height	Flower	YE	Soils	WinPak	Placement	Disease	Management
CP2840XF																Int/Bush	Med	W	High	Coarse				
CP2743XF	PI88.788	NG													Ä	Pubesc.	Pod	Hilum	Avg	Med		Broad acre from low	Strong PRR and SDS	AvoidManage in
CP2845XF	PI88.788	NG	2	2	I	3	3/NA	3	1	N/A	N/A	N/A	2	NA	CP2846	LTW	BR	BL	Low	Fine	with very good adaptability and standability	productivity to high productivity	with very good standability	areas with history of high SWM pressure
	SCN	PRR	PRR Tol	SDS Tol	Cl Tol	swm	BSR	Iron	ssc	FEL	RKN	Emg	Stand	Stress	Variety	Canopy	Height	Flower	YE	Soils	WinPak	Placement	Disease	Management
															¥	Int/Bush	MT		High	Coarse		Position on medium		Manage in areas
	PI88.788	Rps1c	3	4	ı	4	3	3	1	NA	NA	NA	3	NA	146	Pubesc.	Pod	Hilum	Avg	Med		to high end acres		with history of SDS
															CP3	LTW	TN	BL	Low	Fine	variety	with minimal stress	BSR, and IDC	and SWM
	SCN	PRR	PRR Tol	SDS Tol	Cl Tol	swm	BSR	Iron	ssc	FEL	RKN	Emg	Stand	Stress	Variety	Canopy	Height	Flower	YE	Soils	WinPak	Placement	Disease	Management
CP3550XF																			High	Coarse				Very good
CP3444XF		Rps1c													ш	Pubesc.	Pod	Hilum	Avg	Med		Broad acre placement		emergence and
CP3544XF	PI88.788	Rps3a	3	3	I	3	2	3	1	3	5/NA	2	2	NA	CP3550X	LTW	BR	BL	Low	Fine	WinPak variety consisting of CP3444XF and CP3544XF.	that handles most all soil types and yield environments	Acceptable PRR, SDS, and SWM tolerances	standability. Handles all row spacings. Broad acre movement!!
	SCN	PRR	PRR Tol	SDS Tol	CI Tol	swm	BSR	Iron	ssc	FEL	RKN	Emg	Stand	Stress	Variety	Canopy	Height	Flower	YE	Soils WinPak	WinPak	Placement	Disease	Management
			101													Int/Bush	MT	Р	High	Coarse				
															S	Pubesc.	Pod	Hilum	Avg	Med			Solid agronomics.	Stands very well in
	PI88.788	Rps1c	3	2	E	2	1	4	1	2	N/A	NA	2	NA	CP3845XF	LTW	BR	BL	Low	Fine	Broadly adapted standalone variety that delivers high yields	Broad acre fit. Has ability to go from low end to high end acre.	Very good SDS, SWM, BSR, and FELS tolerance. Acceptable PRR.	high O.M. soils and doesn't loose its height in tough conditions.
	SCN	PRR	PRR Tol	SDS Tol	CI Tol	swm	BSR	Iron	ssc	FEL	RKN	Emg	Stand	Stress	Variety	Canopy	Height	Flower	YE	Soils	WinPak	Placement	Disease	Management
															9	INT/Bush	MT	W	High	Coarse	Stong standability	Broadly adapted from	Very good PRR	
	PI88.788	NG	2	2	1	N/a	N/A	4	2	1	4	NA	2	NA	424	Pubesc.	Pod	Hilum	Avg	Med	-	, ,	, -	Watch out in hgih
															Č	LTW	BR	BL	Low	Fine	top end yield	tough hills	tolerance	IDC areas
	SCN	PRR	PRR Tol	SDS Tol	Cl Tol	swm	BSR	Iron	ssc	FEL	RKN	Emg	Stand	Stress	Variety	Canopy	Height	Flower	YE	Soils	WinPak	Placement	Disease	Management
																Int	М	W	High	Coarse				
					l										l v	Pubesc.	Pod	Hilum	Avg	Med	Standalone variety with	Well suited for most		
	PI88.788	Rps1k	1	4	Е	NA	NA	2	1	1	5	NA	2	N/A	CP454	LTW	BR	BL	Low	Fine	strong yield stability across environments.	all soil types and drainage classes	disease package especially PRR, SSC, and FELS	Manage for SDS in high pressure areas.
•	CP2845XF CP3550XF CP3444XF	CP2840XF	PISS.788 Rps1c	Tole	CP2840XF	Tol Tol	Tol Tol	Tol Tol	Tol Tol	Tol Tol	Tol Tol	Tol Tol	Tol Tol	Tol Tol	P2840XF	Pi88.788 Rps1c SCN PRR PRR SDS CI Tol Tol	Tol Tol	Pissarss Pissarss	P2840XF	Pissars Piss	Pibbar P	P3840XF	Page Page	P188.788 NG P188.78 NG P18

CROPLAN

2025-26 CROPLAN Enlist E3 Placement Chart



																						Soybears			
Variety		SCN	PRR	PRR Tol	SDS Tol	Cl Tol	SWM	BSR	Iron	ssc	FEL	RKN	Emg	Stand	Stress	Variety	Canopy	Height	Flower	YE	Soils	WinPak	Placement	Disease	Management
	CP2520E																Int/Bush	M-T	Р	High	Coarse	Upgraded WinPak®	High yield potential with		Manage populations in
CP2520E	CP2524E	Peking	Rps1k	3	3	ı	3	2/NA	3	1/NA	2/NA	5	3	3	2,N/A	CP2520	Pubesc.	Pod	Hilum	Avg	Med	variety consisting of	ability to handle tougher	Acceptable PRR, SDS and SWM	environments
	CP2526E	Peking	NG													5	LTW	BR/TN	BL	Low	Fine	CP2524EE and CP2526E	soils	allu Svvivi	conducive to lodging
Variety		SCN	PRR	PRR Tol	SDS Tol	Cl Tol	SWM	BSR	Iron	ssc	FEL	RKN	Emg	Stand	Stress	Variety	Canopy	Height	Flower	YE	Soils	WinPak	Placement	Disease	Management
																9	Int/Bush	MT	Р	High	Coarse	New variety with	Position on medium to	Excellent stress &	
CP2826E		PI88.788	NG	2	2	-1	2	NA	2	1	NA	NA	2	1	1	CP2826	Pubesc.	Pod	Hilum	Avg	Med	versatility and high yield	high end acres for best	standability; strong	
																ீ	LTW	BR	BL	Low	Fine	potential.	performance	PRR, SDS, SSC, & SWM	
Variety		SCN	PRR	PRR Tol	SDS Tol	Cl Tol	SWM	BSR	Iron	ssc	FEL	RKN	Emg	Stand	Stress	Variety	Canopy	Height	Flower	YE	Soils	WinPak	Placement	Disease	Management
	CP2920E															_	Int/Bush	M-T	Р	High	Coarse	Upgraded WinPak®	Position moderate to better acre for top		Good standability and
CP2920E	CP2826E	PI88.788	NG	2	3	1	3	NA	3	1	2/NA	5	2	2	1	CP2920	Pubesc.	Pod	Hilum	Avg	Med	variety that is a must	performance. Excellent	Improved IDC, SDS,	frogeye leaf spot.
	CP3024ES		NG													ភ	GR/LTW	BR	BL/IB	Low	Fine	have for every E3 farm.	stress tolerance with high	and SWM	Broad acre placement
				PRR	SDS	Cl																	yield potential allows this		
Variety		SCN	PRR	Tol		Tol	SWM	BSR	Iron	SSC	FEL	RKN	Emg	Stand	Stress	Variety	Canopy	Height	Flower	YE	Soils	WinPak	Placement	Disease	Management
	CP3120E CP3024ES*																Int Pubesc.	M-T Pod	P Hilum	High Avg	Coarse Med	Upgraded WinPak®	Broad acre WinPAk. Excellent stress tolerance	Strong SSC and PRR	Good early plant option
CP3120E	JF 3024L3	PI88.788	1c/NG	1	3	1	3	NA	3	1	2/NA	5	1	2	1	CP3120	rubesc.	rou	riituiii	Avg	Heu	variety that is a must	with high yield potential	tolerance; improved	with excellent stress
	CP3126E															2	GR	BR	BR/IB	Low	Fine	have for every E3 farm.	allows this bean to go	SDS and SWM	tolerance.
																							across a variety of acres.		
Variety		SCN	PRR	PRR Tol	SDS Tol	Cl Tol	SWM	BSR	Iron	SSC	FEL	RKN	Emg	Stand	Stress	Variety	Canopy	Height	Flower	YE	Soils	WinPak	Placement	Disease	Management
	CP3335E																INT/Bush	MT	Р	High	Coarse				
	CP3325E*		Rps1k	-												9	Pubesc.	Pod	Hilum	Avg	Med	Broadly adapted variety	Position on the medium to	Excellent stress	Very good standability,
CP3330		Peking		1	2	ı	N/A	3	3	1	N/A	5	1	2	1	CP3330						that moves east to west. Great upgrade for the	better acre to realize yield	tolerance and emergence. Strong	SDS andgood BSR tolerance. Braod acre
	CP3425ES		NG													ပ	GR	TN	IB	Low	Fine	early 3.0 maturity group	ability	against PRR and SDS!	movement!!
Variety		SCN	PRR	PRR Tol	SDS Tol	Cl Tol	SWM	BSR	Iron	ssc	FEL	RKN	Emg	Stand	Stress	Variety	Canopy	Height	Flower	YE	Soils	WinPak	Placement	Disease	Management
				100													Int/Bush	MT	Р	High	Coarse	Standalone Product that			
CP3325		Peking	NG	1	2		N/A	1	3	1	3	5	1	2	1	CP3325	Pubesc.	Pod	Hilum	Avg	Med	has it all!!! Tops it out in high yield enironments	Takes high end yield to	Solid Agronomics, PRR, SDS, BSR and	Avg on FELS, manage accordingly. Can
					_	-								_		8	GR	TN	IB	Low	Fine	yet can handel the tough	stress acres	Stress Tolerance.	handle wet feet
																				1		acre			
Variety		SCN	PRR	PRR Tol	SDS Tol	Cl Tol	swm	BSR	Iron	SSC	FEL	RKN	Emg	Stand	Stress	Variety	Canopy	Height	Flower	YE	Soils	WinPak	Placement	Disease	Management
	CP3620E			.00	.00												Int	MT	P/W	High	Coarse	Upgraded WinPak®	Moves across yield	Solid agronomic	
000000	CP3524ES*	DIO0 700	NG			١.	0.011	4.01.			0.014					620	Pubesc.	Pod	Hilum	Avg	Med	consisting of CP3524E	environments and soil	package against all the	00005 in a slicit
CP3620E	CP3626E	PI88.788	Rps1c	1	2	ı	3/NA	1/NA	3	1	3/NA	5	1	2	1	CP3620	GR/LTW	BR	BF/BL	Low	Fine	and CP3626E, Off/Def	types. Needs to be on every farm planting E3	main diseases in our area and can handle	3620E is solid!!
	0, 00202		po20														0.02	5	51752	2011		with BIG yield	Soybeans	bean on bean acres as	
Variety		SCN	PRR	PRR Tol	SDS Tol	Cl Tol	SWM	BSR	Iron	ssc	FEL	RKN	Emg	Stand	Stress	Variety	Canopy	Height	Flower	YE	Soils	WinPak	Placement	Disease	Management
000005		DIO0 700	D d.	4			NI/-	N1/-	0			_				830	Int/Bush	MT	W	High	Coarse	WinPak consisting of	Very stable across	Agronomically sound	Position on the tougher
CP3830E	CP3825E CP3835E	PI88.788	Rps1k	1	2	ı	N/a	N/a	3	1	2	5	1	2	1	CP3830	Pubesc. LTW	Pod BR	Hilum BL	Avg Low	Med Fine	CP3825E and CP3835E	medium to tougher acres. Handles top end acre well	for all major diseases.	acre. Mantains height and handles stress very
	O1 0000E																LIVV	וטוע	L DL	LOW	THE		aates top end dele wett		aaandico stress very

CROPLAN

2025-26 CROPLAN Enlist E3 Placement Chart



	-			-																	Soybeans			
	SCN	PRR	PRR Tol	SDS Tol	Cl Tol	SWM	BSR	Iron	ssc	FEL	RKN	Emg	Stand	Stress	Variety	Canopy	Height	Flower	YE	Soils	WinPak	Placement	Disease	Management
																Int/Bush	MT	W	High	Coarse				This is a sand option.
															325	Pubesc.	Pod	Hilum	Avg	Med	Standalone variety that is	Tough acre option with	Pretty solid disease	Can keep pops
	PI88.788	Rps1c	2	1	N/A	5	3	2	1	1	N/A	1	2	N/A	CP3	GR	TN	BF	Low	Fine	also in CP3830 WinPak	ability to yield in better growing environments.	on SWM.	moderate due to overall size to help standability
	SCN	PRR	PRR	SDS	Cl	SWM	BSR	Iron	SSC	FFI	RKN	Fmg	Stand	Stress	Variety	Canony	Height	Flower	YF	Soils	WinPak	Placement	Disease	Management
			Tol	Tol	Tol	•	20.1		555			8	- Ctania	01.000								1 (400)		
																					Ungraded WinPak®	Broadly adapted with high		Manage for top end
JI 3323E3	PI88.788	Rps1c/No	2	2	Е	N/A	NA	2	1	2	5	2	2	2	392(rubesc.	Fou	Hituiii	Avg	Meu	consisting of CP3925ES	yield potential and great	FEL, SDS, and SSC	yield with fungicide and
CP3926ES															8	LTW	BR/TN	BR/BL	Low	Fine	and CP3926ES.	defensive characteristics	tolerance, and standability	insecticide application.
	SCN	PRR	PRR Tol	SDS Tol	Cl Tol	SWM	BSR	Iron	ssc	FEL	RKN	Emg	Stand	Stress	Variety	Canopy	Height	Flower	YE	Soils	WinPak	Placement	Disease	Management
																Int/Bush	MT	W	High	Coarse			New product so still	
					_									_	125	Pubesc.	Pod	Hilum	Avg	Coarse Med Standalone	· ·	Best performance on	missing some scores	Good seed treatment
	PI88./88	NG	3	3	E	N/A	N/A	N/A	1	1	5	1	1	2	CP4	I T\A/	BR	RI	Low	Fine				recommended to aid in PRR control.
																	Dit	DL	Low	Time	Standability	551.5	Tolerance	
	SCN	DDD	PRR	SDS	Cl	CWM	nen	luan	660		DIVN	F====	Chand	Chunna	Variatio	0	I I a i e ha	Flames	VE	Caila	WimPeli	Discount	Discour	Managamant
	SUN	PNN	Tol	Tol	Tol	SWM	вък	Iron	330	FEL	KKN	Emg	Stand	Stress	variety						WINPAK	Ptacement		Management Excellent emergence
															0							#1 pick for tough/light		and standability allow
	PI88.788	NG	3	3	- 1	N/A	N/A	N/A	1	2	5	1	1	2	423	Pubesc.	Pou	nituiii	Avg	Meu			acceptable PRR and	for early planting if
															ភ	LTW	TN/BR	BF/IB	Low	Fine	tine variety		SDS tolerance so seed	managed for SDS with
						<u> </u>								l							<u> </u>		treatment is	seed treatment
	SCN	PRR	PRR Tol	SDS Tol	Cl Tol	SWM	BSR	Iron	SSC	FEL	RKN	Emg	Stand	Stress	Variety	Canopy	Height	Flower	YE	Soils	WinPak	Placement	Disease	Management
																Int/Bush			High	Coarse			Good tolerance to	
	DIO0 700	Doc1-	2	2		NI/A	NI/A	NI/A	1		_	,	2		525	Pubesc.	Pod	Hilum	Avg	Med	Single line that brings	Broadly adapted across	FELS, SDS, and SSC.	Manage popultions as
	r188.788	KDS1C	3	3	1	N/A	N/A	N/A	1	2	5	1	2	1	CP4	LTW	TN	BL	Low	J	high yield potential	soil types.	Manage for PRR with good seed treatment	soil types improve.
	CP3920ES CP3925ES CP3926ES	PI88.788 SCN P3920ES P3925ES PI88.788 PI88.788 SCN PI88.788	SCN PRR PI88.788 Rps1c	SCN	SCN	SCN	SCN	SCN	SCN	SCN	SCN	SCN	PIRE PRE Tot Tot Tot Tot Tot Tot SWM BSR Iron SSC FEL RKN Emg	SCN PRR Tol Tol Tol SWM BSR Iron SSC FEL RKN Emg Stand	PISS.788 Rps1c 2	PIR PRR Tol Tol Tol SWM BSR Iron SSC FEL RKN Emg Stand Stress Variety	SCN PRR Tol Tol Tol SWM BSR Iron SSC FEL RKN Emg Stand Stress Variety Canopy Int/Bush Pubesc.	SCN PRR Tol Tol Tol Tol SWM BSR Iron SSC FEL RKN Emg Stand Stress Variety Canopy Height	SCN	SCN	SCN	SCN	SCN PRR Find Tot Tot	SCN PRR PRR Tol Tol



NATIONAL AGRONOMIC RATINGS A comprehensive list of each product's characteristics.

NEW New Product*		RELATIVE MATURITY	HERBICIDE TOLERANT TRAIT	FLOWER COLOR	PUBESCENCE	POD WALL COLOR	HILUM COLOR	PLANT HEIGHT CATEGORY	PROTEIN CONTENT	GROWTH HABIT	OIL CONTENT (NAT)	CANOPY	EMERGENCE
ASGROW® SOYBEAN BRANDS	MATURITY GROUP						PLANT I	DESCRIPTION					PRODUCTION
A2954	2	2.9	CONV	WHITE	LT	BR	BL	MT	-	INDETERMINATE	-	МВ	2
A3254 BRAND	3	3.2	CONV	PURPLE	LT	BR	BL	Т	-	INDETERMINATE	-	МВ	2
A3754 BRAND	3	3.7	CONV	WHITE	LT	BR	BL	МТ	-	INDETERMINATE	-	МВ	2
AG27XF3 BRAND	2	2.7	XF	PURPLE	G	BR	IB	МТ	32.5	INDETERMINATE	20.2	MB	1
AG29XF4 BRAND	2	2.9	XF	PURPLE	LT	BR	BL	МТ	-	INDETERMINATE	-	МВ	2
AG29XF5 BRAND	2	2.9	XF	PURPLE	G	BR	IB	Т	-	INDETERMINATE	-	МВ	2
AG30XF4 BRAND	3	3.0	XF	PURPLE	G	BR	IB	МТ	-	INDETERMINATE	-	МВ	2
AG33XF3 BRAND	3	3.3	XF	PURPLE	G	BR	IB	МТ	33.9	INDETERMINATE	20.1	МВ	1
AG35XF1 BRAND	3	3.5	XF	PURPLE	G	BR	IB	М	34.3	INDETERMINATE	19.9	МВ	2
AG35XF5 BRAND	3	3.5	XF	PURPLE	G	BR	IB	Т	-	INDETERMINATE	-	МВ	2
AG36XF4 BRAND	3	3.6	XF	PURPLE	G	BR	IB	MT	-	INDETERMINATE	-	МВ	2

Reference full legend at back of guide

Excellent Poor Not Available

	STANDABILITY	NO-TILL ADAPTABILITY	IRON CHLOROSIS	CHLORIDE SENSITIVITY	SOYBEAN CYST NEMATODE	PRR RESISTANCE	PRR FIELD TOLERANCE	WHITE MOLD	BROWN STEM ROT	SUDDEN DEATH SYNDROME	FROGEYE LEAF SPOT	SOUTHERN STEM CANKER	SOUTHERN ROOT KNOT (M. INCOGNITA)
	PROD	UCTION	SENSI	TIVITY				DISE	ASE RATINGS				
A2954	3	2	5	EXC	R3	RPS1K	5	5	-	5	5	2	-
A3254 BRAND	4	2	-	INC	R3	RPS1C	5	-	-	5	5	3	-
A3754 BRAND	4	2	-	INC	R3	SUSC.	5	-	-	5	5	3	-
AG27XF3 BRAND	4	1	4	INC	R3	RPS1C	5	5	3	6	-	-	S
AG29XF4 BRAND	4	3	4	INC	R1, R3	SUSC.	5	6	-	6	-	-	-
AG29XF5 BRAND	4	3	5	-	-	RPS1C	6	5	3	4	-	2	-
AG30XF4 BRAND	1	1	5	INC	R3	RPS1C	4	4	2	4	-	-	-
AG33XF3 BRAND	4	1	5	EXC	R3	RPS1C	5	5	-	4	-	3	S
AG35XF1 BRAND	3	1	6	INC	R3	RPS1C	4	5	2	4	5	2	-
AG35XF5 BRAND	4	2	6	-	-	RPS1K,RPS3A	4	6	3	2	-	3	-
AG36XF4 BRAND	4	1	-	INC	R3	RPS1C	4	4	-	4	-	3	-



NATIONAL AGRONOMIC RATINGS A comprehensive list of each product's characteristics.

NEW New Product*		RELATIVE MATURITY	HERBICIDE TOLERANT TRAIT	FLOWER COLOR	PUBESCENCE	POD WALL COLOR	HILUM COLOR	PLANT HEIGHT CATEGORY	PROTEIN CONTENT	GROWTH НАВІТ	OIL CONTENT (NAT)	CANOPY	EMERGENCE
ASGROW® SOYBEAN BRANDS	MATURITY GROUP						PLANT I	DESCRIPTION					PRODUCTION
AG38XF3 BRAND	3	3.8	XF	PURPLE	G	BR	IB	MT	35.2	INDETERMINATE	19.0	МВ	1
AG39XF3 BRAND	3	3.9	XF	WHITE	LT	BR	BL	MT	35.4	INDETERMINATE	18.6	МВ	2
AG40XF1 BRAND	4	4.0	XF/SR	WHITE	LT	BR	BL	MT	34.7	INDETERMINATE	19.4	МВ	1
AG40XF5 BRAND	4	4	XF/SR	PURPLE	LT	BR	BL	М	-	INDETERMINATE	-	М	2
AG43XF5 BRAND	4	4.3	XF/SR	PURPLE	LT	BR	BL	М	-	INDETERMINATE	-	М	2

Reference full legend at back of guide

	STANDABILITY	NO-TILL ADAPTABILITY	IRON CHLOROSIS	CHLORIDE SENSITIVITY	SOYBEAN CYST NEMATODE	PRR RESISTANCE	PRR FIELD TOLERANCE	WHITE MOLD	BROWN STEM ROT	SUDDEN DEATH SYNDROME	FROGEYE LEAF SPOT	SOUTHERN STEM CANKER	SOUTHERN ROOT KNOT (M. INCOGNITA)
	PROD	UCTION	SENS	ITIVITY					DISEASE RA	TINGS			
AG38XF3 BRAND	3	1	5	INC	R3	RPS1C	5	-	3	5	6	3	S
AG39XF3 BRAND	3	1	5	EXC	R3	RPS1C	4	5	-	4	4	2	S
AG40XF1 BRAND	4	2	6	INC	R3	RPS1C	5	-	-	5	4	2	S
AG40XF5 BRAND	3	2	6	INC	-	RPS1C	5	-	-	5	7	2	-
AG43XF5 BRAND	3	2	6	INC	-	RPS1C	4	-	-	5	3	2	-

BREVANT

WHAT'S IN THE BAG

PRODUCT NAME	HERBICIDE TOLERANCE	FEATURES
Enlist E3 SOYBEANS	 2,4-D choline in Enlist® herbicides Glyphosate Glufosinate 	 Tolerance to 3 herbicides Enlist herbicides feature up to 90% reduction in drift compared with traditional 2,4-D and 96% reduction in volatility compared with 2,4-D ester Compatible with nearby nonsusceptible crops: soybeans, corn, peanuts, alfalfa, wheat and sorghum Wide application window—apply Enlist herbicides up to R2 or full-flowering stage
BLT	GlyphosateSU (sulfonylurea) herbicides	 Flexible burndown options Tolerant to residual cereal SU herbicides used in double-crop farming Native (non-transgenic) technology
STS® herbicide tolerant trait	Sulfonylurea herbicides	Built-in tolerance to specific sulfonylurea soybean herbicides such as Synchrony® XP and Classic® and any additional herbicides to be developed and as clearly noted on their herbicide label


PRODUCT NAMING SYSTEM

BREVANT® SEEDS SOYBEAN

RELATIVE MATURITY WITHIN A GROUP

BRAND PREFIX

Brevant® seeds



ALPHA CHARACTER

SOYBEAN PRODUCTS





- Highly Productive
- ★ Moderate
- ✓ Low

AGRONOMICS

- ★ Emergence
- ★ Harvest Standability
- **NA** Flood Tolerance

DISEASE TOLERANCE

- Phy. Field Tolerance
- Sudden Death Syndrome
- White Mold
- Brown Stem Rot
- Frogeye Leaf Spot
- ✓ Iron Deficiency
- NA Stem Canker
- NA Root-knot Nematode
- Charcoal Rot



YIELD ENVIRONMENTS

- Highly Productive
- ♠ Moderate
- ✓ Low

AGRONOMICS

- ★ Emergence
- ✓ Harvest Standability
- NA Flood Tolerance

DISEASE TOLERANCE

- Phy. Field Tolerance
- Sudden Death Syndrome
- White Mold
- Brown Stem Rot
- Frogeye Leaf Spot
- ✓ Iron Deficiency
- NA Stem Canker
- NA Root-knot Nematode
- Charcoal Rot



B324EE™









YIELD ENVIRONMENTS

- Highly Productive
- Low

AGRONOMICS

- ✓ Emergence
- Harvest Standability
- **NA** Flood Tolerance

DISEASE TOLERANCE

- ✓ Phy. Field Tolerance
- White Mold
- ★ Brown Stem Rot
- ✓ Frogeye Leaf Spot
- ✓ Iron Deficiency
- NA Stem Canker
- NA Root-knot Nematode
- Charcoal Rot

B342EE™









YIELD ENVIRONMENTS

- ★ Highly Productive
- ✓ Low

AGRONOMICS

- ✓ Emergence
- Harvest Standability
- ✓ Flood Tolerance

DISEASE TOLERANCE

- Phy. Field Tolerance
- ✓ Sudden Death Syndrome
- X White Mold
- ✓ Brown Stem Rot
- Frogeye Leaf Spot
- Iron Deficiency
- NA Stem Canker
- NA Root-knot Nematode
- Charcoal Rot







SOYBEAN PRODUCTS



B344EE™ NEW Enlist E3 3.4

YIELD ENVIRONMENTS

- Highly Productive
- ★ Moderate
- ✓ Low

AGRONOMICS

- ✓ Emergence
- ✓ Harvest Standability
- NA Flood Tolerance

DISEASE TOLERANCE

- Phy. Field Tolerance
- Sudden Death Syndrome
- White Mold
- ★ Brown Stem Rot
- Frogeve Leaf Spot
- ✓ Iron Deficiency
- NA Stem Canker
- NA Root-knot Nematode
- Charcoal Rot

B364EE™









YIELD ENVIRONMENTS

- Highly Productive
- Moderate
- ★ Low

AGRONOMICS

- ✓ Emergence
- ✓ Harvest Standability
- Flood Tolerance

DISEASE TOLERANCE

- ✓ Phy. Field Tolerance
- ✓ Sudden Death Syndrome
- ✓ White Mold
- ★ Brown Stem Rot
- Frogeye Leaf Spot
- ✓ Iron Deficiency
- NA Stem Canker
- NA Root-knot Nematode
- Charcoal Rot

B373EE™ Enlist E3 SOYBEANS 3.7

YIELD ENVIRONMENTS

- ★ Highly Productive
- ★ Moderate

AGRONOMICS

Harvest Standability

NA Flood Tolerance

✓ Emergence

✓ Low

DISEASE TOLERANCE

- Phy. Field Tolerance
- Sudden Death Syndrome
- NA White Mold
- Brown Stem Rot
- Frogeve Leaf Spot
- Iron Deficiency
- NA Stem Canker
- NA Root-knot Nematode
- Charcoal Rot

B394EE™







YIELD ENVIRONMENTS

- Highly Productive
- Moderate
- ✓ Low

AGRONOMICS

- ✓ Emergence
- ✓ Harvest Standability
- ✓ Flood Tolerance

DISEASE TOLERANCE

- ✓ Phy. Field Tolerance
- ★ Sudden Death Syndrome
- ✓ White Mold
- ✓ Brown Stem Rot
- ★ Frogeye Leaf Spot
- ✓ Iron Deficiency
- NA Stem Canker
- NA Root-knot Nematode
- Charcoal Rot



EVAN













SOYBEAN PRODUCTS





YIELD ENVIRONMENTS

- Highly Productive
- ♠ Low

AGRONOMICS

- ✓ Emergence
- Harvest Standability
- X Flood Tolerance

DISEASE TOLERANCE

- ✓ Phy. Field Tolerance
- ✓ Sudden Death Syndrome
- NA White Mold
- **Brown Stem Rot**
- ✓ Frogeye Leaf Spot
- ✓ Iron Deficiency
- Stem Canker
- Root-knot Nematode
- Charcoal Rot

B423EE™









YIELD ENVIRONMENTS

- Highly Productive
- ✓ Low

AGRONOMICS

- ✓ Emergence
- ✓ Harvest Standability
- Flood Tolerance

DISEASE TOLERANCE

- Phy. Field Tolerance
- ✓ Sudden Death Syndrome
- NA White Mold
- Brown Stem Rot
- ✓ Frogeye Leaf Spot
- ✓ Iron Deficiency
- NA Stem Canker
- NA Root-knot Nematode
- Charcoal Rot

B434BE™













YIELD ENVIRONMENTS

- Highly Productive
- ♠ Low

AGRONOMICS

- ✓ Emergence
- ✓ Harvest Standability
- Flood Tolerance

DISEASE TOLERANCE

- ✓ Phy. Field Tolerance
- ✓ Sudden Death Syndrome
- White Mold
- **Brown Stem Rot**
- Frogeye Leaf Spot
- ✓ Iron Deficiency
- NA Stem Canker
- Root-knot Nematode
- Charcoal Rot

B444EE™









YIELD ENVIRONMENTS

- Highly Productive
- ♠ Low

AGRONOMICS

- ✓ Emergence
- Harvest Standability
- ✓ Flood Tolerance

DISEASE TOLERANCE

- Phy. Field Tolerance
- Sudden Death Syndrome
- NA White Mold
- Brown Stem Rot
- Frogeye Leaf Spot
- ✓ Iron Deficiency
- NA Stem Canker
- NA Root-knot Nematode
- Charcoal Rot









"I BI	REVANT eds	I TM	Yiel	dd Environm	ent	So Ty		Ą	grone	omic	s & Di	sea	se T	olera	ınce	
Hybrid	Traits	Relative Maturity	Low Productive	Moderate Productive	High Productive	Poorly Drained	Drought-prone	Emergence	Standability	Phytophora Field Toleran	Sudden Death	The most	Brown Stem Rot	Frogeye Leaf Spot	Stem Canker	Brevant Retail Sales Agronomist Local Comments
B294EE	Enlist E3	2.9	S	нѕ	HS	HS	s			HS I	HS S	3	SI	HS I	NA I	Elite Corteva Genetics that bring across the board agronomics to a late group two porduct. Peking SCN resistance. Strong agronomics and yield is higher than competitors. This will be a consistent product to place on many acres, and has proven to be and excellent early planting option.
B315EE	Enlist E3	3.1	s	нѕ	HS	s	MA	нѕ	s	S I	HS S	-	HS	S I	NA I	New for 2025. An extremely strong yield and balanced agronomics make this a shoe in for better acres. If needed drought tolerance consider the B294EE or B324EE. Excellent SDS, BSR and Charcoal Rot allow for diverse placement and ability to handle diverse challenges with uncertain weather.
B342EE	Enlist E3	3.4	s	нѕ	HS	s	s	s I	MA N	MA	s		SI	HS I	NA I	Peking SCN resistance. Strong leader product out of our 2022 Next Generation E3 soybean class. This product is best placed for moderate to top yield environments and packaged with a fungicide to protect top yield potential. Plant with confidence at modest densities to avoid late season lodging. Excellent Frogeye tolerance and offers PEKING SCN resistance.
B344EE	Enlist E3	3.4	s	нѕ	HS	s	s	s	S	MA I	HS S	_	ıs	-	NA	Elite Corteva Genetics that expand upon the success of the B342EE. Peking SCN resistance with other stong agronomic attibutes and great standability. A future replacement for the B342EE with stronger WM and yield. A very showy bean that looks great all season.
B364EE	Enlist E3	3.6	нѕ	нѕ	HS	S	S	s	s	s	s s	-	-IS	ı	NA I	New Elite Corteva Genetics. Last year this 3.6 proved to be the strongest and most consisten mid group three across plots. Strong Pl88788 companion with solid agronomics and yield. Only watchout is a fungicide in areas with Frogeye leaf spot pressure.
B373EE	Enlist E3	3.7	s	нѕ	HS	S	s	s	MA I	MA	S N	A F	IS I	NA I	NA	Consistent yielding product that handles clay soils very well. Note this has some initial strong ratings for Red Crown Rot. We prefer to place this bean in narrow rows ranging from 7.5 to 20 inches.
B394EE	Enlist E3	3.9	S	нѕ	HS	S	S	S I	MA N	MA I	HS S	;	S I	HS I	NA I	Agronomically advanced Elite Corteva Genetics. A great late season Peking SCN resistance. Replaces the B392EE with a wider canopy and higher yield to bring more consistency in a late group 3 variety. Agronomics and data suggest great performance in the southern areas of IL, IN and OH that have clay soils. This is a standout on our sandy acres.
B405EE	Enlist E3	4.0	нѕ	нѕ	HS	s	s	s	MA	s	S N	A N	ИΑ	S I	NA	New for 2025. High yield with strong canopy width that makes this a versatile first crop or double crop. Improved height over B402EE. Good phytophora field tolerance. Use for full season or double crop needs.
B434BE	Enlist E3, BOLT	4.3	нѕ	нѕ	HS	S	HS	s	s	s	S N	A F	НS	ı	NA I	Advanced and Elite Corteva Genetics. A new leader in the early to mid group 4 that is also Bolt for tolerance to STS chemistry. Double crop or full season play. Excellent emergence and standability with strong SDS, BSR and charcola rot tolerance. Apply a fungicide late for Frogeye leaf spot.

Name	Product Comments	RM	Emergence	Standability	Pubescence	TOWN CITY	Hilum	Pod	BSR	SDS	FLS	SCN Source	IDC PRR Gene	- FI - W - W - W - W - W - W - W - W - W -		White Mold	Charcoal Rot	Source of SCN Res.	Stem Canker	SRN Nem.
A29E35	1) 2.9 RM Enlist E3® soybean with excellent yield potential with this broad-acre product; 2) Peking SCN Source resistance with excellent standability	2.9	2	3 1	И GF	R F	P IB	TN	6	4	-	R	5 Rps1k	4	ļ	5	-	Peking	3	-
A29E36	1) 2.9 RM Enlist E3® soybean that brings excellent yield potential to Illinois and Iowa; 2) Good standability; 3) Good Phytophthora Root Rot and SDS	2.9	3	4 N	T Lt T	w F	P BL	BR	6	4	-	R	5 Susc	4	ļ	4	-	PI88788	3	-
A30E35	1) 3.0 RM Enlist E3® soybean with Peking SCN Source resistance; 2) Excellent yield potential; 3) Good PRR tolerance	3.0	1	5 N	T GF	R F	P IB	TN	3	4	-	R	5 Rps3a	3	3	6	-	Peking	3	-
A31E36	1) 3.1 RM Enlist E3® soybean with Sulfonylurea (SR) herbicide tolerance and excellent yield potential; 2) Rps1k gene for Phytophthora Root Rot resistance with PRR tolerance; 3) Good standability in high yield environments	3.1	3	3 1	Л Lt Т	w F	P BL	BR	6	4	-	R	5 Rps1k	4	ļ	6	4	PI88788	3	-
A33E34	1) 3.3 RM Enlist E3® soybean with Peking SCN Source resistance; 2) Excellent disease tolerance scores	3.3	1	2 1	Л GF	R F	P IB	TN	3	3	4	R	5 Susc	4	Ļ	-	5	Peking	3	-
A34E35	1) 3.4 RM Enlist E3® soybean with Sulfonylurea (SR) herbicide tolerance and consistent yield potential; 2) Very good tolerance to SDS; 3) Good standbility with medium bushy plant type	3.4	1	3 1	Л Lt Т	w v	V BF	R BR	6	4	-	R	5 Rps1k	4	ŀ	6	-	PI88788	3	-
A35E36	1) 3.5 RM Enlist E3® soybean with Sulfonylurea (SR) herbicide tolerance and top-end yield potential; 2) Rps1c gene for Phytophthora Root Rot resistance with goof PRR and SDS tolerance; 3) Excellent standbility and medium bushy plant type	3.5	2	3 1	Л Lt Т	w V	V BL	BR	6	4	-	R	5 Rps1c	3	3	6	4	PI88788	3	-
A36E33	1) 3.6 RM Enlist E3® soybean with excellent yield potential; 2) Sulfonylurea (SR) herbicide resistance	3.6	2	5 N	T Lt T	w F	P BL	. TN	3	4	5	R	5 Rps1k	4	ļ	5	4	PI88788	3	-
A37E36	1) 3.7 RM Enlist E3® soybean with Sulfonylurea (SR) herbicide tolerance and good yield potential; 2) Rps1c gene for Phytophthora Root Rot resistance with good PRR and SDS tolerances; 3) Good standability with medium bushy plant type	3.7	2	3 1	Л Lt Т	w v	V BL	. BR	6	4	-	R	5 Rps1c	4	ļ	-	4	PI88788	3	-
A38E35	1) 3.8 RM Enlist E3® soybean with excellent yield potential; 2) Good standability; 3) Very good tolerance to SDS and Stem Canker	3.8	1	3 N	T Lt T	w V	V BL	BR	-	4	3	R	5 Rps1k	4	ļ	-	5	PI88788	3	S
A40E35	1) 4.0 RM Enlist E3® soybean that is a salt excludder with excellent standability; 2) SR herbicide tolerance; 3) very good tolerance to SDS and Stem Canker	4.0	2	3 1	/ Lt T	w V	V BL	BR	-	4	3	R	5 Susc	5	5	-	5	PI88788	3	S
A41E36	1) 4.1 RM Enlist E3® soybean that is SR herbicide tolerant and a Chloride Excluder; 2) Medium-tall plant type with good standability; 3) Good, stable performer across multiple environments and yield levels	4.1	2	4 1	Л Lt Т	w V	V BL	BR	6	4	3	R	- Susc	5	5	-	4	PI88788	3	S
A45E35	1) 4.5 RM Enlist E3® soybean with SR herbicide tolerance; 2) Medium-tall plant height	4.5	1	4 N	T Lt T	w V	V BL	. TN	-	5	4	R	- Rps1c	5	5	-	-	PI88788	3	S

PUBESCENCE COLOR PLANT HEIGHT HILUM COLOR POD COLOR **NUMERIC RATING SCALE FLOWER COLOR** [Excellent] **1 - 9** [Poor]
[-] Current Data Not Available
RM Relative Maturity GR _____ Gray W White Purple T Tall
MT Medium Tall **LT TW** Light Tawny BF ____ Buff BR Brown IB Imperfect Black
GR Gray M Medium
MS Medium Short TW _____ Tawny



SCN Source = Soybean Cyst Nematode IDC = Iron Deficiency Chlorosis BSR = Brown Stem Rot



SDS = Sudden Death Syndrome FLS = Frogeye Leaf Spot

Growth Habit for all

products is Indeterminate

SRN Nem. = Southern Root Knot/Nematode (M. incognita)



2025 SOYBEAN PLACEMENT GUIDE - IN + KY + TN

Phil Brunner, Agronomic Services Rep • 463-701-5500 • phil.brunner@basf.com



PRODUCT NAME	RM	Plant Height	Canopy Type	Flower Color	Pubescence	Pod Color	Hilum Color	Emergence	Standability	SCN Tolerance	IDC Tolerance	Sclerotinia White Mold	SDS Tolerance	Phytophthora Field Tolerance	Phytophthora Source	Brown Stem Rot	Sulfonylurea Tolerance	Highly Productive	Low Productivity	Poorly Drained	Drought Prone	Irrigated	Variable Soils	No-Till, Cover Crop	Rating Scale: 1=Excellent, 9=Poor E = Excellent VG = Very Good A = Average NR = Not Recommended Agronomist Comments
XO 3014E	3.0	Med/ Tall	Med- Bush	Р	G	BR	ΙB	2	3	PI88788	3	5	2	4	NG	5	Yes	Е	VG	Ε	VG		VG		XO 3014E is a branchy product with top end yield potential. Good standability and excellent tolerance to Sudden Death Syndrome. Excellent for pushing yields on the highly productive acre. Great choice for variable soils. Top performer in 2023.
XO 3224E	3.2	Med/ Tall	Bushy	Р	G	TN	ΙB	2	3	Peking	5	5	3	4	NG	2	No	VG	Е	VG	VG	Е	Е		Peking SCN resistance for the SCN problem acre Strong stress tolerance on droughty soils Fast emergence for April planting
XO 3375E	3.3	Med/ Tall	Med- Bush	Р	Т	BR	BL/ BR	3	2	P188788	3	4	3	4	NG	5	No	Е	Е	VG	Е	Е	Е	VG	Versatile bean across soil types Excellent Standability Good SDS tolerance
XO 3456E	3.4	Tall	Bushy	Р	G	BR	BF	3	5	P188788	4	6	4	4	~1c	-	Yes								Tall, robust line that catches your eye with excellent performance in tougher environments especially in Western dryland acres and tight Eastern clays where plant height is limited with stress.
XO 3555E	3.5	Med/ Avg	Med- Bush	w	LT	BR	BL	2	2	PI88788	5	4	4	2	1c	4	Yes	Е	VG	VG	Α	Е	VG		Excellent top end yield potential Suited for high productive soils Good standability
XO 3855E	3.8	Med/ Avg	Med- Bush	w	LT	BR	BL	3	2	PI88788	5	-	3	4	1k	2	Yes	E	VG	VG	Α	Е	VG	VG	Excellent top end yield potential Shorter variety that branches well Great standability
XO 3956E	3.9	Med/ Tall	Med- Bush	w	LT	TN	BR	2	3	PI88788	3	-	3	2	1c	5	Yes								Taller, defensive specialist with good standability. Outperformed XO 3922E in 2024 and XO 3861E in 2023 data. STS and Excluder!
XO 4056E	4.0	Med/ Avg	Bushy	w	LT	BR	BL	3	2	PI88788	3	-	3	4	1k	-	Yes								Moderate sized, bushy line similar to XO 3861E with great standability and good SDS tolerance. Outperformed XO 3922E in 2024 data. STS tolerant.

XITAVO®SOYBEAN SEED DISTRIBUTED BY BASF CORPORATION. Always read and follow label directions. Enlist and the Enlist logo are trademark s of Corteva Agriscience and their affiliated companies. The transgenic event in Enlist E3 soybeans is jointly developed and owned by Corteva Agriscience and M.S. Technologies, L.L.C. XITAVO is a trademark of M.S. Technologies, L.L.C., West Point, IA. © 2025 BASF Corporation. All rights reserved.

Why Should You Use a Soybean Seed Treatment

Warden CX

- Helps optimize yield potential and improve root health
- 4 fungicides for control of multiple seedling diseases
- Insecticide for early season insect protection and plant vigor

Preside Ultra

- Nitrogen fixing Bradyrhizabium japonicum
- Replaces native bacteria that can be eliminated by extreme weather events

Saltro


- Protection against SDS with activity against soybean nematodes
- Doesn't cause Halo Effect






WARDEN CXII

UNTREATED



Ascend[®] ST3[™] PGR Increased Soybean Yield in Conjunction with a F/I Seed Treatment in High Yield Environments





Visual Examples of Ascend® ST3™ PGR Soybean Field Trials



Ulen, MN Answer Plot. 6/28/2024



Warden CXII By WINFIELD UNITED

Superior Disease & Insect Protection for Soybeans

Warden® CX II provides broad-spectrum protection against early-season disease and insects to help improve root health, plant vigor and optimize yield potential. Built from the strong foundation of Warden® CX, Warden® CX II seed treatment includes an additional, innovative active ingredient (Vayantis®) for enhanced disease protection.

FEATURES AND BENEFITS

- Contains four fungicides for multiple modes of action against early-season disease:
 - Combination of <u>Vayantis® (Picarbutrazox)</u>, a new novel A.I., and the highest labeled rate of Mefanoxam commercially available for unprecedented control of *Pythium* and *Phytophthora* (including metalaxyl-resistant *Pythium*)
 - o Sedaxane (Vibrance®) for Rhizoctonia protection
 - o Fludioxonil for protection from Fusarium.
- Includes active ingredient in Cruiser® insecticide (Thiamethoxam) with proven Cruiser® Vigor Effect for healthier, robust root system. Cruiser® provides protection against an array of seed- and foliar-feeding insects.
- A convenient premix formulation at a low use rate that allows for easier application and room to add products to your total seed treatment offer.
- Extra colorant and polymer providing a more vivid red color, plus improved flowability and handling at the planter, leading to better stand counts and yield potential.







A VERDESIAN NUE SOLUTION®

Preside Ultra® super concentrated soybean inoculant helps provide soybeans with increased levels of Nitrogen in the plant. The addition of Take Off® technology leads to earlier and more uniform emergence, producing a more powerful stand capable of producing higher yields.

FASTER EMERGENCE AND ESTABLISHMENT

- Take Off technology improves the utilization of nutrients and seed reserves for establishment
- Average 15% improved stand for the critical first four weeks
- Healthier, stronger plants for better yields up to 85% of the time over other inoculants or no inoculant

MORE RHIZOBIA

- Soybeans require 5 lbs. of Nitrogen per bushel produced
- **Preside Ultra** provides up to 2X the amount of rhizobia per seed (compared to the competition) to produce more N
- Coupled with Take Off, more rhizobia can improve effective nodule mass by up to 65%, creating greater N-fixing capacity which ultimately can be used to produce higher yields






Losses from Sudden Death Syndrome (SDS) total 25 million bushels annually in the U.S.¹, and until now, growers have had limited management options. With Saltro[®] fungicide seed treatment, the latest technology from Syngenta that contains Adepidyn[®], a potent SDHI fungicide, you can now recommend an upgraded SDS solution that provides superior protection from SDS **without adding unnecessary plant stress**.

 Consistent yield improvement over ILeVO® seed treatment under high SDS pressure²

- Greater root protection because it stays in the root zone
- More power than older technology to protect against the cause of SDS, Fusarium virguliforme
- Robust activity against soybean cyst, root knot, reniform, lesion and lance nematodes
- Better protection against SDS without signs of plant stress, including phytotoxicity, stunting, reduced plant stands, susceptibility to pests or weather, and reduced plant growth both above and below ground



THERE'S NOTHING SOFT ABOUT HELPING YOUR WHEAT ACRE GIVE 110%.

Optimize Seed ROI

To achieve farm topping yield potential, you need to do many things right. And that starts with CROPLAN® varieties.

This is seed that puts you on the path to maximizing ROI potential on each acre, beginning with exceptionally high performing genetics, which bring agronomic characteristics important in maximizing yield potential. But even bigger advantages come with the data and intelligence we build on top of these revolutionary wheat varieties.

ANSWER PLOT® RESEARCH PROVIDES NITROGEN AND FUNGICIDE RESPONSE DATA FOR CROPLAN WHEAT VARIETIES.

That means you can fine tune management and increase yield potential in the most economically efficient manner.

 There's a 7.2 bu/A average yield response advantage¹ when varieties are managed according to their Response to Nitrogen (RTN).


Then, there's a 10.5 bu/A average yield response advantage¹ when varieties are managed according to their Response to Fungicide (RTF).

1. 2019 Answer Plot® data.

EACH VARIETY IS DIFFERENT, AND THEIR AGRONOMIC REQUIREMENTS ARE, TOO.

Putting every product into the same environment won't maximize your ROI. Instead, give each variety what it needs when it needs it. And just as importantly, eliminate actions that don't provide the yield and revenue impact you desire.

Only CROPLAN seed provides this level of intelligence. And you can only find CROPLAN seed varieties at the best retailers in America.





- Early-medium maturity with excellent winterhardiness; very good standability
- Native tolerance to fusarium head blight
- Excellent test weight; good broad-spectrum disease-resistance package
- Outstanding yield potential; broadly adapted over a variety of soils and management regimes



- Excellent yield potential in highly productive environments
- State-of-the-art fusarium head blight resistance
- Excellent test weight and stripe rust resistance
- Plant on time to encourage tilling



- Outstanding yield potential; broadly adapted over a variety of soils
- Strong disease-tolerance package



- High yield potential variety to replace CP9203
- Excellent test weight and winterhardiness
- Awnless variety with excellent standability
- Acceptable Septoria and powdery mildew tolerance



- Outstanding yield potential
- Very stiff and short straw that can handle high nitrogen rates
- Strong test weight
- Best performance in northern regions

SOFT RED WINTER WHEAT

KEY

SCALE: 1 = Excellent 2 = Strong

3 = Acceptable

4 = Manage

5 = Not Recommended

Product descriptions and ratings are generated from Answer Plot® trials and/or from the genetics supplier and my change as additional data is gathered.

BRAND	Regions of A	Naturio, Maturio	Hoigh.	Test West	Standah, igh	Seed A.	Size Range	Response to Popular Respon	Reinse to Nation (A)	Stonse to fund	lear, lear,	Stripe, Aust Resista	Powdery M. Aust Resist	Sentorial Sentorial Ance Ance	leaf Resiste	lear Dise	State on os so of the state of	Sarin Head Colon Du	No. Right Che	Ssian Fly	Pacement on Irreality Resistance	ion
CP9606	Soft Red	3, 6	3	MS	3	1	Υ	11,000-14,000	2	Н	M	М	2	1	3	3	NA	3	2	2	Biotype B, D, L, O	NA
CP9203	Soft Red	1, 2	3	MS	1	2	N	10,000-13,000	2	L	M	Н	2	1	5	4	NA	2	2	2	Biotype L	NA
CP8081	Soft Red	1, 2, 3, 4	1	М	2	1	Υ	11,000-14,000	2	L	M	М	1	2	4	2	NA	2	1	2	Biotype B, D, L, O	NA
CP8022	Soft Red	1, 2, 3, 4	3	MS	2	2	Υ	11,000-14,000	1	M	M	Н	3	1	4	2	NA	2	1	1	Native tol.	NA
CP8007	Soft Red	1,2	4	S	3	1	N	11,000-14,000	2	М	Н	М	2	2	2	4	NA	2	NA	3	NA	NA
CP8045	Soft Red	1,2,3,4	3	М	3	2	Υ	11,000-14,000	1	М	M	М	2	2	2	2	NA	2	NA	2	NA	NA
CP8224	Soft Red	1,2,3,4	3	М	1	1	N	12,000-14,000	1	М	M	Н	1	1	2	3	NA	NA	NA	2	NA	NA

KEY Scale

1 = Excellent

2 = Strong

3 = Acceptable

4 = Manage

5 = Not Recommended

Product descriptions and ratings are generated from Answer Plot® trials and/or from the genetics supplier and may change as additional data is gathered.

Maturity

1 = Early **5** = Late

4 Height S = Short $\mathbf{M} = \mathsf{Medium}$

T = Tall

RTP/RTN/RTF Ratings

L = Low Response M = Moderate Response

H = High Response

The comparison ratings are with CROPLAN® wheats only. These ratings reflect trends observed in research trials, which will change based on various factors, including variations in rainfall, temperature and production patterns.

Don't plant without the +

There's a new talc/graphite solution in town.



SEED+GRAPHITE

goes beyond your typical talc/graphite. It delivers full nutrient and biostimulant packages to help crops get a healthy start and fend off stress events.

There's a lot to stress about– planting with **SEED+GRAPHITE** isn't one of them. Contact your local dealer today.

10% average yield boost compared to UTC across 300 trials (all crops)



Learn more about SEED+ Graphite 800-868-6446 | visci.com

SEED+GRAPHITE

A VERDESIAN NUE SOLUTION®





Talc + Graphite for efficiency at planting

Improves flowability and

reduces bridging

Dries seed and reduces static electricity



Micronutrients

to support seedling emergence and a robust start

Improves emergence and seedling vigor
Supports season-long plant

development




Biostimulants and Metabolites to set crops up for season-long success

Mitigates abiotic stressors

Fosters photosynthetic activity
and carbohydrate production

IMPROVE YOUR PLANTER PASS

As your local Precision Planting Dealer, we encourage you to have your corn meters tested before the 2025 planting season. With the Precision Planting MeterMax Ultra test stand, our highly trained precision team can test most brands of corn planter meters. The meter test stand evaluates singulation, skips, doubles, population and seed release index.




TO SCHEDULE AN APPOINTMENT, CONTACT:

Local Superior Ag Agronomy Sales Specialist - OR -

Precision Ag Specialist Adam Messmer at 812.661.2925

2020-2023 Soybean Planting Date Summary



MAXIMIZE LOCAL YIELDS WITH LOCAL DATA

Now more than ever, every bushel counts. Ask us how the most extensive set of local data points backed by top genetics and traits can help maximize your yield.

With more than 150 performance trials and over 2,500 data points over the past six years, our local Innovators Club trials have shown a 8.7 Bu./A. advantage utilizing Croplan and Dekalb seed in our area over lead competitors. This equates to a \$102.97/bag advantage!

In today's environment, top yields are not reached by seed genetics alone. It takes a comprehensive approach. That is why our goal is to help you maximize every seed on every acre by conducting trials on the following factors:

- Yield environment
- Planting population
- Fertility

- Maturity group
- Fungicide response
- Early vs. late planting

If you have any questions about the trials or would like to be a Superior Ag Innovator Trial Cooperator, contact your local Superior Ag Representative or Jason Lueken at 812.639.2421.



* 2018-2023 Croplan & Dekalb performance summary advantage - figures based on 32K population and \$4.75/Bu. corn.

2024 Hybrid Heat Map																					
Superior Ag	Planting Date	4930DGVT2P	B11C37AM	DKC111-35VT2P	P1136AM	CP5329PCE	B13C49PCE	CP5497VT2P	DKC114-99VT4PRO	DKC64-22VT2P	P14830	CP5550VT2P	CP5682TRE	DKC66-06TRE	CP5760TRE	DKC117-78VT2P	B17Z18AM	CP5893TRE	DKC68-35VT2P	DKC70-45VT2P	Plot Average
Owensville	5/30/2024	253.3	249.4	271.7	240.2		231.6	258.9	204.4	250.2	243.2	267.8	191.3	264.4	227.5	245.2	195.4	245.9	271.9	258.6	241.9
Huntingburg	6/11/2024		214.5	215.0	197.3			214.4	239.5	218.5	231.1	209.8	208.2	207.8	201.1	191.3		216.0	217.8	205.8	213.0
Huntingburg	5/13/2024	292.7	239.2	291.0	236.1	294.1	295.4	289.9	323.7	305.2	308.8	289.5	316.0	317.2	298.2	288.5	303.5	295.0	309.2	298.2	294.1
Dale	5/2/2024	233.2	259.7	262.8	262.2	250.9	261.7	253.1	281.0	263.3	267.0	269.0	270.0	257.6	236.0	246.2		249.5	253.3		257.4
Haubstadt	5/1/2024			243.2	234.8	208.2	242.8	275.1	265.4	244.9	253.8	231.9	259.9	252.3	248.5	254.5	210.1	236.0	258.1	225.0	245.0
Huntingburg	5/30/2024	253.5		254.9	247.3		219.7	245.6	229.9	245.8	224.5	239.9	240.1	257.3	226.5	249.2	240.0	226.9	248.2	233.0	240.6
Huntingburg	4/27/2024		249.7	260.3	252.4	284.5	263.4	254.8	286.0	254.0	272.5	282.0	278.9	264.2	271.4	270.5	274.8	259.6	303.6	271.8	269.6
Huntingburg	5/2/2024	260.9	260.5	254.2	268.5	258.6	279.1	264.1	283.8	272.9	275.6	277.9	284.9	283.3	284.2	267.7	265.2	275.0	283.9		272.2
Boonville	5/31/2024		139.6	160.7	154.4			158.3	168.5	155.1	170.8	150.0	146.4	174.0	170.8	153.1	150.3	144.0	177.3	179.5	158.2
St. Meinrad	5/31/2024	242.8	228.3	229.1	216.9		225.1	243.5	224.8	220.8	228.4	227.0	213.6	217.0	203.0	210.8	222.1	217.0	231.1	215.0	223.6
Dale	5/2/2024	289.8		294.1	291.3	252.8		288.6	304.3	291.7	279.6	304.8	300.9	279.9	292.5	304.4		274.6	306.5	286.4	290.4
Anonymous	4/23/2024			304.1	295.8	275.7	293.7	301.0	318.1	294.6	305.4	294.7	321.7	298.4	296.6	299.6	292.3		323.6	304.7	301.0
Ireland	4/22/2024			303.6	304.5	278.7	295.2	313.7	309.8	295.8	298.6	301.7	315.3	319.3	309.0	297.4	309.5	305.9	330.5	306.9	305.5
Average		260.9	230.1	257.3	246.3	262.9	260.8	258.5	264.6	254.8	258.4	257.4	257.5	261.0	251.2	252.2	246.3	245.5	270.4	253.2	
# of Plots		7	8	13	13	8	10	13	13	13	13	13	13	13	13	13	10	11	13	11	
% Mean		100.3%	95.4%	101.0%	96.7%	94.1%	98.4%	101.5%	103.8%	100.0%	101.4%	101.0%	101.0%	102.4%	98.6%	99.0%	96.5%	97.8%	106.1%	100.1%	

CONNECT WITH US


















JOIN OUR NEW **Customer Portal**

We are very excited to offer this new and improved tool to our growers! Now with a mobile app and payment capabilities!



Inbox

Inbox

This allows you to send and receive messages directly between you and your Superior Ag representatives!



A listing of any invoices to your account and the remaining balance. Easily Invoices view full detail and select invoices to pay or print!





what has been purchased each by product. Each Purchase History product can be expanded to see dates and invoices!





products offered companywide here at Superior Ag, Products even request a quote from your Sales Specialist

Here you will be able to

digitally view and approve

Grain



settlements, and contracts. Sign to approve new contracts right from your phone or computer!

View your scale tickets,



Balances

Balances

View your credit limit, available credit, and prepay balances, and even pay your bill all in one convenient place!

Bookings



Bookings

View your current prepay documents, amount available, and transactions that have been applied to the prepay booking.

Ouotes



product plans and quotes from your Sales Specialist!

Payment History



Payment Histor

A listing of all completed and scheduled payments detailing the amount and what those dollars were applied to.



Request access now by visiting: portal.superiorag.com or by searching your app store for: 'Superior Ag'

Superior service. Superior support. Superior Ag.

Main Office

Locations

901 N. Main St. P.O. Box 420 Huntingburg, IN 47542

www.SuperiorAg.com

Agronomy:

Boonville Chrisney

Dale

Evansville

Haubstadt

Huntingburg

Ireland

Mackey Owensville

Patoka

Petersburg

Richland

St. Meinrad

Feed Mill:

Dale

Feed Store:

Dale

Fueling Stations:

Huntingburg

Princeton

Grain Elevators:

Francisco

Huntingburg

Ireland

Princeton



